

SDS No. 037-U141884 First issue: 2017/09/04 Revised: 2017/10/20

Revised: 2017/10/20

Safety Data Sheets

1. Identification

Product Name : MH-100 ink Yellow

Order No. : MH100-Y-BA

General Use : Ink for ink jet printer

Product Description : UV curable ink

Restrictions on use : This product is a bottle containing ink. Under normal conditions of

use, the substance is released from a bottle only inside an

appropriate printing system, and therefore, exposure is limited. But the liquid within the bottle is considered hazardous, and the SDS

has been prepared in case of exposure to the liquid.

SDS Number : 037- U141884

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard NE , suite A, Suwanee, Georgia 30024,

U.S.A.

Telephone No. : +1-678-730-0170 Emergency Telephone No. : +81-268-64-2281

2. Hazards Identification

[HCS Classification]

Physical Hazards

Flammable Liquids : Not classified

Health Hazards

Acute Toxicity – Oral : Catgory 4
Skin Corrosion / Irritation : Catgory 2
Eye Damage / Irritation : Catgory 1
Sensitization – Skin : Catgory 1A
Toxic to Reproduction : Catgory 2
Specific Target Organ Toxicity : Catgory 3

(Single Exposure)



SDS No. 037-U141884 First issue: 2017/09/04 Revised: 2017/10/20

Safety Data Sheets

Specific Target Organ Toxicity : Catgory 2 (peripheral nervous system, kidneys,

(Repeated Exposure) liver, blood)

Environmental Hazards

Hazardous to the Aquatic : Catgory 2

Environment - Acute Hazard

Hazardous to the Aquatic : Catgory 2

Environment - Long Term Hazard

The above list does not include category being non-classifiable or not-applicable.

[HCS Label Elements]

Symbol



Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure (peripheral nervous system, kidneys, liver, blood).

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

[Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

[Response]

P308+P313 IF exposed or concerned: Get medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove



SDS No. 037-U141884 First issue: 2017/09/04 Revised: 2017/10/20

Safety Data Sheets

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P362+P364 Take off contaminated clothing and wash before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

P391 Collect spillage.

[Storage]

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

Statement(s) of Unknown Acute Toxicity

Oral 27% of the mixture consists of ingredient(s) of unknown acute toxicity.

Statement(s) of Unknown Aquatic Toxicity

47% of the mixture consists of ingredient(s) of unknown acute aquatic toxicity.

47% of the mixture consists of ingredient(s) of unknown chronic aquatic toxicity.

Other Hazards

None known.

NFPA Rating (scale 0-4)

Health = 2

Flammability = 1

Instability = 0

Special =



3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Tripropylene glycol diacrylate	25-35	42978-66-5
2	2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-	20-25	5888-33-5
3	Morpholine, 4-(1-oxo-2-propenyl)-	15-25	5117-12-4
4	Oligomer	15-25	Trade Secret
5	Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	1-10	75980-60-8

The chemical identity and/or percentage of composition is being withheld as a trade secret.



Safety Data Sheets

Product Name: MH-100 ink Yellow

SDS No. 037-U141884 First issue: 2017/09/04

Revised: 2017/10/20

First Aid Measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Call

a POISON CENTER or doctor/physician.

Eye Contact : Flush eyes immediately with large amounts of water. Remove

contact lenses, if present and easy to do. Continue rinsing. Then get

immediate medical attention.

Skin Contact : Wash with plenty of soap and water. If skin irritation or rash occurs:

Get medical advice/attention. Take off contaminated clothing and

wash before re-use.

Ingestion : If swallowed, get medical attention. If vomiting occurs, keep head

lower than hips to help prevent aspiration. Rinse mouth.

Most Important Symptoms/Effects

Acute : Harmful if swallowed, skin irritation, eye damage, allergic skin

reaction, respiratory tract irritation.

Delayed : allergic skin reaction, reproductive effects, peripheral nerve system

: Treat symptomatically and supportively.

damage, kidney damage, liver damage, blood disorders.

Indication of Immediate

Medical Attention and Special Treatment

Needed, If Needed

Fire Fighting Measures

: Flash Pont: >93 ° C Flammable Properties

Extinguishing Media : carbon dioxide, regular dry chemical, water spray, alcohol resistant

foam.

Unsuitable Extinguishing

: Do not scatter spilled material with high-pressure water streams.

Media

Special Hazards Arising

: Irritating fumes and gases may be released upon thermal processing

from the Chemical or during combustion.

Hazardous Combustion : oxides of carbon, oxides of nitrogen.

Products

: Move container from fire area if it can be done without risk. Do not Fire Fighting Measures

scatter spilled material with high-pressure water streams. Cool

containers with water spray until well after the fire is out. Stay away



Safety Data Sheets

Product Name: MH-100 ink Yellow

SDS No. 037-U141884 First issue: 2017/09/04

Revised: 2017/10/20

from the ends of tanks. Avoid inhalation of material or combustion

by-products.

Special Protective : Wear full protective fire fighting gear including self contained

breathing apparatus (SCBA) for protection against possible exposure. Equipment and

Precautions for **Firefighters**

Accidental Release Measures

Personal Precautions, : Wear personal protective clothing and equipment, see Section 8.

Protective Equipment

and Emergency

Procedures

Methods and Materials

for Containment and

Cleaning Up

: Eliminate all ignition sources if safe to do so. Stop leak if possible

without personal risk. Reduce vapors with water spray.

Small spills: Absorb with sand or other non-combustible material.

Collect spilled material in appropriate container for disposal.

Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low

areas.

Environmental

Precautions

: Avoid release to the environment.

Handling and Storage

Precautions for Safe

Handling

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor or mist. Use only outdoors or in a well-ventilated area. Avoid contact with

eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves/clothing and eye/face protection. Wash thoroughly after handling. Contaminated work clothing should not be

allowed out of the workplace.

Conditions for Safe

Storage, including any

Store locked up.

Incompatibilities

Store and handle in accordance with all current regulations and

: Store in a well-ventilated place. Keep container tightly closed.

standards. Keep separated from incompatible substances.



SDS No. 037-U141884

First issue: 2017/09/04 Revised: 2017/10/20

Product Name: MH-100 ink Yellow

Safety Data Sheets

Incompatible Materials : acids, bases, metals, oxidizing materials, metal oxides.

8. Exposure Controls / Personal Protection

This product is a bottle containing ink. Under normal conditions of use, the substance is released from a bottle only inside an appropriate printing system, and therefore, exposure is limited. But the liquid within the bottle is considered hazardous.

Please prepare the following protective equipment in case of handling damaged bottle, setting an ink bottle to the printer, handling a waste bottle and being exposed to liquid.

Exposure Limit Values : The following constituents are the only constituents of the product

which have a PEL, TLV or other recommended exposure limit. At this

time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit : Biological Exposure Indices (BEI)

Values There are no biological limit values for any of this product's

components.

Exposure Controls

Gloves

Occupational Exposure Controls

Appropriate : Provide local exhaust or process enclosure ventilation system.

Engineering Controls Ensure adequate ventilation.

Individual Protection Measures, such as Personal Protective Equipment

Respiratory Protection : Wear the respirator against toxic gas.

Follow the OSHA respirator regulations found in 29 CFR 1910.134.

Respiratory protection approved by NIOSH

- Category 19C Type C

supplied-air respirator operated in pressure demand

- Category 21C

air-purifying respirator equipped

- Category 23C

air-purifying respirator equipped

Glove : Gloves and other dermal protection may not be used for a time

Recommendations period longer than they are actually tested and must be replaced at

the end of each work shift.

- Safety 4/4H EVOH/PE laminate

- Ansell Edmont Neoprene number 865



SDS No. 037-U141884 First issue: 2017/09/04

Revised: 2017/10/20

Safety Data Sheets

- Solvex Nitrile Rubber number 275

Eye /Face : Chemical goggles or equivalent eye protection.

Protection Tightly fitting safety goggles.

It is recommended to install an eyewash station near the printer, for

emergency use.

Skin Protection Full body chemical protective clothing. Clothing which covers any

other exposed areas of the arms, legs, and torso.

Wear appropriate protective gloves and clothing to prevent skin

exposure.

Appropriate : A cartridge used for a respirator must be renewed either regularly

sanitary or appropriately corresponding to breakthrough time of use.

requirement

rotective

Apron

Protective : Provide an emergency eye wash fountain and quick drench shower

: peculiar odor

in the immediate work area. Materials

Environmental Exposure Controls

: This product contains the substance which is regulated to release to

water under SNUR.

Physical and Chemical Properties

Appearance - Physical State : liquid

> - Color : clear, yellow

: Not available pН

Boiling Point / Boiling Range : Not available

: Not available Melting Point / Melting Range

Decomposition Temperature : Not available

Flash Point :>93 °C

Auto ignition temperature : Not available

Flammability (Solid, Gas) : Not available **Explosive Properties** : Not available

: Not available Oxidizing Properties

Upper / Lower Flammability or : Not available

Explosive Limits

Odor

Vapor Pressure : Not available



SDS No. 037-U141884 First issue: 2017/09/04 Revised: 2017/10/20

Safety Data Sheets

Specific Gravity (water=1) : 1.07 (25 °C)

Water Solubility : Not available

Partition Coefficient (n-octanol / Water) : Not available

Viscosity : 63 ± 3 mPa · s (25 $^{\circ}$ C)

Vapor Density : Not available Evaporation Rate : Not available

10. Stability and Reactivity

Reactivity : No reactivity hazard is expected.

Chemical Stability : Stable under normal conditions of use.

Possibility of Hazardous : Will not polymerize.

Reactions

Conditions to Avoid : Avoid flames, sparks, and other sources of ignition. Avoid contact

with incompatible materials.

Incompatible Materials : acids, bases, metals, oxidizing materials, metal oxides.

Hazardous : oxides of carbon, oxides of nitrogen.

Decomposition

11. Toxicological Information

Information on Likely Routes of Exposure

Inhalation : irritation, organ damage.

Ingestion : harmful if swallowed, irritation, organ damage

Skin Contact : irritation, allergic skin reaction.

Eye Contact : eye damage.

Acute and Chronic Toxicity

Component Analysis - : The components of this material have been reviewed in various

LD50/LC50 sources and the following selected endpoints are published.

Tripropylene glycol diacrylate (42978-66-5)

Oral LD50 Rat 6200 mg/kg Dermal LD50 Rabbit >2 g/kg

2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-

(5888-33-5)

Oral LD50 Rat 4890 mg/kg



SDS No. 037-U141884 First issue: 2017/09/04

Revised: 2017/10/20

Safety Data Sheets

Product Toxicity Data - Acute Toxicity Estimate

Dermal > 2000 mg/kg

Oral: 1640 mg/kg

Immediate Effects : Harmful if swallowed, skin irritation, eye damage, allergic skin

reaction, respiratory tract irritation.

Delayed Effects : allergic skin reaction, reproductive effects, peripheral nerve system

damage, kidney damage, liver damage, blood disorders

Irritation/Corrosivity

: skin irritation, eye damage, respiratory tract irritation

Data

Respiratory : No information available for the product.

Sensitization

Dermal Sensitization : May cause an allergic skin reaction.

Germ Cell : No information available for the product.

Mutagenicity

Tumorigenic Data : No information available for the product.

Carcinogenicity : No information available for the product.

: Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP,

DFG or OSHA.

Reproductive Toxicity : Available data characterizes components of this product as

reproductive hazards.

Specific Target Organ

: respiratory tract.

Toxicity - Single

Exposure

Specific Target Organ : peripheral nervous system, kidneys, liver, blood.

Toxicity - Repeated

Exposure

Aspiration Hazard : Not expected to be an aspiration hazard.

Medical Conditions : No information available for the product.

Aggravated by Exposure

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity : Toxic to aquatic life with long lasting effects.



SDS No. 037-U141884 First issue: 2017/09/04

Revised: 2017/10/20

Safety Data Sheets

Component Analysis -: Tripropylene glycol diacrylate (42978-66-5)

Aquatic Toxicity Algae: EC50 72 h Desmodesmus subspicatus >28 mg/L IUCLID

Invertebrate: EC50 48 h Daphnia magna 88.7 mg/L IUCLID

Persistence and : No information available for the product.

Degradability

Bioaccumulation : No information available for the product. Mobility : No information available for the product. Other Toxicity : No information available for the product.

13. Disposal Considerations

Disposal Methods : Comply with all USA, national and local regulations.

: Wear the appropriate protective equipment during disposal.

: Fully cured printed matter can be disposed of as ordinary office trash. However, disposal of liquid and uncured waste, cleaning cloths, gloves, and empty material containers must be done in accordance with local laws and regulations. They are classified as hazardous

industrial waste.

: When this product is subjected to incineration, it must be done in accordance with the standard for disposing Industrial Waste.

: Use industrial waste disposal companies who is authorized by local

municipal government for the disposal.

Do not dump this product into sewers, on the ground or into any body

of water.

Component Waste : The U.S. EPA has not published waste numbers for this product's

Numbers components.

Disposal of : Empty containers may contain product residue. Dispose in

Contaminated accordance with all applicable regulations.

Packaging

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

Component Marine : Not a marine pollutant.

Pollutants (IMDG)



SDS No. 037-U141884 First issue: 2017/09/04

Revised: 2017/10/20

Safety Data Sheets

IATA Information : Shipping Name: ENVIRONMENTALLY HAZARDOUS

> SUBSTANCE, LIQUID, N.O.S., (Contains: Tripropylene glycol diacrylate, 2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl

ester, exo-)

Hazard Class: 9 **UN#**: UN3082

Packing Group: III Required Label(s): 9 Marine pollutant

ICAO Information : Shipping Name: ENVIRONMENTALLY HAZARDOUS

> SUBSTANCE, LIQUID, N.O.S., (Contains: Tripropylene glycol diacrylate, 2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl

ester, exo-)

Hazard Class: 9 **UN#**: UN3082 Packing Group: III

Marine pollutant

Required Label(s): 9

IMDG Information : Shipping Name: ENVIRONMENTALLY HAZARDOUS

> SUBSTANCE, LIQUID, N.O.S., (Contains: Tripropylene glycol diacrylate, 2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl

ester, exo-)

Hazard Class: 9 **UN#**: UN3082 Packing Group: III Required Label(s): 9 Marine pollutant

US DOT Information : Shipping Name: ENVIRONMENTALLY HAZARDOUS

> SUBSTANCE, LIQUID, N.O.S., (Contains: Tripropylene glycol diacrylate, 2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl

ester, exo-)

Hazard Class: 9 **UN/NA#**: UN3082 Packing Group: III Required Label(s): 9 Marine pollutant



Safety Data Sheets

Product Name: MH-100 ink Yellow

SDS No. 037-U141884 First issue: 2017/09/04

Revised: 2017/10/20

International Bulk : This material does not contain any chemicals required by the IBC

Chemical Code Code to be identified as dangerous chemicals in bulk.

Remarks : Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is

excepted from Dangerous Goods regulations.

Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

15. Regulatory Information

U.S. Federal : This material contains one or more of the following chemicals

Regulations required to be identified under SARA Section 302 (40 CFR 355

Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR

302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Morpholine, 4-(1-oxo-2-propenyl)-5117-12-4

TSCA 12b: Section 5, 1 % de minimus concentration EPA: P-95-0169

SARA Section 311/312 : Acute toxicity; Reproductive Toxicity; Skin Corrosion/Irritation;

(40 CFR 370 Subparts B Respiratory/Skin Sensitization; Serious Eye Damage/Eye Irritation;

and C) reporting Specific Target Organ Toxicity.

categories

U.S. State Regulations : None of this product's components are listed on the state lists from

CA, MA, MN, NJ or PA.

California Proposition : Not listed under California Proposition 65.

Canada Regulations : Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are

present below the threshold limit listed on the IDL.

Component Analysis - Inventory

Tripropylene glycol diacrylate (42978-66-5)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes



SDS No. 037-U141884 First issue: 2017/09/04 Revised: 2017/10/20

Safety Data Sheets

2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo- (5888-33-5)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes

Morpholine, 4-(1-oxo-2-propenyl)- (5117-12-4)

US	CA	EU	AU	РН	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	NSL	ELN	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No	Yes

Oligomer (Trade Secret)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

τ	JS	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
						ENCS	ISHL	Annex 1	Annex 2	CCA				
7	les .	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

16. Other Information

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC – European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL -



SDS No. 037-U141884 First issue: 2017/09/04 Revised: 2017/10/20

Safety Data Sheets

Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow -Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID -European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL -Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW -Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN NCI (Draft) -Vietnam National Chemicals Inventory (NCI) (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada). .

Disclaimer

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.