

Safety Data Sheets

Section 1 - IDENTIFICATION

Product Identifier: Dye Sublimation Ink Sb300 Black D

Order No.

SB300-KD-BB / SB300-KD-2L

Recommended Use

Pigment ink for ink jet printer

Restrictions on Use

None known.

SDS Number

037-W243775

Manufacturer Information

Mimaki Engineering Co., Ltd
2182-3 Shigeno-otsu, Tomi-shi, Nagano
389-0512 Japan

Telephone number: +81-268-64-2413

Emergency telephone number:

Importer / Distributor Established in USA

MIMAKI USA, INC.
150 Satellite Boulevard NE, suite A, Suwanee, Georgia 30024,
U.S.A.

Téléphone: +1-678-730-0170

Section 2 - HAZARD(S) IDENTIFICATION

Classification in accordance with 29 CFR 1910.1200.

Skin Corrosion / Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Skin sensitizer, Category 1

GHS LABEL ELEMENTS

Symbol(s)



Signal Word

WARNING

Hazard Statement(s)

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

Precautionary Statement(s)

Prevention

Avoid breathing dust, mist, fumes or vapors.

Wear protective gloves/clothing and eye/face protection.

Wash thoroughly after handling.

Safety Data Sheets

Contaminated work clothing should not be allowed out of the workplace.

Response

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash before re-use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists, get medical advice/attention.

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable regulations.

Hazard(s) Not Otherwise Classified

None known.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| CAS | Component | Percent |
|--------------|----------------------|--------------|
| 57-55-6 | 1,2-Propylene glycol | 10-30 |
| 56-81-5 | Glycerin | 5-15 |
| Trade Seclet | Disperse dye | Trade Seclet |
| 7732-18-5 | Water | Balance |
| Trade Seclet | Additives | 0.1-1 |

Section 4 - FIRST-AID MEASURES

Description of Necessary Measures

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

Skin Contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before re-use.

Eye Contact

Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute

allergic skin reaction, skin irritation, eye irritation

Delayed

allergic skin reaction

Indication of Immediate Medical Attention and Special Treatment Needed, If Needed

Treat symptomatically and supportively.

Section 5 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Safety Data Sheets

carbon dioxide, regular dry chemical, water spray, alcohol resistant foam

Unsuitable Extinguishing Media

Do not scatter spilled material with high-pressure water streams.

Special Hazards Arising from the Chemical

Negligible fire hazard.

Hazardous Combustion Products

Combustion: oxides of carbon, acrolein, aliphatics

Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or combustion by-products.

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

* * *Section 6 - ACCIDENTAL RELEASE MEASURES* * *

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

Eliminate all ignition sources if safe to do so. Stop leak if possible without personal risk. Reduce vapors with water spray. **Small spills:** Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. **Large spills:** Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

* * *Section 7 - HANDLING AND STORAGE* * *

Precautions for Safe Handling

Avoid breathing dust, mist, fumes or vapors. Avoid contact with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves and eye/face protection. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Conditions for Safe Storage, including any Incompatibilities

Store and handle in accordance with all current regulations and standards. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep separated from incompatible substances.

* * *Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION* * *

Component Exposure Limits

Glycerin (56-81-5)

OSHA: 15 mg/m³ TWA (mist, total particulate); 5 mg/m³ TWA (mist, respirable fraction)

Mexico 10 mg/m³ TWA LMPE-PPT (mist)

Component Biological Limit Values

There are no biological limit values for the component(s) of this product.

Appropriate Engineering Controls

Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eyes/Face Protection

Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Safety Data Sheets

Wear appropriate chemical resistant clothing.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Respiratory Protection

Consult with a health and safety professional for specific respirators appropriate for your use.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|-----------------------------------|---------------------|--------------------------------------|---------------|
| Physical State: | Liquid | Appearance: | black liquid |
| Color: | black | Physical Form: | liquid |
| Odor: | characteristic odor | Odor Threshold: | Not available |
| pH: | 7-10 (20°C) | Melting Point: | Not available |
| Boiling Point: | Not available | Flash Point: | Not flammable |
| Decomposition Temperature: | Not available | Evaporation Rate: | Not available |
| LEL: | Not available | UEL: | Not available |
| Vapor Pressure: | Not available | Vapor Density (air = 1): | Not available |
| Density: | Not available | Specific Gravity (water = 1): | ~1 |
| Water Solubility: | Soluble | Log KOW: | Not available |
| Coeff. Water/Oil Dist: | Not available | Auto Ignition Temperature: | Not available |
| Viscosity: | 5-10 mPas | Volatility: | Not available |
| Oxidizing Properties: | Not available | Explosive Properties: | Not available |
| Flammability (solid, gas): | Not applicable | | |

Other Property Information

No additional information is available.

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal conditions of use.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid flames, sparks, and other sources of ignition. Avoid contact with incompatible materials.

Incompatible Materials

acids, bases, oxidizing materials, metal oxides, reducing agents, combustible materials, halocarbons, metals, metal salts

Hazardous Decomposition

Combustion: oxides of carbon, acrolein, aliphatics

Section 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Analysis - LD50/LC50

The component(s) of this material have been reviewed in various sources and the following selected endpoints are published:

1,2-Propylene glycol (57-55-6)

Safety Data Sheets

Oral LD50 Rat 20 g/kg; Dermal LD50 Rabbit 20800 mg/kg

Glycerin (56-81-5)

Oral LD50 Rat 12600 mg/kg; Dermal LD50 Rabbit >10 g/kg; Inhalation LC50 Rat >570 mg/m³ 1 h

Information on Likely Routes of Exposure

Inhalation

irritation, difficulty breathing, headache, nausea

Ingestion

fever, nausea, vomiting, diarrhea, headache, dizziness, sleep disturbances, blood disorders, kidney damage, paralysis, reproductive effects, convulsions, skin disorders, stomach pain, drowsiness, loss of coordination, unconsciousness

Skin Contact

allergic reactions, irritation, nausea, headache, drowsiness, dizziness, loss of coordination

Eye Contact

irritation

Immediate Effects

allergic skin reaction, skin irritation, eye irritation

Delayed Effects

allergic skin reaction

Medical Conditions Aggravated by Exposure

No information available for the product.

Irritation/Corrosivity Data

skin irritation, eye irritation

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

May cause an allergic skin reaction.

Germ Cell Mutagenicity

No information available for the product.

Carcinogenicity

Component Carcinogenicity

No data listed by ACGIH, IARC, NTP, DFG or OSHA is available for the component(s) of this product.

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration Hazard

Not expected to be an aspiration hazard.

| |
|--|
| * * *Section 12 - ECOLOGICAL INFORMATION* * * |
|--|

Component Analysis - Aquatic Toxicity

1,2-Propylene glycol (57-55-6)

Fish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50 Pimephales promelas: 51400 mg/L [static]; 96

Safety Data Sheets

Hr LC50 Pimephales promelas: 710 mg/L
Algae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L
Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static]
Glycerin (56-81-5)
Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]

Persistence and Degradability

No information available for the product.

Bioaccumulation

No information available for the product.

Mobility

No information available for the product.

Other Toxicity

No additional information is available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Disposal of Contaminated Packaging

Empty containers may contain product residue. Dispose in accordance with all applicable regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information

Not regulated as a hazardous material for transport.

TDG Information

Not regulated as dangerous goods for transport.

Marine Pollutant

1,2-Propylene glycol (57-55-6)

IBC Code: Category Z

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA 311/312

Acute Health: Yes **Chronic Health:** No **Fire:** No **Pressure:** No **Reactive:** No

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

| Component | CAS | CA | MA | MN | NJ | PA |
|----------------------|---------|----|-----|-----|-----|-----|
| 1,2-Propylene glycol | 57-55-6 | No | No | Yes | Yes | Yes |
| Glycerin | 56-81-5 | No | Yes | Yes | Yes | Yes |

Not regulated under California Proposition 65

Canada

WHMIS CLASSIFICATION: D2B.

Safety Data Sheets

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which fall under WHMIS criteria specified in the Controlled Products Regulations and present above the threshold limits listed on the IDL.

1,2-Propylene glycol (57-55-6)

1 %

Chemical Inventory Listings

Component Analysis - Inventory

| Component | CAS | US | CA | EU | AU | PHIL | JP | KR | CN | NZ |
|----------------------|--------------|-----|-----|-----|-----|------|-----|-----|-----|-----|
| 1,2-Propylene glycol | 57-55-6 | Yes | DSL | EIN | Yes | Yes | Yes | Yes | Yes | Yes |
| Glycerin | 56-81-5 | Yes | DSL | EIN | Yes | Yes | Yes | Yes | Yes | Yes |
| Disperse dye | Trade Seclet | Yes | DSL | EIN | Yes | Yes | Yes | Yes | Yes | Yes |
| Additives | Trade Seclet | Yes | DSL | No | Yes | Yes | Yes | Yes | Yes | Yes |

* * *Section 16 - OTHER INFORMATION* * *

NFPA Ratings: Health: 2 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS - Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances; ELN (ELINCS) - European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code - International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

Other Information

The information set forth in this Safety Data Sheet does not purport to be all-inclusive and should be used only as a guide. While the information and recommendations set forth herein are believed to be accurate, the company makes no warranty regarding such information and recommendations and disclaims all liability from reliance thereon.

End of Sheet 037-W243775