



Product Name: Dye Sublimation Ink Sb52

Blue

MSDS No.031-34W13BC

First issue: Oct 19, 2010

Revised: Aug 30, 2018

Page 1 of 6

# Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

## 1. Product and Company Identification

Product Name	: Dye Sublimation Ink Sb52 Blue
Product Code	: SPC-0584BL-2, SPC-0585BL-2
General Use	: Ink jet printing ink
Product Description	: Sublimation Ink
MSDS Number	:031-34W13BC
Manufacture	
Company Name	: Mimaki Engineering Co., Ltd
Address	: 2182-3 Otsu, Shigeno, Tomi-shi, Nagano 389-0512 Japan
Telephone No.	: +81-268-64-2413
Importer/Distributor Established in USA	
Company Name	: MIMAKI USA. INC.
Address	: 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A
Telephone No.	: 1-678-730-0170
Emergency Telephone No.	: +81-268-64-2413

## 2. Hazards Identification

Emergency Overview	: May cause skin sensitization with allergic skin rashes. Avoid contact with eyes or clothing. In the case of skin contact, wash with soap and water. Keep out of reach of children.
Potential Health Effects	
Inhalation	: Intentional exposure to ink vapors may cause respiratory irritation.
Eye Contact	: Ink contact with eye may be mildly irritating.
Skin Contact	: Ink contact with skin may cause irritation, swelling, or redness.
Ingestion	: May cause upset stomach.
Carcinogens	: No ingredients are listed by OSHA, IARC, or NTP as known or suspected carcinogens.
Potential Environmental Effects	: Not available.



## Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

### 3. Composition / Information On Ingredients

No	Chemical Name	Wt%	CAS No.	Chemical Formula
1	Disperse dye	Trade Secret	Trade Secret	Trade Secret
2	Glycerols	Trade Secret	Trade Secret	Trade Secret
3	Organic materials	<5	1336-21-6	NH <sub>4</sub> OH
4	Triethanolamine	<5	102-71-6	C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub>
5	Water	balance	7732-18-5	H <sub>2</sub> O

### 4. First Aid Measures

Inhalation	: If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.
Eye Contact	: Wash affected eyes for at least 15 minutes under running water with eyelids held open.
Skin Contact	: Wash thoroughly with soap and water.
Ingestion	: Rinse mouth and then drink plenty of water.
Protection To First-Aiders	: Not available.

### 5. Fire Fighting Measures

Flammable Properties	: Not flammable.
Extinguishing Media	: water spray, dry extinguishing media, foam, carbon dioxide
Fire Fighting Instructions	: Wear full fire-fighting turn-out gear (full bunker gear) and respiratory protection (self-contained breathing apparatus).

### 6. Accidental Release Measures

Personal Precautions	: Wear appropriate personal protective equipment.
Cleaning up Methods	: Avoid release to the environment. Absorb spillage with an inert material, then place in a chemical

# Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

waste container for later safe disposal. Earth may be shoveled to contain spillage and to avoid contamination of sewers and water courses.

## 7. Handling And Storage

**Handling** : Do not breathe (dust, vapor, mist, gas).  
 Avoid contact with skin, eyes, or clothing.  
 Wash thoroughly after handling.  
 Destroy contaminated shoes in proper manner.

**Storage** : Keep container tightly closed and in a cool place.  
 Protect from temperatures below: 0 degree C.  
 Protect from temperatures above: 40 degree C.

## 8. Exposure Controls / Personal Protection

### Exposure Limit Values

No	Chemical Name		TWA	STEL	Ceiling	Skin	SEN
1	Triethanolamine	ACGIH TLV	5mg/m3	N.E	N.E	N.E	N.E

### Exposure Controls

#### Occupational Exposure Controls

**Engineering Controls** : It is better to place local exhaust equipment.

#### Personal Protection

**Respiratory Protection** : Wear respiratory protection if ventilation is inadequate. Breathing protection if breathable aerosols/dust are formed.



**Hand Protection** : Chemical resistant protective gloves.



**Eye Protection** : Tightly fitting safety goggles (chemical goggles).

# Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.



Safety Glasses

Skin Protection : To prevent ANY contact, wear impervious clothing such as gloves, apron, boots, or whole body suits made from neoprene, as appropriate.



Protective Apron



Boots



Gloves



Full Suit

Environmental Exposure Controls : Not available.

## 9. Physical And Chemical Properties

Appearance	- Physical state	: liquid
	- Colour	: Blue
Odour		: product specific
pH		: 7.0~9.5
Boiling Point / Boiling Range		: 100 degree C Water
Melting Point / Merging Range		: Not available.
Flash Point		: Not applicable.
Flammability(solid, gas)		: Not available.
Specific Gravity		: 1.00~1.20
Solubility		: Not available.
Water solubility		: complete
Viscosity		: 3.0~5.0mPa.s(20 degree C)

## 10. Stability And Reactivity

Conditions To Avoid	: High and freezing temperatures.
Stability	: Stable
Materials To Avoid	: Not available.
Hazardous Reactions/ Decomposition Products	: No hazardous decomposition products if stored and handled as prescribed/indicated.



## Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

### 11. Toxicological Information

Acute Toxicity	: Not available.
Eye Irritation	: May cause eye irritation.
Skin Irritation	: May cause skin irritation.
Sensitization	: Not available.
Mutagenicity	: Not available.

### 12. Ecological Information

Ecotoxicity	: Not available
Persistence And	: Not available.
Degradability	
Bioaccumulative	: Not available.
Potential	
Other Adverse Effects	: Not available.

### 13. Disposal Considerations

: Must be dumped or incinerated in accordance with local regulations.  
Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.  
Do not dump this product into sewers, on the ground or into any body of water.

### 14. Transport Information

Not classified as a dangerous good under transport regulations.  
(USDOT / IMDG / IATA / ICAO)

# Material Safety Data Sheets

CONSIDERED A HAZARDOUS SUBSTANCE ACCORDING TO OSHA 29 CFR 1910.1200.

## 15. Regulatory Information

OSHA Status : Not hazardous.

TSCA Status : released / listed

SARA TitleIII

Section 311/312 : Not hazardous.

(40 CFR 370)

California Proposition : **WARNING:**

65



This product can expose you to chemicals including Diethanolamine, Ethylene glycol,  $\alpha$ -Methyl styrene, which are known to the State of California to cause cancer/ birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## 16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and dose not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.

### Revision history

Version	Date	Content
1.0	Oct 19, 2010	First issue.
2.0	Aug 30, 2018	Section15: Proposition65 Information Described