

SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

### Safety Data Sheets

#### 1. Identification

Product Name : SS ink Washing Liquid

Order No. : SPC-0352

General Use : Cleaning solution for ink jet printer

Product Description : Solvent liquid SDS Number : 037-C014622

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard NE, suite A, Suwanee, Georgia 30024,

U.S.A.

Telephone No. : +1-678-730-0170

Emergency Telephone No. : +1 866 928 0789 (within United States only, Toll free)

+1 215 207 0061

#### 2. Hazards Identification

[Classification of the substance or mixture]

Physical Hazards

Flammable Liquids : Category 4

**Health Hazards** 

Acute Toxicity – Dermal : Category 4

Eye Damage / Irritation : Category 1

Specific Target Organ Toxicity : Category 1

(Single Exposure)

Specific Target Organ Toxicity : Category 2

(Repeated Exposure)

The above list does not include category being non-classifiable or not-applicable.

[Label Elements]



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

### Safety Data Sheets

Symbol

Signal Word

Danger

**Hazard Statements** 

H227 Combustible liquid.

H312 Harmful in contact with skin.

H318 Causes serious eye damage.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

### **Precautionary Statements**

#### [Prevention]

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands and eyes thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### [Response]

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

(P305+) P310 (IF IN EYES) Immediately call a POISON CENTER or doctor/physician.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use water spray/fog for extinction.

#### [Storage]

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

### [Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

NFPA Rating (scale 0-4)

Health = 3

Flammability = 2

Instability = 0

Special =



#### 3. Composition / Information on Ingredients

### [Substances]

See section below for composition of Mixtures



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

### Safety Data Sheets

#### Mixtures

No	Chemical Name	Wt%	CAS No.
1	Ethylene glycol monobutyl ether acetate	90-100	112-07-2
2	Cyclohexanone	1-10	108-94-1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First Aid Measures

[Description of first aid measures]

Eye Contact : If this product comes in contact with the eyes:

Wash out immediately with water.

If irritation continues, seek medical attention.

Removal of contact lenses after an eye injury should only be

undertaken by skilled personnel.

Skin Contact If skin or hair contact occurs:

Immediately flush body and clothes with large amounts of water,

using safety shower if available.

Quickly remove all contaminated clothing, including footwear.

Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.

Transport to hospital, or doctor.

Inhalation : If fumes or combustion products are inhaled remove from

contaminated area.

Lay patient down. Keep warm and rested.

Prostheses such as false teeth, which may block airway, should be

removed, where possible, prior to initiating first aid procedures.

Apply artificial respiration if not breathing, preferably with a

demand valve resuscitator, bag-valve mask device, or pocket mask as

trained. Perform CPR if necessary.

Transport to hospital, or doctor, without delay.

Ingestion : Immediately give a glass of water.

First aid is not generally required. If in doubt, contact a Poisons

Information Centre or a doctor.

Indication of Immediate

: Treat symptomatically.

Medical Attention and

Special Treatment

Needed



Safety Data Sheets

Product Name: SS ink Washing Liquid

SDS No. 037-C014622 First issue: 2019/01/31

Revised: 2019/10/29

### Fire Fighting Measures

[Extinguishing Media]

Extinguishing Media Foam. Dry chemical powder. BCF (where regulations permit).

Carbon dioxide. Water spray or fog - Large fires only.

[Special hazards arising from the substrate or mixture]

: None known. Fire Incompatibility

[Advice for firefighters]

Fire Fighting : Alert Fire Brigade and tell them location and nature of hazard.

Wear full body protective clothing with breathing apparatus.

Prevent, by any means available, spillage from entering drains or

water course.

Use water delivered as a fine spray to control fire and cool adjacent

area.

Avoid spraying water onto liquid pools.

DO NOT approach containers suspected to be hot.

Cool fire exposed containers with water spray from a protected

location.

If safe to do so, remove containers from path of fire.

Fire/Explosion Hazard

: Combustible.

Slight fire hazard when exposed to heat or flame.

Heating may cause expansion or decomposition leading to violent

rupture of containers.

On combustion, may emit irritating/ toxic fumes.

May emit acrid smoke.

Mists containing combustible materials may be explosive.

May emit poisonous fumes.

### Accidental Release Measures

: See section 8. Personal precautions,

protective equipment and

emergency procedures

Environmental : See section 12.

precautions

[Methods and material for containment and cleaning up]



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

### Safety Data Sheets

Minor Spills : Remove all ignition sources.

Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes.

Control personal contact with the substance, by using protective

equipment.

Contain and absorb spill with sand, earth, inert material or

vermiculite. Wipe up.

Place in a suitable, labelled container for waste disposal.

Major Spills : Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves.

Prevent, by any means available, spillage from entering drains or

water course.

No smoking, naked lights or ignition sources.

Increase ventilation.

Stop leak if safe to do so.

Contain spill with sand, earth or vermiculite.

Collect recoverable product into labelled containers for recycling.

Absorb remaining product with sand, earth or vermiculite. Collect solid residues and seal in labelled drums for disposal.

Wash area and prevent runoff into drains.

If contamination of drains or waterways occurs, advise emergency

services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### 7. Handling and Storage

[Precautions for safe handling]

Safe handling : Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke.

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Always wash hands with soap and water after handling.



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

# Safety Data Sheets

Work clothes should be laundered separately. Launder contaminated

clothing before re-use.

[Conditions for safe storage, including any incompatibilities]

Safe Storage : Store in original containers.

Keep containers securely sealed.

No smoking, naked lights or ignition sources.

Store in a cool, dry, well-ventilated area.

Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for

leaks.

Observe manufacturer's storage and handling recommendations

contained within this SDS.

Storage : None known

incompatibility

### 8. Exposure Controls / Personal Protection

[Control parameters]

### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Ingredient	Source	TWA	STEL	Peak	Notes
Ethylene glycol	US ACGIH Threshold	20 ppm	Not Available	Not Available	TLV® Basis:
monobutyl ether	Limit Values (TLV)				Hemolysis
acetate	US NIOSH	33 mg/m3 / 5 ppm	Not Available	Not Available	Not Available
	Recommended Exposure				
	Limits (RELs)				
Cyclohexanone	US OSHA Permissible	200 mg/m3 / 50	Not Available	Not Available	Not Available
	Exposure Levels (PELs) –	ppm			
	Table Z1				
	US ACGIH Threshold	20 ppm	50 ppm	Not Available	TLV® Basis: Eye
	Limit Values (TLV)				& URT irr
	US NIOSH	100 mg/m3 / 25	Not Available	Not Available	[skin]
	Recommended Exposure	ppm			
	Limits (RELs)				

#### **EMERGENCY LIMITS**

Ingredient	TEEL-1	TEEL-2	TEEL-3
------------	--------	--------	--------



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

### Safety Data Sheets

Ethylene glycol monobutyl ether acetate	15 ppm	35 ppm	210 ppm
Cyclohexanone	60 ppm	830 ppm	5,000 ppm

Ingredient	Original IDLH	Revised IDLH
Ethylene glycol monobutyl ether acetate	Not Available	Not Available
Cyclohexanone	5,000 ppm	700 ppm

**Exposure Controls** 

Appropriate : General exhaust is adequate under normal operating conditions.

Engineering Controls Provide adequate ventilation in warehouse or closed storage areas.

Personal protection

Eye and face : Safety glasses with side shields.

protection Chemical goggles.

Contact lenses may pose a special hazard; soft contact lenses may

absorb and concentrate irritants.

Hands/feet protection : Wear chemical protective gloves, e.g. PVC.

Wear safety footwear or safety gumboots, e.g. Rubber

Body protection : P.V.C. apron.

Respiratory Protection : Consult with a health and safety professional for specific respirators

: Clear liquid

appropriate for your use.

Thermal hazards : Not Available.









### 9. Physical and Chemical Properties

- Color

[Information on basic physical and chemical properties]

Appearance - Physical State : liquid

Odor : Solvent odour

Odour threshold : Not Available pH (as supplied) : Not Available Melting point / freezing point (°C) : Not Available

Initial boiling point and boiling range (°C) : 191



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

# Safety Data Sheets

Flash point (°C) : 74.3

Evaporation rate : Not Available Flammability : Combustible

Upper Explosive Limit (%) : 10.7 Lower Explosive Limit (%) : 0.8

Vapour pressure (kPa) : Not Available Solubility in water (g/L) : Immiscible Vapour density (Air = 1) : Not Available

Relative density (Water = 1) : 0.938

Partition coefficient n-octanol / water : Not Available

Auto-ignition temperature (°C) : 340

Decomposition temperature : Not Available Viscosity (cSt) : Not Available Molecular weight (g/mol) : Not Available : Not Available Taste Explosive properties : Not Available Oxidising properties : Not Available Surface Tension (dyn/cm or mN/m) : Not Available Volatile Component (%vol) : Not Available Gas group : Not Available : Not Available pH as a solution (1%) VOC g/L : Not Available

### 10. Stability and Reactivity

Reactivity : Stable under normal conditions of use.

Chemical Stability : Unstable in the presence of incompatible materials.

Product is considered stable.

Possibility of Hazardous : Hazardous polymerisation will not occur.

Reactions

Conditions to Avoid : See section 7
Incompatible Materials : See section 7
Hazardous : See section 5

Decomposition

#### 11. Toxicological Information



SDS No. 037-C014622 First issue: 2019/01/31

Revised: 2019/10/29

**Acute Toxicity** : Category 4, as a product- Dermal

	TOXICITY	IRRITATION
As a product	Not Available	Not Available
Ethylene glycol	Not Available	Not Available
monobutyl ether acetate		
Cyclohexanone	Not Available	Not Available

[Information on toxicological effects]

Inhaled

: There is strong evidence to suggest that this material can cause, if inhaled once, very serious, irreversible damage of organs.

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Ingestion

: There is strong evidence to suggest that this material can cause, if

swallowed once, very serious, irreversible damage of organs.

The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is because of the lack of corroborating animal or human evidence.

Skin Contact

: There is strong evidence to suggest that this material, on a single contact with skin, can cause very serious, irreversible damage of organs.

The liquid may be able to be mixed with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives.

Open cuts, abraded or irritated skin should not be exposed to this material.

Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

Eye

: Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

### Safety Data Sheets

windburn).

Chronic : Substance accumulation, in the human body, is likely and may cause

some concern following repeated or long-term occupational exposure.

Skin : Data Not Available to make classification

Irritation/Corrosion

Serious Eye : Category 1, as a product

Damage/Irritation

Respiratory or Skin : Data Not Available to make classification

sensitisation

Mutagenicity : Data Not Available to make classification
Carcinogenicity : Data Not Available to make classification
Reproductivity : Data Not Available to make classification

STOT – Single : Category 1, as a product

Exposure

STOT – Repeated : Category 2, as a product

Exposure

Aspiration Hazard : Data Not Available to make classification

#### 12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch. Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	SOURCE
As a product	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Tul. 1	LC50	96	Fish	41.186mg/L	3
Ethylene	EC50	48	Crustacea	=37mg/L	1
glycol monobutyl	EC50	96	Algae or other aquatic plants	3.228mg/L	3
ether acetate	EC0	48	Crustacea	=10mg/L	1
	LC50	96	Fish	71.940mg/L	3
Cyclohexanone	EC50	72	Algae or other aquatic plants	32.9mg/L	5
	EC10	72	Algae or other	3.56mg/L	4



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

# Safety Data Sheets

		aquatic plants		
NOEC	24	Fish	ca.5mg/L	1

Legend: 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances – Ecotoxicological Information -

Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database -

Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data

Mobility : No information available for the product.

Persistence and : No information available for the product.

Degradability

Bioaccumulative : No information available for the product.

Potential

Other Adverse Effects : No information available for the product.

### 13. Disposal Considerations

Disposal Methods : Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body

of water.

Disposal of : Empty containers may contain product residue. Dispose in

Contaminated accordance with all applicable regulations.

Packaging

### 14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

Marine Pollutant : No

Land transport (DOT) : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

(ICAO-IATA / DGR)

Sea transport : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

(IMDG-Code / GGVSee)

Transport in bulk : Not Applicable

according to Annex II of MARPOL and the IBC

code



SDS No. 037-C01462

Product Name: SS ink Washing Liquid SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

### 15. Regulatory Information

Safety Data Sheets

[Safety, health and environmental regulations / legislation specific for the substance or mixture]

Chemical Name	Regulatory
ETHYLENE GLYCOL MONOBUTYL	US - California OEHHA/ARB - Acute Reference
ETHER ACETATE(112-07-2)	Exposure Levels and Target Organs (RELs)
	US - California OEHHA/ARB - Chronic Reference
	Exposure Levels and Target Organs (CRELs)
	US - Pennsylvania - Hazardous Substance List
	US ACGIH Threshold Limit Values (TLV)
	US ACGIH Threshold Limit Values (TLV) – arcinogens
	US Clean Air Act - Hazardous Air Pollutants
	US EPCRA Section 313 Chemical List
	US NIOSH Recommended Exposure Limits (RELs)
	US Toxic Substances Control Act (TSCA) - Chemical
	Substance Inventory
CYCLOHEXANONE(108-94-1)	International Agency for Research on Cancer (IARC) –
	Agents Classified by the IARC Monographs
	US - Alaska Limits for Air Contaminants
	US - California Permissible Exposure Limits for
	Chemical Contaminants
	US - Hawaii Air Contaminant Limits
	US - Idaho - Limits for Air Contaminants
	US - Massachusetts - Right To Know Listed Chemicals
	US - Michigan Exposure Limits for Air Contaminants
	US - Minnesota Permissible Exposure Limits (PELs)
	US - Oregon Permissible Exposure Limits (Z-1)
	US - Pennsylvania - Hazardous Substance List
	US - Rhode Island Hazardous Substance List
	US - Tennessee Occupational Exposure Limits - Limits
	For Air Contaminants
	US - Vermont Permissible Exposure Limits Table Z-1-A
	Final Rule Limits for Air Contaminants
	US - Vermont Permissible Exposure Limits Table Z-1-A
	Transitional Limits for Air Contaminants
	US - Washington Permissible exposure limits of air
	contaminants



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

# Safety Data Sheets

US - Wyoming Toxic and Hazardous Substances Table
Z1 Limits for Air Contaminants
US ACGIH Threshold Limit Values (TLV)
US ACGIH Threshold Limit Values (TLV) - arcinogens
US NIOSH Recommended Exposure Limits (RELs)
US OSHA Permissible Exposure Levels (PELs) - Table
Z1
US Toxic Substances Control Act (TSCA) - Chemical
Substance Inventory

### [Federal Regulations]

Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard : Yes
Delayed (chronic) health hazard : Yes
Fire hazard : Yes
Pressure hazard : No
Reactivity hazard : No

# US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Cyclohexanone	5000	2270

### [State Regulations]

### US. CALIFORNIA PROPOSITION 65

None Reported

### [National Inventory]

Australia - AICS	: Y
Canada - DSL	: Y
Canada - NDSL	: Y
China - IECSC	: Y
Europe - EINEC / ELINCS / NLP	: Y
Japan - ENCS	: Y
Korea - KECI	: Y
New Zealand - NZIoC	: Y
Philippines - PICCS	: Y
USA - TSCA	: Y

Y = All ingredients are on the inventory



SDS No. 037-C014622 First issue: 2019/01/31 Revised: 2019/10/29

# Safety Data Sheets

### 16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.