

SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

Safety Data Sheets

1. Identification

Product Name : Flushing Liquid 01

Order No. : FL001-Z-22

General Use : Cleaning solution for ink jet printer

Product Description : Aqueous liquid SDS Number : 037-C121183

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.

Telephone No. : +1-678-730-0170

Emergency Telephone No. : +1 866 928 0789 (within United States only, Toll free)

+1 215 207 0061

2. Hazards Identification

[HCS Classification]

Physical Hazards

Flammable Liquids : Not classified

Health Hazards

Eye Damage / Irritation : Category 2A

The above list does not include category being non-classifiable or not-applicable.

[HCS Label Elements]

Symbol



Signal Word Warning

Hazard Statements

H319 Causes serious eye irritation.



SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

Safety Data Sheets

Precautionary Statements

[Prevention]

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

[Storage]

Not Applicable.

[Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

NFPA Rating (scale 0-4)

Health = 2

Flammability = 1

Instability = 3

Special =



3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	diethylene glycol diethyl ether	50-70	112-36-7
2	Alcohol solvents series B	5-20	Not Available
3	water	Residue	7732-18-5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

Inhalation : If fumes, aerosols or combustion products are inhaled remove from

contaminated area.

Other measures are usually unnecessary.

Eye Contact : If this product comes in contact with the eyes:

Wash out immediately with fresh running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the



SDS No. 037-C121183 First issue: 2012/04/03

Revised: 2019/10/30

Safety Data Sheets

upper and lower lids.

Seek medical attention without delay; if pain persists or recurs seek

medical attention.

Removal of contact lenses after an eye injury should only be

undertaken by skilled personnel.

Skin Contact If skin contact occurs:

> Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available).

Seek medical attention in event of irritation.

Ingestion : Immediately give a glass of water.

First aid is not generally required. If in doubt, contact a Poisons

Information Centre or a doctor.

: See Section 11. Most important

symptoms and effects, both acute and delayed

Indication of Immediate : Treat symptomatically.

Medical Attention and Special Treatment

Needed

5. Fire Fighting Measures

Extinguishing Media Foam. Dry chemical powder. BCF (where regulations permit).

Carbon dioxide. Water spray or fog - Large fires only.

Special hazards arising from the substrate or mixture

Fire Incompatibility : Avoid contamination with oxidising agents i.e. nitrates, oxidising

acids, chlorine bleaches, pool chlorine etc. as ignition may result

Special protective equipment and precautions for fire-fighters

Fire Fighting : Alert Fire Brigade and tell them location and nature of hazard.

Wear full body protective clothing with breathing apparatus.

Prevent, by any means available, spillage from entering drains or

water course.

Use water delivered as a fine spray to control fire and cool adjacent

area.

Avoid spraying water onto liquid pools.

DO NOT approach containers suspected to be hot.



SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

Safety Data Sheets

Cool fire exposed containers with water spray from a protected

location.

If safe to do so, remove containers from path of fire.

Fire/Explosion Hazard : Combustible.

Slight fire hazard when exposed to heat or flame.

Heating may cause expansion or decomposition leading to violent

rupture of containers.

On combustion, may emit toxic fumes of carbon monoxide (CO).

May emit acrid smoke.

Mists containing combustible materials may be explosive.

Combustion products include:, carbon dioxide (CO2), other pyrolysis products typical of burning organic material. May emit corrosive

fumes.

6. Accidental Release Measures

Personal precautions, : See section 8.

protective equipment and emergency procedures

Environmental : See section 12.

precautions

Methods and material for containment and cleaning up

Minor Spills : Remove all ignition sources.

Clean up all spills immediately.

Avoid breathing vapours and contact with skin and eyes.

Control personal contact with the substance, by using protective

equipment.

Contain and absorb spill with sand, earth, inert material or

vermiculite.
Wipe up.

Place in a suitable, labelled container for waste disposal.

Major Spills : Clear area of personnel and move upwind.

Alert Fire Brigade and tell them location and nature of hazard.

Wear breathing apparatus plus protective gloves.

Prevent, by any means available, spillage from entering drains or

water course.



SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

Safety Data Sheets

No smoking, naked lights or ignition sources. Increase ventilation.

Stop leak if safe to do so.

Contain spill with sand, earth or vermiculite.

Collect recoverable product into labelled containers for recycling.

Absorb remaining product with sand, earth or vermiculite.

Collect solid residues and seal in labelled drums for disposal.

Wash area and prevent runoff into drains.

If contamination of drains or waterways occurs, advise emergency

services.

7. Handling and Storage

[Precautions for safe handling]

Safe handling : Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke.

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Always wash hands with soap and water after handling.

Work clothes should be laundered separately. Launder contaminated

clothing before re-use.

DO NOT allow clothing wet with material to stay in contact with skin

[Conditions for safe storage, including any incompatibilities]

Storage : Store in original containers.

incompatibility Keep containers securely sealed.

No smoking, naked lights or ignition sources.

Store in a cool, dry, well-ventilated area.

Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for

leaks

Observe manufacturer's storage and handling recommendations

contained within this SDS.

Avoid reaction with oxidising agents.



Safety Data Sheets

Product Name: Flushing Liquid 01

SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

8. Exposure Controls / Personal Protection

[Control parameters]

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
diethylene glycol	diethylene glycol Bis(2-ethoxyethyl) ether; (Diethyl		120/ 2	000/ 2
diethyl ether	carbitol)	12 mg/m3	130 mg/m3	980 mg/m3

Ingredient	Original IDLH	Revised IDLH
diethylene glycol diethyl ether	Not Available	Not Available
Alcohol solventsseries B	Not Available	Not Available
water	Not Available	Not Available

Exposure Controls

Appropriate : General exhaust is adequate under normal operating conditions.

Engineering Controls Local exhaust ventilation may be required in specific circumstances.

Provide adequate ventilation in warehouse or closed storage areas.

Personal protection

Eye and face : Safety glasses with side shields.

protection Chemical goggles.

Contact lenses may pose a special hazard; soft contact lenses may

absorb and concentrate irritants.

Hands/feet protection : Wear chemical protective gloves, e.g. PVC.

Wear safety footwear or safety gumboots, e.g. Rubber

Body protection : P.V.C. apron.

Respiratory Protection : Consult with a health and safety professional for specific respirators

appropriate for your use.

Thermal hazards : Not Available.











Safety Data Sheets

Product Name: Flushing Liquid 01

SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

9. Physical and Chemical Properties

[Information on basic physical and chemical properties]

Appearance - Physical State : liquid

> - Color : Colorless transparent

Odor : Slight

Odour threshold : Not Available

: 7-8 pH (as supplied)

: Not Available Melting point / freezing point (°C)

Initial boiling point and boiling range : Not Available

(°C)

Flash point (°C) : Not Available : Not Available Evaporation rate Flammability : Not Available Upper Explosive Limit (%) : Not Available Lower Explosive Limit (%) : Not Available Vapour pressure (kPa) : Not Available Solubility in water (g/L) : Not Available Vapour density (Air = 1) : Not Available

Relative density (Water = 1) : 0.97 - 0.99

Partition coefficient n-octanol / water : Not Available Auto-ignition temperature (°C) : Not Available : Not Available Decomposition temperature Viscosity (cSt) : Not Available : Not Available Molecular weight (g/mol) Taste : Not Available : Not Available Explosive properties : Not Available Oxidising properties

Surface Tension (dyn/cm or mN/m) : Not Available Volatile Component (%vol) : Not Available Gas group : Not Available pH as a solution (1%) : Not Available

VOC g/L : Not Available



SDS No. 037-C121183 First issue: 2012/04/03

Revised: 2019/10/30

10. Stability and Reactivity

Reactivity : Stable under normal conditions of use.

Chemical Stability : Unstable in the presence of incompatible materials.

Product is considered stable.

Possibility of Hazardous : Hazardous polymerisation will not occur.

Reactions

Conditions to Avoid : See section 7
Incompatible Materials : See section 7
Hazardous : See section 5

Decomposition

11. Toxicological Information

Acute Toxicity

	TOXICITY	IRRITATION
As a product	Not Available	Not Available
diethylene glycol	Dermal (rabbit) LD50: 1410 mg/kg	Eye (rabbit): 50 mg moderate
diethyl ether	Oral (rat) LD50: 4970 mg/kg	-
water	Oral (rat) LD50: >90000 mg/kg	Not Available

[Information on toxicological effects]

Inhaled : The material is not thought to produce adverse health effects or

irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be

used in an occupational setting.

Ingestion : The material has NOT been classified by EC Directives or other

classification systems as 'harmful by ingestion'. This is because of the

lack of corroborating animal or human evidence.

Skin Contact : Skin contact is not thought to have harmful health effects (as

classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. There is some evidence to suggest that this material can cause inflammation of

the skin on contact in some persons.



SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

Safety Data Sheets

Eye : This material can cause eye irritation and damage in some persons.

Chronic : Long-term exposure to the product is not thought to produce chronic

effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be

minimised as a matter of course.

Medical Conditions : DIETHYLENE GLYCOL DIETHYL ETHER

Aggravated by Exposure General anaesthetic, gastrointestinal, kidney, urine, bladder changes

reported.

Skin : Data Not Available to make classification

Irritation/Corrosion

Serious Eye : Category 2A, as a product

Damage/Irritation

Respiratory or Skin : Data Not Available to make classification

sensitisation

Mutagenicity : Data Not Available to make classification
Carcinogenicity : Data Not Available to make classification
Reproductivity : Data Not Available to make classification
STOT - Single : Data Not Available to make classification

Exposure

STOT – Repeated : Data Not Available to make classification

Exposure

Aspiration Hazard : Data Not Available to make classification

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch. Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	
المالية المالية	LC50	96	Fish	342.873mg/L	
diethylene glycol	EC50	96	Algae or other	1712.513mg/L	
diethyl ether			aquatic plants		
dietilyi ether	EC50	384	Crustacea	79.457mg/L	

Legend: EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated)



SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

Safety Data Sheets

Mobility : No information available for the product.

Persistence and : No information available for the product.

Degradability

Bioaccumulative : No information available for the product.

Potential

Other Adverse Effects : No information available for the product.

13. Disposal Considerations

Disposal Methods : Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body

of water.

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

Land transport (DOT) : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

(ICAO-IATA / DGR)

Sea transport : NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

(IMDG-Code / GGVSee)

Transport in bulk : Not Applicable

according to Annex II of MARPOL and the IBC

code

Marine Pollutant : No



Safety Data Sheets

Product Name: Flushing Liquid 01

SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

15. Regulatory Information

[Safety, health and environmental regulations / legislation specific for the substance or mixture]

Chemical Name	Regulatory	
	US - California OEHHA/ARB - Acute Reference Exposure Levels	
	and Target Organs (RELs)	
	US - California OEHHA/ARB - Chronic Reference Exposure Levels	
DIEMINI ENE CINCOI	and Target Organs (CRELs)	
DIETHYLENE GLYCOL	US - California Permissible Exposure Limits for Chemical	
DIETHYL ETHER(112-36-7)	Contaminants	
E1HER(112-36-7)	US EPCRA Section 313 Chemical List	
	US Toxic Substances Control Act (TSCA) - Chemical Substance	
	Inventory	
	US TSCA Section 5(a)(2) - Significant New Use Rules (SNURs)	
WATER(7732-18-5)	US Toxic Substances Control Act (TSCA) - Chemical Substance	
WAI ER(1732-18-5)	Inventory	

[Federal Regulations]

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD : Immediate (acute) health hazard ; Yes

CATEGORIES Delayed (chronic) health hazard; No

Fire hazard; No Pressure hazard; No

: None Reported

Reactivity hazard; No

US. EPA CERCLA HAZARDOUS

SUBSTANCES AND REPORTABLE

QUANTITIES (40 CFR 302.4)

[State Regulations]

US. CALIFORNIA PROPOSITION 65 : None Reported

[National Inventory]

Australia - AICS : Y
Canada - DSL : Y
China - IECSC : Y
Europe - EINEC / ELINCS / NLP : Y
Japan - ENCS : Y
Korea - KECI : Y



SDS No. 037-C121183 First issue: 2012/04/03 Revised: 2019/10/30

Safety Data Sheets

New Zealand - NZIoC : Y
Philippines - PICCS : Y
USA - TSCA : Y

Y = All ingredients are on the inventory

16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.