

Safety Data Sheets

1. Identification

Product Name	: UV ink LH-100 Black	
Order No.	: LH100-K-BA/LH100-K-B2/SPC-0597K/SPC-0659K	
Ink Ver.	:1	
General Use	: Ink for ink jet printer	
Product Description	: UV Inkjet Ink	
SDS Number	: 037-U060488	
Manufacture		
Company Name	: Mimaki Engineering Co., Ltd.	
Address	: 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN	
Telephone No.	: +81-268-64-2413	
Importer / Distributor Established in USA		
Company Name	: MIMAKI USA, INC.	
Address	: 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.	
Telephone No.	: +1-678-730-0170	
Emergency Telephone No.	: +1 866 928 0789 (within United States only, Toll free)	
	$+1\ 215\ 207\ 0061$	

2. Hazards Identification

[GHS Classification]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	
Acute Toxicity – Oral	: Category 4 (~40% unknown)
Skin Corrosion / Irritation	Category 2
Eye Damage / Irritation	: Category 1
Sensitization – Skin	: Category 1
Carcinogenicity	Category 2
Toxic to Reproduction	: Category 1B
Specific Target Organ Toxicity	: Category 1 (lungs)
(Repeated Exposure)	Category 2 (immune system)

Environmental Hazards



Safety Data Sheets

Hazardous to the Aquatic	Category 1
Environment - Acute Hazard	
Hazardous to the Aquatic	Category 1
Environment - Long Term Hazard	

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements] Symbol



Signal Word Danger

Hazard Statements

H302 Harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H351 Suspected of causing cancer

H360 May damage fertility or the unborn child

H372 Causes damage to organs through prolonged or repeated exposure (lungs).

H373 May cause damage to organs through prolonged or repeated exposure (immune system).

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's Operation Manual before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe gas/mist.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection. [Response]

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

(P301+)P330 (IF SWALLOWED): Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. (P305+)P310 (IF IN EYES:) Immediately call a POISON CENTER or doctor/physician.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs, Get medical advice/attention.



Product Name: UV ink LH-100 Black SDS No. 037-U060488 First issue: 2012/12/03 Revised: 2024/01/19

Safety Data Sheets

P362+P364 Take off contaminated clothing and wash before reuse.
P391 Collect spillage.
[Storage]
P405 Store locked up.
[Disposal]
P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

NFPA Rating (scale 0 - 4)

Health = 2 Flammability = 1 Instability = 0 Special = None



3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Acryl acid ester	30-50	Trade Secret
2	1,6-Hexanediol diacrylate	25-30	13048-33-4
3 2-methyl-1-(4-methylthiophenyl)-2- morpholinopropan-1-one 5-15 71868-10		71868-10-5	
4	pentaerythritol triacrylate	3-8	3524-68-3
5 1,1,1-trimethylolpropane triacrylate		3-8	15625-89-5
6	Initiator	1-10	Trade Secret
7	Additive	0.1-5	Trade Secret
8	Carbon black	0.1-5	1333-86-4

4. First Aid Measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.
Eye Contact	Flush eyes with plenty of water for at least 15 minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	Get immediate medical attention.
Skin Contact	[:] Wash with plenty of soap and water. Take off contaminated clothing
	and wash before re-use. If skin irritation or rash occurs: Get medical
	advice/attention. Contaminated clothing should be removed and
	laundered before reuse.



Safety	Data	Sheets
--------	------	--------

Ingestion	: If swallowed, get medical attention.
Most Important Symptoms	s/Effects
Acute	: skin irritation, eye damage, allergic skin reaction
Delayed	: allergic skin reaction, reproductive effects, camcer, immune system
	disorders
Indication of Immediate	: Treat symptomatically and supportively.
Medical Attention and	
Special Treatment	
Needed, If Needed	

5. Fire Fighting Measures

Flammable Properties	: Flash point 136°C
Extinguishing Media	[:] carbon dioxide, regular dry chemical, water spray, alcohol resistant foam
Unsuitable Extinguishing	: Do not scatter spilled material with high-pressure water streams.
Media	
Special Hazards Arising	: Negligible fire hazard.
from the Chemical	
Hazardous Combustion	: oxides of carbon, oxides of nitrogen, oxides of sulfur
Products	
Fire Fighting	: Move container from fire area if it can be done without risk. Do not
Measures	scatter spilled material with high-pressure water streams. Cool
	containers with water spray until well after the fire is out. Stay
	away from the ends of tanks. Avoid inhalation of material or
	combustion by-products.
Special Protective	: Wear full protective fire fighting gear including self contained
Equipment and	breathing apparatus (SCBA) for protection against possible
Precautions for	exposure.
Firefighters	

6. Accidental Release Measures

Personal Precautions,	: Wear personal protective clothing and equipment, see Section 8.
Protective Equipment	Avoid release to the environment.
and Emergency	

MIMCIKI[®] Safety Data Sheets

Procedures	
Methods and Materials	: Eliminate all ignition sources if safe to do so. Stop leak if possible
for Containment and	without personal risk. Reduce vapors with water spray.
Cleaning Up	Small spills: Absorb with sand or other non-combustible material.
	Collect spilled material in appropriate container for disposal.
	Large spills: Dike for later disposal. Keep unnecessary people away,
	isolate hazard area and deny entry. Stay upwind and keep out of low
	areas.

7. Handling and Storage

Precautions for Safe	: Obtain special instructions before use. Do not handle until all safety
Handling	precautions have been read and understood. Do not breathe vapor or
	mist. Avoid contact with eyes, skin and clothing. Do not eat, drink, or
	smoke when using this product. Wear protective gloves and eye/face
	protection. Wash thoroughly after handling. Contaminated work
	clothing should not be allowed out of the workplace. Avoid release to
	the environment.
Conditions for Safe	: Store and handle in accordance with all current regulations and
Storage, including any	standards. Store in a well-ventilated place. Keep container tightly
Incompatibilities	closed. Keep cool. Store locked up. Keep separated from incompatible
	substances.

8. Exposure Controls / Personal Protection

Exposure Limit Values

:	: Carbon black(CAS No. 1333-86-4)		
	ACGIH	3 mg/m ³ TWA (inhalable fraction)	
	OSHA	3.5 mg/m ³ TWA	
		3.5 mg/m ³ TWA; 0.1 mg/m ³ TWA (Carbon black	
	NIOSH	in presence of Polycyclic aromatic	
		hydrocarbons, as PAH)	
	Mexico	3.5 mg/m ³ TWA LMPE-PPT	
		7 mg/m ³ STEL [LMPE-CT]	

Component Biological : There are no biological limit values for the component(s) of this Limit Values product.



Exposure Controls **Occupational Exposure Controls** Appropriate : Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits. **Engineering Controls Personal Protection** Respiratory : Consult with a health and safety professional for specific respirators Protection appropriate for your use. Vapor Respirator Hand Protection : Wear appropriate chemical resistant gloves. Gloves **Eye Protection** : Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area. Safety Glasses Skin Protection : Wear appropriate chemical resistant clothing.

9. **Physical and Chemical Properties**

rotective Apron

- Physical State : Liquid Appearance - Color Odor pН Boiling Point / Boiling Range Melting Point / Melting Range **Decomposition Temperature** Flash Point Auto ignition temperature Flammability (Solid, Gas) **Explosive** Properties

- : Black
- : Characteristic odor
- : Not available
- : Not available
- : Not available
- : Not available
- :136℃
- : Not available
- : Not available
- : Not available

MINCIKI Safety Data Sheets

Oxidizing Properties	: Not available
Upper / Lower Flammability or	: Not available
Explosive Limits	
Vapor Pressure	
Specific Gravity	∶ 1.11 (25°C)
Solubility	: Not available
Water Solubility	: Not available
Partition Coefficient (n-octanol / Water)	: Not available
Viscosity	$:22\pm3$ mPa \cdot s (25°C)
Vapor Density	: Not available
Evaporation Rate	: Not available
VOC	: Not available

10. Stability and Reactivity

may
oatible
ır
bati

11. Toxicological Information

Acute Toxicity	: The component(s) of this material have been reviewed in various
Component Analysis -	sources and no selected endpoints have been identified.
LD50/LC50	
Information on Likely Ro	utes of Exposure
Inhalation	; irritation, nausea, headache, drowsiness, dizziness, loss of
	coordination, difficulty breathing, cancer, reproductive effects, lung
	damage
Ingestion	: irritation, nausea, headache, drowsiness, dizziness, loss of

Mimaki™

Safety Data Sheets

	coordination,	unconsciousness					
Skin Contact	allergic reactions, irritation, nausea, headache, drowsiness, dizziness						
Eye Contact	: eye damage						
Immediate Effects	allergic skin reaction, skin irritation, eye damage						
Delayed Effects		: allergic skin reaction, cancer, reproductive effects, lung damage,					
	immune syste	em disorders					
Medical Conditions	: No informatio	on available for the product.					
Aggravated by Exposure		-					
Irritation/Corrosivity	skin irritatior	n, eye damage					
Data							
Respiratory	: No informatio	on available for the product.					
Sensitization							
Dermal Sensitization	: Available data	a characterizes components of this product as dermal					
	sensitization hazards.						
Germ Cell Mutagenicity	: No informatio	on available for the product.					
Carcinogenicity	arcinogenicity : Trimethylolpropane triacrylate(CAS No. 15625-89-5)						
	LADO	Monograph 122 [2019](technical grade)					
	IARC	(Group 2B (possibly carcinogenic to humans))					
	OSHA	Hazard Communication Carcinogens: Present					
	Carbon black	(CAS No. 1333-86-4)					
		A3 - Confirmed Animal Carcinogen with Unknown					
	ACGIH	Relevance to Humans					
	LADO	Monograph 93 [2010]; Monograph 65 [1996]					
	IARC	(Group 2B (possibly carcinogenic to humans))					
	DEC	Category 3B (could be carcinogenic for man,					
	DFG	inhalable fraction)					
	OSHA	Present					
Reproductive Toxicity	: Available data	a characterizes components of this product as					
	reproductive]	hazards.					
Specific Target Organ	: No target org	ans identified.					
Toxicity - Single							
Exposure							
Specific Target Organ	: lungs, immur	ne system					
Toxicity - Repeated							
Exposure							
Aspiration Hazard	: Not expected to be an aspiration hazard.						



12. Ecological Information

	Handling is noted because it might influence the environment when
	leaking and abandoning it.
	Especially, note that the product doesn't flow directly to ground, the
	river, and the drain ditch.
Ecotoxicity	: Very toxic to aquatic life with long lasting effects.
Component Analysis -	: No LOLI ecotoxicity data are available for the component(s) of this
Aquatic Toxicity	product.
Persistence and	: Not available
Degradability	
Bioaccumulation	: Not available
Mobility	: Not available
Other Toxicity	: Not available

13. Disposal Considerations

	Comply with all USA, national and local regulations.
	Do not dump this product into sewers, on the ground or into any body
	of water.
Disposal Methods	: Dispose in accordance with all applicable regulations.
Component Waste	[:] The U.S. EPA has not published waste numbers for this product's
Numbers	components.
Disposal of	: Empty containers may contain product residue. Dispose in
Contaminated	accordance with all applicable regulations.
Packaging	

14. Transport Information

	Check a thing without a leak in a container.
	Perform prevention of collapse of cargo surely.
US DOT Information	
Shipping	[:] Environmentally hazardous substance, liquid, n.o.s.
Name	(Contains: 1,6-Hexanediol diacrylate, Acryl acid ester)
UN Number	: UN3082



Safety Data Sheets

Hazardous Class or	: 9
Division	
Packing Group (PG)	: III
Label(s) Required	: 9
TDG Information	
Shipping	: Environmentally hazardous substance, liquid, n.o.s.
Name	(Contains: 1,6-Hexanediol diacrylate, Acryl acid ester)
UN Number	: UN3082
Hazardous Class or	: 9
Division	
Packing Group (PG)	: III
Label(s) Required	: 9
Marine Pollutant	: YES (Product)
Remarks	: Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is
	excepted from Dangerous Goods regulations.
	Refer to ICAO/IATAA197, IMDG 2.10.2.7, ADR SP 375.

15. Regulatory Information

U.S. Federal	: None of this products components are listed under	er SARA Sections
Regulations	302/304 (40 CFR 355 Appendix A), SARA Section	311/312 (40 CFR
	370.21), SARA Section 313 (40 CFR 372.65), CER	CLA (40 CFR
	302.4), TSCA 12(b), or require an OSHA process s	safety plan.
SARA TitleIII	: Acute Health: Yes	
Section 311/312	Chronic Health: Yes	
	Fire: No	
	Pressure: No	
	Reactive: No	
		C 1 C 11 ·

U.S. State Regulations	: The following components appear on one or more of the following
	state hazardous substances lists:

Component	CA	MA	MN	NJ	PA
1,6-Hexanediol diacrylate (CAS No. 13048-33-4)	No	No	Yes	No	No
Carbon black (CAS No. 1333-86-4)	Yes	Yes	Yes	Yes	Yes



Product Name: UV ink LH-100 Black SDS No. 037-U060488 First issue: 2012/12/03 Revised: 2024/01/19

California Proposition 65

: WARNING

This product can expose you to chemicals including Trimethylolpropane triacrylate, Benzene, Benz[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[j]fluoranthene, Benzo[k]fluoranthene, Carbon black, Chrysene, Dibenz[a,h]anthracene, Naphthalene, Toluene, Methyl Acrylate which are known to the State of California to cause cancer/ birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Canadian WHMIS : Components of this material have been checked against the Ingredient Disclosure Canadian WHMIS Ingredients Disclosure List. The List is List (IDL) composed of chemicals which must be identified on MSDSs if they are included in products which fall under WHMIS criteria specified in the Controlled Products Regulations and present above the threshold limits listed on the IDL. Carbon black(CAS No.1333-86-4): 1% : Component Analysis - Inventory

Chemical Inventory

Listings

Component	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
1,6-Hexanediol diacrylate (CAS No. 13048-33-4)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Carbon black (CAS No.1333-86-4)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

16. Other Information

Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS - Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances; ELN (ELINCS) - European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code -International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LEL - Lower Explosive Limit; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -

Mimaki

Safety Data Sheets

Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.