

SDS No. 037-U060426 First issue: 2011/08/29 Revised: 2022/02/21

# Safety Data Sheets

#### 1. Identification

Product Name : UV ink LF-140 Cyan

Order No. : SPC-0727C / SPC-0728C / LF140-C-BA

General Use : Ink for ink jet printer

Product Description : UV Inkjet Ink SDS Number : 037-U060426

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.

Telephone No. : +1-678-730-0170

Emergency Telephone No. : +1 866 928 0789 (within United States only, Toll free)

+1 215 207 0061

#### 2. Hazards Identification

[GHS Classification]

Physical Hazards

Flammable Liquids : Not classified

**Health Hazards** 

Acute Toxicity – Oral : Category 4 (65% unknown)

Skin Corrosion / Irritation : Category 1

Eye Damage / Irritation : Category 1

Sensitization – Skin : Category 1

Toxic to Reproduction : Category 1B

Specific Target Organ Toxicity : Category 1 (central nervous system, blood,

(Repeated Exposure) respiratory system, thyroid gland, and lungs)

Category 2 (nose)

**Environmental Hazards** 

Hazardous to the Aquatic : Category 2

Environment - Acute Hazard



SDS No. 037-U060426 First issue: 2011/08/29 Revised: 2022/02/21

# Safety Data Sheets

Hazardous to the Aquatic : Category 2

Environment - Long Term Hazard

The above list does not include category being non-classifiable or not-applicable. [GHS Label Elements]

Symbol









Signal Word Danger

**Hazard Statements** 

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H318 Cause serious eye damage

H360 May damage fertility or the unborn child

H372 Causes damage to organs through prolonged or repeated exposure (central nervous system, blood, respiratory system, thyroid gland, and lungs)

H373 May cause damage to organs through prolonged or repeated exposure (nose)

H411 Toxic to aquatic life with long lasting effects

**Precautionary Statements** 

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's operation manual before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe gas/mist.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water[or shower].

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER or doctor/physician.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash before reuse.



SDS No. 037-U060426 First issue: 2011/08/29

Revised: 2022/02/21

# Safety Data Sheets

P391 Collect spillage.

[Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

NFPA Rating (scale 0-4)

Health = 3

Flammability = 1

Instability = 0

Special = None



## 3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.		
1	Acryl acid ester	60-70	Trade Secret		
2	2-Ethylhexyl acrylate	1-10	103-11-7		
3	1,6-Hexanediol diacrylate	10-20	13048-33-4		
4	Initiator	10-15	Trade Secret		
5	Phthalocyanine series pigment	1-5	Trade Secret		
6	Additive	0.1-5	Trade Secret		

## First Aid Measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Call

a POISON CENTER or doctor/physician.

Eye Contact : Flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical attention.

Skin Contact : Wash with plenty of soap and water. Take off contaminated clothing

> and wash before re-use. If skin irritation or rash occurs: Get medical advice/attention. Contaminated clothing should be removed and

laundered before reuse.

Ingestion : If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute : severe skin burns and eye damage, allergic skin reaction

Delayed : allergic skin reaction, reproductive effects, central nervous system

damage, blood damage, respiratory system damage, thyroid effects



SDS No. 037-U060426 First issue: 2011/08/29 Revised: 2022/02/21

# Safety Data Sheets

Indication of Immediate

: Treat symptomatically and supportively.

Medical Attention and Special Treatment Needed, If Needed

## Fire Fighting Measures

Flammable Properties : Flash point >93°C

Extinguishing Media : carbon dioxide, regular dry chemical, water spray, alcohol resistant

foam

Unsuitable Extinguishing

: Do not scatter spilled material with high-pressure water streams.

Media

Special Hazards Arising

from the Chemical

: Negligible fire hazard.

**Hazardous Combustion** 

**Products** 

: oxides of carbon, oxides of nitrogen, oxides of sulfur

Fire Fighting

Measures

: Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or

combustion by-products.

Special Protective

Equipment and

Precautions for

Firefighters

: Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible

exposure.

#### Accidental Release Measures

Personal Precautions,

Protective Equipment

and Emergency

Procedures

: Wear personal protective clothing and equipment, see Section 8.

Avoid release to the environment.

Methods and Materials

for Containment and

Cleaning Up

: Eliminate all ignition sources if safe to do so. Stop leak if possible

without personal risk. Reduce vapors with water spray.

**Small spills:** Absorb with sand or other non-combustible material.

Collect spilled material in appropriate container for disposal.



SDS No. 037-U060426 First issue: 2011/08/29

Revised: 2022/02/21

**Large spills:** Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low

### Handling and Storage

Precautions for Safe

Handling

Do not breathe vapor or mist. Avoid contact with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves and eye/face protection. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

Conditions for Safe Storage, including any

Incompatibilities

: Store and handle in accordance with all current regulations and standards. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Keep separated from incompatible

substances.

areas.

#### Exposure Controls / Personal Protection

**Exposure Limit Values** : ACGIH, OSHA, and NIOSH have not developed exposure limits for

any of this product's components.

Component Biological

Limit Values

: There are no biological limit values for the component(s) of this

product.

Exposure Controls

Occupational Exposure Controls

Appropriate

**Engineering Controls** 

: Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection

Respiratory

: Consult with a health and safety professional for specific respirators

Protection



**Hand Protection** 

: Wear appropriate chemical resistant gloves.

appropriate for your use.



SDS No. 037-U060426 First issue: 2011/08/29 Revised: 2022/02/21

# Safety Data Sheets



**Eye Protection** 

: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.



Skin Protection

: Wear appropriate chemical resistant clothing.



#### 9. Physical and Chemical Properties

Appearance - Physical State : Liquid

- Color : Cyan

Odor : Characteristic odor

pH : Not available
Boiling Point / Boiling Range : Not available
Melting Point / Melting Range : Not available
Decomposition Temperature : Not available

Flash Point :>93°C

Auto ignition temperature : Not available
Flammability (Solid, Gas) : Not available
Explosive Properties : Not available
Oxidizing Properties : Not available
Upper / Lower Flammability or : Not available

Explosive Limits

Vapor Pressure

Specific Gravity  $: 1.07 (25^{\circ}\text{C})$ Solubility : Not availableWater Solubility : Not availablePartition Coefficient (n-octanol / Water) : Not available

Viscosity  $: 23 \pm 3 \text{ mPa} \cdot \text{s} (25^{\circ}\text{C})$ 

Vapor Density : Not available Evaporation Rate : Not available



Safety Data Sheets

Product Name: UV ink LF-140 Cyan

SDS No. 037-U060426 First issue: 2011/08/29

Revised: 2022/02/21

VOC : Not available

#### 10. Stability and Reactivity

: No reactivity hazard is expected. Reactivity

: Stable under normal conditions of use. Chemical Stability

Possibility of Hazardous : Will not polymerize.

Reactions

Conditions to Avoid : Avoid flames, sparks, and other sources of ignition. Containers may

rupture or explode if exposed to heat. Avoid contact with incompatible

**Incompatible Materials** : acids, bases, oxidizing materials, peroxides,

: Combustion: oxides of carbon, oxides of nitrogen, oxides of sulfur Hazardous

Decomposition

### 11. Toxicological Information

: The component(s) of this material have been reviewed in various Acute Toxicity

sources and no selected endpoints have been identified. Component Analysis -

LD50/LC50

Information on Likely Routes of Exposure

Inhalation : irritation, nausea, headache, drowsiness, dizziness, loss of

coordination, difficulty breathing, blood damage, respiratory system

damage, thyroid effects

Ingestion : irritation, nausea, headache, drowsiness, dizziness, loss of

coordination, unconsciousness, blood damage, thyroid effects

Skin Contact : severe skin burns, allergic reactions, nausea, headache, drowsiness,

dizziness

Eye Contact : eye damage

**Immediate Effects** : allergic skin reaction, severe skin burns and eye damage

**Delayed Effects** : allergic skin reaction, reproductive effects, central nervous system

damage, blood damage, respiratory system damage, thyroid effects

**Medical Conditions** : No information available for the product.

Aggravated by Exposure

Irritation/Corrosivity : severe skin burns and eye damage

Data



SDS No. 037-U060426 First issue: 2011/08/29

Revised: 2022/02/21

# Safety Data Sheets

Respiratory : No information available for the product.

Sensitization

Dermal Sensitization : Available data characterizes components of this product as dermal

sensitization hazards.

Germ Cell Mutagenicity : No information available for the product.

: No data listed by ACGIH, IARC, NTP, DFG or OSHA is available for Carcinogenicity

the component(s) of this product.

Reproductive Toxicity : Available data characterizes components of this product as

: No target organs identified.

reproductive hazards.

Specific Target Organ

Toxicity - Single

Exposure

Specific Target Organ : central nervous system, blood, respiratory system, thyroid, nose

Toxicity - Repeated

Exposure

**Aspiration Hazard** : Not expected to be an aspiration hazard.

### 12. Ecological Information

Handling is noted because it might influence the environment when

leaking and abandoning it.

Especially, note that the product doesn't flow directly to ground, the

river, and the drain ditch.

**Ecotoxicity** : Toxic to aquatic life with long lasting effects.

Component Analysis -: Acute hazard

Aquatic Toxicity Category 1:13048-33-4 (source: NITE)

Category 2: Trade Secret (source: NITE)

(M factor x 10 x Category 1) + Category 2 >= Concentration limit

(25%). Classification result = Category 2.

Long-term hazard

Category 1:13048-33-4 (source: NITE)

Category 2: Trade Secret (source: 1272/2008/EC)

(M factor x 10 x Category 1) + Category 2 >= Concentration limit

(25%). Classification result = Category 2.

Persistence and

: Not available

Degradability



SDS No. 037-U060426 First issue: 2011/08/29 Revised: 2022/02/21

# Safety Data Sheets

Bioaccumulation : Not available
Mobility : Not available
Other Toxicity : Not available

# 13. Disposal Considerations

: Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body

of water.

Disposal Methods : Dispose in accordance with all applicable regulations.

Component Waste : The U.S. EPA has not published waste numbers for this product's

Numbers components.

Disposal of : Empty containers may contain product residue. Dispose in

Contaminated accordance with all applicable regulations.

Packaging

## 14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

**DOT** Information

UN Number : UN1760

UN proper shipping name : CORROSIVE LIQUID, N.O.S. (Acryl acid ester)

Hazardous Class or Division : 8
Packing Group (PG) : III

**IMDG** Information

UN Number : UN1760

UN proper shipping name : CORROSIVE LIQUID, N.O.S. (Acryl acid ester)

Hazardous Class or Division : 8
Packing Group (PG) : III

Marine Pollutant : YES (Product)

**IATA Information** 

UN Number : UN1760

UN proper shipping name : CORROSIVE LIQUID, N.O.S. (Acryl acid ester)

Hazardous Class or Division : 8
Packing Group (PG) : III



Safety Data Sheets

Product Name: UV ink LF-140 Cyan

SDS No. 037-U060426 First issue: 2011/08/29

Revised: 2022/02/21

### 15. Regulatory Information

CERCLA/SARA -: CERCLA/SARA - Section 313 - Emission Reporting

Section 313

U.S. - RTK (Right To : New Jersey - RTK (Right to Know) - Hazardous Substance List

Know) List Pennsylvania - RTK (Right to Know) List

Massachusetts - RTK (Right To Know) List

California Proposition 65 : WARNING

This product can expose you to chemicals including Toluene,

Methyl Acrylate, and 2-Ethylhexyl acrylate which are known to the State of California to cause cancer/ birth defects or other

reproductive harm. For more information go to

www.P65Warnings.ca.gov.

Chemical Inventory : Component Analysis - Inventory

Listings

Component	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
1,6-Hexanediol diacrylate (CAS No. 13048-33-4)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

#### 16. Other Information

#### Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS - Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances; ELN (ELINCS) - European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code -International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LEL - Lower Explosive Limit; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit



SDS No. 037-U060426 First issue: 2011/08/29

Revised: 2022/02/21

# Safety Data Sheets

#### Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.