

Environment - Acute Hazard

1. Identification

Product Name	: LUS-120 Yellow	
Order No.	: LUS12-Y-BA / LUS12-Y-B2	
General Use	: Ink jet printing ink	
Product Description	: UV Inkjet Ink	
SDS Number	: 037-U110351	
Manufacture		
Company Name	: Mimaki Engineering Co., Ltd.	
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN	
Telephone No.	:+81-268-64-2413	
Importer / Distributor Esta	blished in USA	
Company Name	: MIMAKI USA, INC.	
Address	: 150 Satellite Boulevard NE, suite A, Suwanee, Georgia 30024,	
	U.S.A.	
Telephone No.	: +1-678-730-0170	
Emergency Telephone No.	: +1 866 928 0789 (within United States only, Toll free)	
	$+1\ 215\ 207\ 0061$	

2. Hazards Identification	
[GHS Classification]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	
Acute Toxicity – Oral	: Category 4
Skin Corrosion / Irritation	Category 2
Eye Damage / Irritation	Category 1
Sensitization - Skin	: Category 1A
Toxic to Reproduction	: Category 1B
Specific Target Organ Toxicity	: Category 1 (Liver, respiratory tract)
(Repeated Exposure)	
Environmental Hazards	
Hazardous to the Aquatic	: Category 2



Product Name: LUS-120 Yellow SDS No. 037-U110351 First issue: 2014/12/25 Revised: 2020/01/07

Safety Data Sheets

Hazardous to the Aquatic : Category 2 Environment - Long Term Hazard

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements] Symbol



Signal Word Danger

Hazard Statements

- H302 Harmful if swallowed.
- H315 Causes skin irritation
- H318 Cause serious eye damage
- H317 May cause an allergic skin reaction
- H360 May damage fertility or the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure (Liver, respiratory tract)
- H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's manual instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe gas/mist.

P264 Wash hands and eyes thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

 $\mathbf{P273}$ Avoid release to the environment.

[Response]

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

(P301)+P330 (IF SWALLOWED):Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P305)+P310 (IF IN EYES): Immediately call a POISON CENTER or doctor/physician.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

[Storage]

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with

MIMCIKI Safety Data Sheets

local/regional/national/international regulation (to be specified).

[Other Information]

Hazards not otherwise classified (HNOC)

Not Applicable

Unknown Acute Toxicity

4.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

33.0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

HMIS Rating (scale $0-4$)		NFPA Rating (scale $0-4$)	
Health = 2	2 Health	Health = 2	
Flammability= 1	1 Flammability	Flammability = 1	
Reactivity $= 0$	0 Reactivity	Instability = 0 (2×0)	
Protective Equipment = X	X Protective Equipment	Special = -	

3. Composition / Information on Ingredients

Common name and synonyms: No data available

Pure substance/mixture: Mixture

No	Chemical Name	Wt%	CAS No.
1	2-Propenoic acid, (tetrahydro-2-furanyl)methyl ester	20-30	2399-48-6
2	2-Propenoic acid, 2-phenoxyethyl ester	20-30	48145-04-6
3	2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, exo-	10-20	5888-33-5
4	2H-Azepin-2-one, 1-ethenylhexahydro-	10-20	2235-00-9
5	Acrylate monomer	5-10	Trade Secret
6	Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	5-10	75980-60-8
7	Colorant	1-5	Trade Secret
8	Photoinitiator	1-5	Trade Secret
9	Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-	1-5	162881-26-7
10	Additives	1-5	Trade Secret
11	Others	<1	Trade Secret



4. First Aid Measures	
[First aid measures]	
General advice	: Show this safety data sheet to the doctor in attendance. Do not delay
	care and transport of a seriously injured person. IF exposed or
	concerned: Get medical advice/attention.
Inhalation	: Move victim to fresh air. Get medical attention.
Eye Contact	: IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	Get immediate medical advice/attention.
	Immediately call a POISON CENTER or doctor/physician.
Skin Contact	: Wash off immediately with soap and plenty of water while removing
	all contaminated clothes and shoes. Get immediate medical
	advice/attention.
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth
	to an unconscious person. If vomiting occurs spontaneously, keep
	head below hips to prevent aspiration. Get medical attention.
Self-protection of the first	: Wear personal protective clothing (see section 8). Do not use
aider	mouth-to-mouth method if victim ingested or inhaled the substance;
	give artificial respiration with the aid of a pocket mask equipped with
	a one-way valve or other proper respiratory medical device.
[Most important symptoms	and effects, both acute and delayed]
Symptoms	: Prolonged contact may cause redness and irritation. May cause
	blindness. Coughing and/ or wheezing. Hives. Itching. May cause
	allergy or asthma symptoms or breathing difficulties if inhaled.
	Rashes.
[Indication of any immediat	e medical attention and special treatment needed]
Note To Physician	: May cause sensitization of susceptible persons.

5. Fire Fighting Measures

Flammable Properties	: Flash point : 95°C/ 203° F
Extinguishing Media	: Use CO2, dry chemical, or foam. Use extinguishing measures that
	are appropriate to local circumstances and the surrounding
	environment.
Unsuitable Extinguishing	: Do not use a solid water stream as it may scatter and spread fire.
Media	

MIMCIKI Safety Data Sheets

Specific hazards arising	: Risk of ignition. The product causes irritation of eyes, skin and	
from the chemical	mucous membranes. Thermal decomposition can lead to release of	
	irritating and toxic gases and vapors. Product is or contains a	
	sensitizer. The product causes burns of eyes, skin and mucous	
	membranes.	
Explosion data	: Sensitivity to Mechanical Impact; None.	
	Sensitivity to Static Discharge; Yes.	
Protective equipment and	: Firefighters should wear self-contained breathing apparatus and	
precautions for	full firefighting turnout gear. Use personal protection equipment.	
firefighters		

6. Accidental Release Measures

[Personal precautions, protective equipment and emergency procedures]			
Personal Precautions	: Evacuate personnel to safe areas. Ensure adequate ventilation,		
	especially in confined areas. Keep people away from and upwind of		
	spill/leak. Use personal protection recommended in Section 8. Avoid		
	contact with skin, eyes or clothing.		
Other Information	: Refer to protective measures listed in Sections 7 and 8.		
[For emergency responders]			
	: Use personal protection recommended in Section 8.		
[Environmental precautions	3]		
Environmental	\therefore Prevent entry into waterways, sewers, basements or confined areas.		
precautions			
[Methods and material for c	ontainment and cleaning up]		
Methods for containment	: Prevent further leakage or spillage if safe to do so. Cover with		
	plastic sheet to prevent spreading. Absorb or cover with dry earth,		
	sand or other non-combustible material and transfer to containers.		
Methods for cleaning up	: Use personal protective equipment as required. Clean contaminated		
	surface thoroughly. Pick up and transfer to properly labeled		
	containers. Take up with sand or other non-combustible absorbent		
	material and place into containers for later disposal.		
Prevention of secondary	: Local authorities should be advised if significant spillages cannot be		
hazards	contained.		

7. Handling and Storage

[Precautions for safe handling]



Advice on safe handling	: Handle in accordance with good industrial hygiene and safety	
	practice. Use personal protective equipment as required. Ensure	
	adequate ventilation, especially in confined areas. Do not eat, drink	
	or smoke when using this product.	
[Conditions for safe storage	e, including any incompatibilities]	
Storage Conditions	: Keep away from heat. Keep container tightly closed. Keep in properly	
	labeled containers. Store locked up.	
Incompatible materials	Strong oxidizing agents. Finely powdered metals.	

8. Exposure Controls / Personal Protection

[Control parameters]

Exposure Limit Values

No	Chemical Name	OSHA PEL	ACGIH	NIOSH IDLH
1	Caprolactam 105-60-2	(vacated) TWA: 1 mg/m3 dust (vacated) TWA: 5 ppm vapor (vacated) TWA: 20 mg/m3 vapor (vacated) STEL: 3 mg/m3 dust (vacated) STEL: 10 ppm vapor (vacated) STEL: 40 mg/m3 vapor	TWA: 5 mg/m3 inhalable fraction and vapor	TWA: 1 mg/m3 dust TWA: 0.22 ppm vapor TWA: 1 mg/m3 vapor STEL: 3 mg/m3 dust STEL: 0.66 ppm vapor STEL: 3 mg/m3 vapor

Caprolactam is non-intentionally added substance, contains less than 1% in the product.

[Appropriate engineering controls]

Engineering Controls : Showers

Eyewash stations

ventilation systems

[Individual protection measures, such as personal protective equipment]

Respiratory Protection : Vapor mask.



Glove

: Impervious gloves.

Recommendations



: Face protection shield. Tight sealing safety goggles.

MINCIKI[®] Safety Data Sheets

Protection



Product Name: LUS-120 Yellow SDS No. 037-U110351 First issue: 2014/12/25 Revised: 2020/01/07

: Rubber boots. Long sleeved clothing. Impervious clothing. Chemical resistant apron.

: Regular cleaning of equipment, work area and clothing is recommended. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Avoid breathing dust/fume/gas/mist/vapors/spray.

9. Physical and Chemical Properties

[Information on basic physical and chemical properties]				
Appearance - Physical State		: liquid		
	- Color	: yellow		
Odor		: Characteristic odor		
Odor Threshold		: No data available		
pH		: No data available		
Melting point/fre	eezing point	: No data available		
Boiling point/boi	ling range	: No data available		
Flash point		: 95 °C / 203 °F (Acceptance by the lowest flash point)		
Evaporation rate		: No data available		
Flammability (solid, gas)		: No data available		
Flammability Limits in Air				
Upper flamm	nability limits	: No data available		
Lower flammability limit		: No data available		
Vapor Pressure		: No data available		
Vapor density		: No data available		
Specific gravity		: 1.0-1.1		
Solubility(ies)		: Immiscible in water		
Partition coeffici	ent	: No data available		
Autoignition temperature		: No data available		

MIMCIKI Safety Data Sheets

Product Name: LUS-120 Yellow SDS No. 037-U110351 First issue: 2014/12/25 Revised: 2020/01/07

Decomposition temperature	: No data available
Kinematic viscosity	: No data available
Dynamic viscosity	: 7-12 mPa·s(25 deg.C)
[Other Information]	
Molecular weight	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Softening point	: No data available
VOC Content (%)	: No data available
Density	: No data available
Bulk density	: No data available

10. Stability and Reactivity

Reactivity	: No information available.
Chemical Stability	: Stable under the normal storage and use.
Possibility of Hazardous	: No information available.
Reactions	
Hazardous polymerization	: None under normal processing.
Conditions to Avoid	: Heat, flames and sparks.
Incompatible Materials	: Strong oxidizing agents. Finely powdered metals.
Hazardous Decomposition	: None known based on information supplied.
Products	

11. Toxicological Information

[Information on likely routes of exposure]

[Product Information]	
Inhalation	: Irritating to respiratory system.
Eye contact	: Irritating to eyes Causes serious eye damage May cause irreversible
	damage to eyes.
Skin Contact	Causes skin irritation Repeated or prolonged skin contact may
	cause allergic reactions with susceptible persons.
Ingestion	: Harmful if swallowed Ingestion may cause irritation to mucous
	membranes May be harmful if swallowed and enters airways.
[Information on toxicologica	al effects]
Symptoms	: Coughing and/ or wheezing. May cause redness and tearing of the



eyes Redness Burning. May cause blindness. Hives Itching. May cause allergic skin reaction Rashes.

[Numerical measures of toxicity]

[Acute toxicity]

The following values are calculated based on chapter 3.1 of the GHS document

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Product	ATEmix = 1900.0 mg/kg	ATEmix = 2220.8 mg/kg	-

[Component Information]

In calculating the ATE for product classification, the converted acute toxicity value estimate is used. [Unknown acute toxicity]

4.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

33.0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

[Delayed and immediate effects as well as chronic effects from short and long-term exposure]

Skin corrosion	: Based on available data, the classification criteria are not met.
	In Vitro Acute Dermal Corrosivity Study Episkin test: GLP OECD
	TG431. In this in vitro EPISKIN model test with similar product, the
	result indicates that the product is non-corrosive to the skin.
Skin irritation	: Classification is based on mixture calculation methods based on
	component data. Irritating to skin.
Serious eye damage/eye	: Classification is based on mixture calculation methods based on
irritation	component data. Risk of serious damage to eyes.
Respiratory or skin	: Classification is based on mixture calculation methods based on
sensitization	component data. May cause sensitization by skin contact. May cause
	sensitization in susceptible persons.
Germ cell mutagenicity	: Classification is based on mixture calculation methods based on
	component data. Based on available data, the classification criteria
	are not met.
Carcinogenicity	: Classification is based on mixture calculation methods based on
	component data. Based on available data, the classification criteria
	are not met.
Reproductive toxicity	: Classification is based on mixture calculation methods based on
	component data. Contains material that may cause adverse
	reproductive effects

*Μ*ιmakı[®] Safety Data Sheets

STOT - single exposure	Classification is based on mixture calculation methods based on component data. Based on available data, the classification criteria
	are not met.
STOT - repeated	: Classification is based on mixture calculation methods based on
exposure	component data. Causes damage to organs through prolonged or
	repeated exposure.
Aspiration hazard	Classification is based on mixture calculation methods based on
	component data. Based on available data, the classification criteria
	are not met.

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity	: Toxic to aquatic life. Toxic to aquatic life with long lasting			asting effects.
Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Caprolactam	EC50 (72h): = 130 mg/L (Desmodesmus subspicatus) EC50 (96h): = 160 mg/L (Desmodesmus subspicatus) EC50 (72h): 4320 - 4800 mg/L (Pseudokirchneriella subcapitata)	LC50(96h, static): = 930 mg/L (Lepomis macrochirus) LC50(96h, static): = 1400 mg/L (Pimephales promelas)	-	EC50(48h): 828 - 2920 mg/L (Daphnia magna) EC50(48h): > 500 mg/L (Daphnia magna Straus)

Caprolactam is non-intentionally added substance, contains less than 1% in the product.

Persistence and	: No data available.
degradability	
Bioaccumulation	: No data available.
Mobility	: No data available.
Other adverse effects	: No data available.

13. Disposal Considerations

[Waste treatment methods]

Disposal Methods : Comply with all USA, national and local regulations.



	Do not dump this product into sewers, on the ground or into any body
	<u>of water.</u>
Disposal of wastes	: Disposal should be in accordance with applicable regional, national
	and local laws and regulations.
Contaminated	: Disposal should be in accordance with applicable regional, national
packaging	and local laws and regulations. Improper disposal or reuse of this
	container may be dangerous and illegal.

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

[DOT]

UN/ID no	: UN3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester)
Hazard Class	: 9
Packing Group	: III
Special Provisions	: 8, 146, 173, 335, IB3, T4, TP1, TP29
Emergency Response Guide	: 171
Number	
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7- trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester), 9, III
[TDG]	
UN/ID no	: UN3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester)
Hazard Class	: 9
Packing Group	: III
Marine pollutant	: This material meets the definition of a marine pollutant
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7- trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester), 9, III



[MEX]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester)
Hazard Class	: 9
Packing Group	: III
Special Provisions	274, 331, 335
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7- trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester), 9, III
[IATA]	
UN/ID no	: UN3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester)
Hazard Class	: 9
Packing Group	: III
Special Provisions	: A197 *1
Description	: UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7- trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester), 9, III
[IMDG]	
UN/ID no	: UN3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester)
Hazard Class	: 9
Packing Group	: III
EmS-No	: F-A, S-F
Special Provisions	: 2.10.2.7 *1
Marine pollutant	: This material meets the definition of a marine pollutant
Description	: UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(2-Propenoic acid, 1,7,7- trimethylbicyclo[2.2.1]hept-2-yl ester,
	exo-, 2-Propenoic acid, 2-phenoxyethyl ester), 9, III
Environmental hazard	: Yes

*1: Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is excepted from Dangerous



Goods regulations - see UN Special Provision.

15. Regulatory Information	n
[International Inventories]	
TSCA-US-Toxic	All ingredients of this product are registered on TSCAActive
Substances Control	inventory.
Act	
TSCA 5e-US-Toxic	: This product contains components registered as TSCA 5(e)
Substances Control	
Act Section 5e	
DSL-Canada-Domestic	: Not listed
Substances List	
[US Federal Regulations]	
[SARA313]	
Section 313 of Title III o	f the Superfund Amendments and Reauthorization Act of 1986 (SARA).

This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS No.	weight-%	SARA 313 - Threshold Values %
2-Propenoic acid, 2-phenoxyethyl ester - 48145-04-6 (Glycol ethers)	48145-04-6	20-30	1.0

[SARA 311/312 Hazard Categories]

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications

[CWA (Clean Water Act)]

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

[CERCLA]

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.



[US State Regulations]		
California		WARNING
Proposition 65		This product can expose you to chemicals including Toluene,
		Bisphenol A, and Methanol which is known to the State of
		California to cause birth defects or other reproductive harm. For
		more information go to www.P65Warnings.ca.gov.

: Not Applicable

Registration Number

16. Other Information

EPA Pesticide

References	: LOLI Database (ChemADVISOR,Inc.)
	Hazard Communication Standard(HCS2012) 29 CFR 1910.1200
The reference on GHS	: EU CLP(1272/2008)Annex VI Table 3
classification results	IARC (International Agency for Research on Cancer)
	NTP (National Toxicology Program)
Other Information	[:] This formulation contains a maximum of 1% of a SNUR chemical
	which is prohibited from release to water. The product or its wastes
	should either be pretreated before discharge to sewerage systems
	according to federal regulations or disposed of by incineration or other
	state or federal approved methods.

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.