

Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

1. Identification

Product Name : SW-100 ink

Order No. : SW100-Z-BD / SW100-Z-BA

General Use : Ink for ink jet printer

Product Description : UV curable ink SDS Number : 037- U141887

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard NE, suite A, Suwanee, Georgia 30024,

U.S.A.

Telephone No. : +1-678-730-0170

Emergency Telephone No. : +1 866 928 0789 (within United States only, Toll free)

+1 215 207 0061

2. Hazards Identification

[HCS Classification]

Physical Hazards

Flammable Liquids : Not classified

Health Hazards

Acute Toxicity - Oral : Catgory 4 Skin Corrosion / Irritation : Catgory 2 Eye Damage / Irritation : Catgory 1 Sensitization – Skin : Catgory 1A Toxic to Reproduction : Catgory 2

Specific Target Organ Toxicity : Catgory 2 (peripheral nervous system, kidneys,

(Repeated Exposure) liver, blood)

Environmental Hazards

Hazardous to the Aquatic : Catgory 2

Environment - Acute Hazard



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

Hazardous to the Aquatic : Catgory 2

Environment - Long Term Hazard

The above list does not include category being non-classifiable or not-applicable.

[HCS Label Elements]

Symbol



Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure (peripheral nervous system, kidneys, liver, blood).

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

[Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

[Response]

P308+P313 IF exposed or concerned: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P362+P364 Take off contaminated clothing and wash before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

P391 Collect spillage.

[Storage]



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

Statement(s) of Unknown Acute Toxicity

Oral 62% of the mixture consists of ingredient(s) of unknown acute toxicity.

Statement(s) of Unknown Aquatic Toxicity

0% of the mixture consists of ingredient(s) of unknown acute aquatic toxicity.

0% of the mixture consists of ingredient(s) of unknown chronic aquatic toxicity.

Other Hazards

None known.


NFPA Rating (scale 0-4)

Health = 2

Flammability = 1

Instability = 0

Special =



3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Glyceryl polypropylene glycol triether	40-50	25791-96-2
2	Morpholine, 4-(1-oxo-2-propenyl)-	30-40	5117-12-4
3	Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	1-10	75980-60-8
4	Triethylene glycol monomethyl ether	1-10	112-35-6

The chemical identity and/or percentage of composition is being withheld as a trade secret.

First Aid Measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Give

artificial respiration if not breathing. Call a POISON CENTER or

doctor/physician.

Eye Contact : Flush eyes immediately with large amounts of water. Remove

contact lenses, if present and easy to do. Continue rinsing. Then get

immediate medical attention.

Skin Contact : Wash with plenty of soap and water. If skin irritation or rash occurs:

Get medical advice/attention. Take off contaminated clothing and



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

wash before re-use.

Ingestion : If swallowed, get medical attention. If vomiting occurs, keep head

lower than hips to help prevent aspiration. Rinse mouth.

Most Important Symptoms/Effects

Acute : Harmful if swallowed, skin irritation, eye damage, allergic skin

reaction.

Delayed : allergic skin reaction, reproductive effects, peripheral nerve system

damage, kidney damage, liver damage, blood disorders.

Indication of Immediate

: Treat symptomatically and supportively.

Medical Attention and Special Treatment Needed. If Needed

5. Fire Fighting Measures

Flammable Properties : Flash Pont: >93 ° C

Extinguishing Media : carbon dioxide, regular dry chemical, water spray, alcohol resistant

foam.

Unsuitable Extinguishing

Media

Special Hazards Arising

from the Chemical

Hazardous Combustion

Products

Fire Fighting Measures

: Irritating fumes and gases may be released upon thermal processing $% \left(1\right) =\left(1\right) \left(1\right$

: Do not scatter spilled material with high-pressure water streams.

or during combustion.

: oxides of carbon, oxides of nitrogen.

: Move container from fire area if it can be done without risk. Do not

scatter spilled material with high-pressure water streams. Cool

containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or combustion

by-products.

Special Protective : Wear full protective fire fighting gear including self contained

(GGDA)

Equipment and breathing apparatus (SCBA) for protection against possible exposure.

Precautions for

Firefighters

6. Accidental Release Measures



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

Personal Precautions, : Wear personal protective clothing and equipment, see Section 8.

Protective Equipment

and Emergency

Procedures

Methods and Materials

for Containment and

Cleaning Up

: Eliminate all ignition sources if safe to do so. Stop leak if possible

without personal risk. Reduce vapors with water spray.

Small spills: Absorb with sand or other non-combustible material.

Collect spilled material in appropriate container for disposal.

Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low

Environmental

Precautions

: Avoid release to the environment.

Handling and Storage

Precautions for Safe

Handling

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor or mist. Use only outdoors or in a well-ventilated area. Avoid contact with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves/clothing and eye/face protection. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Conditions for Safe

: Store locked up.

Storage, including any

Store and handle in accordance with all current regulations and

Incompatibilities

standards. Keep separated from incompatible substances.

Incompatible Materials

: acids, bases, metals, oxidizing materials, metal oxides.

Exposure Controls / Personal Protection

Exposure Limit Values : The following constituents are the only constituents of the product

which have a PEL, TLV or other recommended exposure limit. At this

time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit

: Biological Exposure Indices (BEI)

Values

There are no biological limit values for any of this product's



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

components.

Exposure Controls

Occupational Exposure Controls

Appropriate : Provide local exhaust or process enclosure ventilation system.

Engineering Controls Ensure adequate ventilation.

Individual Protection Measures, such as Personal Protective Equipment

Respiratory Protection : Consult with a health and safety professional for specific respirators

appropriate for your use.

Respirator

Glove : Wear appropriate chemical resistant gloves.

Recommendations

Gloves

Eye /Face : Wear splash resistant safety goggles with a faceshield.

Protection

Skin Protection : Wear appropriate chemical resistant clothing.

Protective

Protective Materials : Provide an emergency eye wash fountain and quick drench shower

in the immediate work area.

Physical and Chemical Properties

- Physical State : liquid Appearance

> - Color : clear, light yellow

Odor : peculiar odor Нq : Not available Boiling Point / Boiling Range : Not available Melting Point / Melting Range : Not available **Decomposition Temperature** : Not available



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04 Revised: 2022/01/18

Safety Data Sheets

Flash Point :>93 °C

Auto ignition temperature : Not available
Flammability (Solid, Gas) : Not available
Explosive Properties : Not available
Oxidizing Properties : Not available
Upper / Lower Flammability or : Not available

Explosive Limits

Vapor Pressure : Not available
Specific Gravity (water=1) : 1.07 (25 °C)
Water Solubility : Not available
Partition Coefficient (n-octanol / Water) : Not available

Viscosity : $66 \pm 3 \text{ mPa} \cdot \text{s} (25 ^{\circ} \text{ C})$

Vapor Density : Not available Evaporation Rate : Not available

10. Stability and Reactivity

Reactivity : No reactivity hazard is expected.

Chemical Stability : Stable under normal conditions of use.

Possibility of Hazardous : Will not polymerize.

Reactions

Conditions to Avoid : Avoid flames, sparks, and other sources of ignition. Avoid contact

with incompatible materials.

Incompatible Materials : oxidizing materials, strong acids, strong bases.

Hazardous : oxides of carbon, oxides of nitrogen.

Decomposition

11. Toxicological Information

Information on Likely Routes of Exposure

Inhalation : irritation, organ damage.

Ingestion : harmful if swallowed, irritation, organ damage

Skin Contact : irritation, allergic skin reaction.

Eye Contact : eye damage.

Acute and Chronic Toxicity



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

Component Analysis -

LD50/LC50

: The components of this material have been reviewed in various

sources and the following selected endpoints are published.

Glyceryl polypropylene glycol triether (25791-96-2)

Oral LD50 Rat 2830 µL/kg

Dermal LD50 Rabbit >20 mL/kg

Triethylene glycol monomethyl ether (112-35-6)

Oral LD50 Rat 11300 µL/kg

Product Toxicity Data - Acute Toxicity Estimate

Oral: 500 mg/kg

Immediate Effects : Harmful if swallowed, skin irritation, eye damage, allergic skin

Delayed Effects : allergic skin reaction, reproductive effects, peripheral nerve system

damage, kidney damage, liver damage, blood disorders.

Irritation/Corrosivity : skin irritation, eye damage.

Data

Respiratory : No information available for the product.

Sensitization

Dermal Sensitization : May cause an allergic skin reaction.

Germ Cell : No information available for the product.

Mutagenicity

Tumorigenic Data : No information available for the product.

Carcinogenicity : No information available for the product.

: Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP,

DFG or OSHA.

Reproductive Toxicity : Available data characterizes components of this product as

reproductive hazards.

Specific Target Organ

: No target organs identified.

Toxicity - Single

Exposure

Specific Target Organ : peripheral nervous system, kidneys, liver, blood.

Toxicity - Repeated

Exposure

Aspiration Hazard : Not expected to be an aspiration hazard.

Medical Conditions : No information available for the product.

Aggravated by Exposure



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity : Product Acute toxicity data: L(E)C50: >1 to <= 10 mg/L (estimated)

Component Analysis - : Triethylene glycol monomethyl ether (112-35-6)

Aquatic Toxicity Fish: LC50 96 h Brachydanio rerio >5000 mg/L [static];

LC50 96 h Pimephales promelas >10000 mg/L [static]

Algae: EC50 72 h Desmodesmus subspicatus >500 mg/L IUCLID Invertebrate: EC50 48 h Daphnia magna >500 mg/L IUCLID

Persistence and : No information available for the product.

Degradability

Bioaccumulation : No information available for the product.

Mobility : No information available for the product.

Other Toxicity : No information available for the product.

13. Disposal Considerations

Disposal Methods : Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body

of water.

Component Waste : The U.S. EPA has not published waste numbers for this product's

Numbers components.

Disposal of : Empty containers may contain product residue. Dispose in

Contaminated accordance with all applicable regulations.

Packaging

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

Component Marine : Not a marine pollutant.

Pollutants (IMDG)

IATA Information : Shipping Name: ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S., (Contains:

DIPHENYL(2,4,6-TRIMETHYLBENZOYL)PHOSPHINE OXIDE)



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

Hazard Class: 9

UN#: UN3082

Packing Group: III

Required Label(s): 9

Marine pollutant

ICAO Information : Shipping Name: ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S., (Contains:

DIPHENYL(2,4,6-TRIMETHYLBENZOYL)PHOSPHINE OXIDE)

Hazard Class: 9 UN#: UN3082

Packing Group: III Required Label(s): 9

Marine pollutant

IMDG Information : Shipping Name: ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S., (Contains:

DIPHENYL(2,4,6-TRIMETHYLBENZOYL)PHOSPHINE OXIDE)

Hazard Class: 9 UN#: UN3082

Packing Group: III Required Label(s): 9

Marine pollutant

US DOT Information : Shipping Name: ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S., (Contains:

DIPHENYL(2,4,6-TRIMETHYLBENZOYL)PHOSPHINE OXIDE)

Hazard Class: 9 UN/NA#: UN3082 Packing Group: III Required Label(s): 9 Marine pollutant

International Bulk

: This material contains one or more of the following chemicals

Chemical Code required by the IBC Code to be identified as dangerous chemicals in

bulk.

Glyceryl polypropylene glycol triether (25791-96-2)

IBC Code: Category Z

Remarks : Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is

excepted from Dangerous Goods regulations.



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

15. Regulatory Information

U.S. Federal : This material contains one or more of the following chemicals
Regulations required to be identified under SARA Section 302 (40 CFR 355

Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Morpholine, 4-(1-oxo-2-propenyl)-5117-12-4

TSCA 12b: Section 5, 1 % de minimus concentration EPA: P-95-0169

SARA Section 311/312 : Acute toxicity; Reproductive Toxicity; Skin Corrosion/Irritation; (40 CFR 370 Subparts B Respiratory/Skin Sensitization; Serious Eye Damage/Eye Irritation;

and C) reporting Specific Target Organ Toxicity.

categories

U.S. State Regulations : None of this product's components are listed on the state lists from

CA, MA, MN, NJ or PA.

California Proposition 65

: WARNING



This product can expose you to chemicals including Propylene oxide, which is known to the State of California to cause

cancer. For more information go to www.P65Warnings.ca.gov.

Canada Regulations : Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are

present below the threshold limit listed on the IDL.

Component Analysis – Inventory

Glyceryl polypropylene glycol triether (25791-96-2)

r														-
	US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
						ENCS	ISHL	Annex 1	Annex 2	CCA				
	Yes	DSL	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes

Morpholine, 4-(1-oxo-2-propenyl)- (5117-12-4)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	NSL	ELN	Yes	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No	Yes

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

Triethylene glycol monomethyl ether (112-35-6)

US	CA	EU	AU	РН	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

Further information

There is a component in this product subject to a SNUR. CAS #: 5117-12-4. However, if used as an ink for a 3D printer, SNUR does not apply to this substance.

16. Other Information

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS -Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU -European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; ICAO - International Civil Aviation Organization; IDL -Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow -Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the



Product Name: SW-100 ink SDS No. 037-U141887 First issue: 2017/09/04

Revised: 2022/01/18

Safety Data Sheets

Workplace; MEL - Maximum Exposure Limits; MX – Mexico; NDSL – Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA – Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN NCI (Draft) - Vietnam National Chemicals Inventory (NCI) (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Disclaimer

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.