

1. Identification

Product Name	: UV ink ELS-170 Light Magenta
Order No.	: ELS170-LM-BA
General Use	: Ink jet printing ink
Product Description	: UV Inkjet Ink
SDS Number	: 037-U348691
Manufacture	
Company Name	: Mimaki Engineering Co., Ltd.
Address	[:] 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN
Telephone No.	: +81-268-64-2413
Importer / Distributor Esta	ablished in USA
Company Name	: MIMAKI USA, INC.
Address	[:] 4851 Thurmon Tanner Parkway, STE 100 Flowery Branch, GA
	30542, U.S.A.
Telephone No.	: +1-678-730-0170
Emergency Telephone	: +1 866 928 0789 (within United States only, Toll free)
No.	+1 215 207 0061

2. Hazards Identification

[GHS Classification]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	
Skin Corrosion / Irritation	Category 2
Eye Damage / Irritation	: Category 2A
Sensitization – Skin	Category 1
Specific Target Organ Toxicity	: Category 3 (Respiratory tract irritation)
(SINGLE EXPOSURE)	
Specific Target Organ Toxicity	: Category 1 (Liver, respiratory tract)
(Repeated Exposure)	
Environmental Hazards	
Hazardous to the Aquatic	Category 2
Environment - Acute Hazard	



Hazardous to the Aquatic : Cate Environment - Long Term Hazard

Category 2

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements] Symbol Signal Word Danger Hazard Statements H315 Causes skin irritation H319 Cause serious eve irritation H317 May cause an allergic skin reaction H335 May cause respiratory irritation. H372 Causes damage to organs through prolonged or repeated exposure (Liver, respiratory tract) H411 Toxic to aquatic life with long lasting effects **Precautionary Statements** [Prevention] P260 Do not breathe gas/mist. P264 Wash hands and eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P273 Avoid release to the environment. Response P302+P352 IF ON SKIN: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash before reuse. P391 Collect spillage. [Storage] P403+P233 Store in a well-ventilated place. Keep container tightly closed. [Disposal] P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified). [Other Information] Hazards not otherwise classified (HNOC)



Not Applicable

3. Composition / Information on Ingredients

Common name and synonyms: No data available

Pure substance/mixture: Mixture

No	Chemical Name		CAS No.
1	1 (5-ethyl-1,3-dioxan-5-yl)methyl acrylate		66492-51-1
2	2 1-vinylhexahydro-2H-azepin-2-one		2235-00-9
3	3 isodecyl acrylate		1330-61-6
4	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	1-3	162881-26-7
5	Propylidynetrimethanol, ethoxylated, esters with acrylic acid	1-3	28961-43-5
6	hexamethylene diacrylate	0.1-0.3	13048-33-4
•	HMIS Rating (scale $0 - 4$)	NFPA Rating	g (scale $0-4$)

•			-
Health = 3	3 Health	Health = 2	
Flammability= 1	1 Flammability	Flammability = 1	
Physical hazards = 0	0 Reactivity	Instability = 0	
	Protective Equipment	Special =	X X

4. First Aid Measures	
[First aid measures]	
Eye Contact	: Immediately flush eyes with plenty of water, occasionally lifting the
	upper and lower eyelids. Check for and remove any contact lenses.
	Continue to rinse for at least 10 minutes. Get medical attention
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable
	for breathing. If not breathing, if breathing is irregular or if
	respiratory arrest occurs, provide artificial respiration or oxygen by
	trained personnel. It may be dangerous to the person providing aid
	to give mouth-to-mouth resuscitation. Get medical attention
	following exposure or if feeling unwell. If unconscious, place in
	recovery position and get medical attention immediately. Maintain
	an open airway. Loosen tight clothing such as a collar, tie, belt or
	waistband. In case of inhalation of decomposition products in a fire,
	symptoms may be delayed. The exposed person may need to be kept
	under medical surveillance for 48 hours.
Skin Contact	: Wash with plenty of soap and water. Remove contaminated clothing

	and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or
	symptoms, avoid further exposure. Wash clothing before reuse.
	Clean shoes thoroughly before reuse.
Incostion	: Wash out mouth with water. Remove dentures if any. If material has
Ingestion	been swallowed and the exposed person is conscious, give small
	quantities of water to drink. Stop if the exposed person feels sick as
	vomiting may be dangerous. Do not induce vomiting unless directed
	to do so by medical personnel. If vomiting occurs, the head should be
	kept low so that vomit does not enter the lungs. Get medical
	attention. If necessary, call a poison center or physician. Never give
	anything by mouth to an unconscious person. If unconscious, place
	in recovery position and get medical attention immediately.
	Maintain an open airway. Loosen tight clothing such as a collar, tie,
	belt or waistband.
[Most important sympton	oms and effects, both acute and delayed]
[Potential acute health	
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
[Over-exposure signs/sy	mptoms]
Eye contact	: Adverse symptoms may include the following:
	pain or irritation
	watering
	redness
Inhalation	Adverse symptoms may include the following:
	respiratory tract irritation
	coughing
Skin contact	Adverse symptoms may include the following:
	irritation
	redness
Ingestion	: No specific data.
[Indication of any imm	ediate medical attention and special treatment needed]
Note To Physician	: In case of inhalation of decomposition products in a fire, symptoms
	may be delayed. The exposed person may need to be kept under
	$\mathbf{D}_{2} = \mathbf{A} + \mathbf{A} + \mathbf{A} + \mathbf{A}$

Mimciki Safety Data Sheets

	medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without
	suitable training. If it is suspected that fumes are still present, the
	rescuer should wear an appropriate mask or self-contained
	breathing apparatus. It may be dangerous to the person providing
	aid to give mouth-to-mouth resuscitation. Wash contaminated
	clothing thoroughly with water before removing it, or wear gloves.

5. Fire Fighting Measures

Extinguishing Media	: Use CO2, dry chemical, or foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing	: None known.
Media	
Specific hazards arising	: In a fire or if heated, a pressure increase will occur and the container
from the chemical	may burst.
Hazardous thermal	: Decomposition products may include the following materials:
decomposition products	carbon dioxide
	carbon monoxide
	nitrogen oxides
	phosphorus oxides
	metal oxide/oxides
Special protective actions	: Promptly isolate the scene by removing all persons from the vicinity
for fire-fighters	of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective	: Firefighters should wear self-contained breathing apparatus and
equipment for	full firefighting turnout gear. Use personal protection equipment.
fire-fighters	

6. Accidental Release Measures

[Personal precautions, protective equipment and emergency procedures]		
For non-emergency	: No action shall be taken involving any personal risk or without suitable	
personnel	training. Evacuate surrounding areas. Keep unnecessary and	
	unprotected personnel from entering. Do not touch or walk through	

MINCIKI Safety Data Sheets

	spilled material. Do not breathe vapor or mist. Provide adequate	
	ventilation. Wear appropriate respirator when ventilation is	
	inadequate. Put on appropriate personal protective equipment.	
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of	
	any information in Section 8 on suitable and unsuitable materials. See	
	also the information in "For nonemergency personnel".	
Environmental	Avoid dispersal of spilled material and runoff and contact with soil,	
precautions	waterways, drains and sewers. Inform the relevant authorities if the	
	product has caused environmental pollution (sewers, waterways,	
	soil or air).	
[Methods and material for containment and cleaning up]		
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with	
	water and mop up if water-soluble. Alternatively, or if water-insoluble,	
	absorb with an inert dry material and place in an appropriate waste	
	disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	: Stop leak if without risk. Move containers from spill area. Approach	
	release from upwind. Prevent entry into sewers, water courses,	
	basements or confined areas. Wash spillages into an effluent treatment	
	plant or proceed as follows. Contain and collect spillage with	
	non-combustible, absorbent material e.g. sand, earth, vermiculite or	
	diatomaceous earth and place in container for disposal according to	
	local regulations (see Section 13). Dispose of via a licensed waste	
	disposal contractor. Contaminated absorbent material may pose the	
	same hazard as the spilled product. Note: see Section 1 for emergency	
	contact information and Section 13 for waste disposal.	

7. Handling and Storage

[Precautions for safe handling]

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
	Persons with a history of skin sensitization problems should not be
	employed in any process in which this product is used. Avoid exposure
	- obtain special instructions before use. Avoid exposure during
	pregnancy. Do not handle until all safety precautions have been read
	and understood. Do not get in eyes or on skin or clothing. Do not
	breathe vapor or mist. Do not ingest. If during normal use the
	material presents a respiratory hazard, use only with adequate

MIMCIKI Safety Data Sheets

ventilation or wear appropriate respirator. Keep in the original
container or an approved alternative made from a compatible
material, kept tightly closed when not in use. Empty containers
retain product residue and can be hazardous. Do not reuse container.
: Eating, drinking and smoking should be prohibited in areas where
this material is handled, stored and processed. Workers should wash
hands and face before eating, drinking and smoking. Remove
contaminated clothing and protective equipment before entering
eating areas. See also Section 8 for additional information on hygiene
measures.
: Store in accordance with local regulations. Store in original container
protected from direct sunlight in a dry, cool and well-ventilated area,
away from incompatible materials (see Section 10) and food and
drink. Store locked up. Keep container tightly closed and sealed until
ready for use. Containers that have been opened must be carefully
resealed and kept upright to prevent leakage. Do not store in
unlabeled containers. Use appropriate containment to avoid
environmental contamination. See Section 10 for incompatible
materials before handling or use.

8. Exposure Controls / Personal Protection

[Control parameters]

Occupational exposure limits

Chemical Name	Category
hexamethylene diacrylate	OARS WEEL (United States, 4/2022). Skin sensitizer.
	TWA: 1 mg/m ³ 8 hours.

Appropriate engineering	: If user operations generate dust, fumes, gas, vapor or mist, use
controls	process enclosures, local exhaust ventilation or other engineering
	controls to keep worker exposure to airborne contaminants below any
	recommended or statutory limits.
Environmental exposure	: Emissions from ventilation or work process equipment should be
controls	checked to ensure they comply with the requirements of
	environmental protection legislation. In some cases, fume scrubbers,
	filters or engineering modifications to the process equipment will be
	necessary to reduce emissions to acceptable levels.

MIMCIKI Safety Data Sheets

[Individual protection measures, such as personal protective equipment]

Glove Recommendations

Eye /Face Protection



Skin Protection

General Hygiene Considerations

Respiratory Protection: Based on the hazard and potential for exposure, select a respiratorthat meets the appropriate standard or certification. Respirators
must be used according to a respiratory protection program to ensure
proper fitting, training, and other important aspects of use.

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.



9.	9. Physical and Chemical Properties				
[Iı	[Information on basic physical and chemical properties]				
	Appearance	- Physical State	: liquid		
		- Color	: Magenta		
	Odor		: Characteristic odor		
	Odor Threshold		: No data available		
	pH		: No data available		
	Melting point/free	ezing point	: No data available		
	Boiling point/boil	ing range	: No data available		
	Flash point		: 105 °C / 221 °F (Estimated from the ingredient flash		
			point)		
	Evaporation rate		: No data available		
	Flammability (so	lid, gas)	: No data available		
	Flammability Lir	nits in Air			
	Upper flamm	nability limits	: No data available		
	Lower flamm	nability limit	: No data available		
	Vapor Pressure		: No data available		
	Vapor density		: No data available		
	Specific gravity		: 1.0-1.1		
	Solubility(ies)		: Immiscible in water		
	Partition coefficie	ent	: No data available		
	Autoignition tem	perature	: No data available		
	Decomposition te	emperature	: No data available		
	Kinematic viscosi	ity	: No data available		
	Dynamic viscosit	У	: 16-20 mPa·s(25 deg.C)		
[C	ther Information]				
	Molecular weight	t	: No data available		
	Explosive proper	ties	: No data available		
	Oxidizing proper	ties	: No data available		
	Softening point		: No data available		
	VOC Content (%))	: No data available		
	Density		: No data available		
	Bulk density		: No data available		

10. Stability and Reactivity



Reactivity	: No information available.
Chemical Stability	: Stable under the normal storage and use.
Possibility of Hazardous	: No information available.
Reactions	
Hazardous polymerization	: None under normal processing.
Conditions to Avoid	: No information available.
Incompatible Materials	: No information available.
Hazardous Decomposition	\vdots Under normal conditions of storage and use, hazardous
Products	decomposition products should not be produced.

11. Toxicological Information

[Information on likely routes of exposure]	
Acute toxicity	: Not available.
Irritation/Corrosion	: Not available.
Sensitization	: Not available.

Chemical Name	Category	Route of exposure
(5-ethyl-1,3-dioxan-5-yl)methyl acrylate	Category 1B	SKIN
1-vinylhexahydro-2H-azepin-2-one	Category 1B	SKIN
isodecyl acrylate	Category 1B	SKIN
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	Category 1A	SKIN
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Category 1	SKIN
hexamethylene diacrylate	Category 1	SKIN

Mutagenicity	: Not available.
Carcinogenicity	: Not available.
Reproductive toxicity	: Not available.

Specific target organ toxicity(single exposure)

Chemical Name	Category	Route of	Target organs
		exposure	
isodecyl acrylate	Category 3	-	Respiratory tract
			irritation

Specific target organ toxicity(repeated exposure)

Chemical Name	Category	Route of	Target organs
		exposure	
1-vinylhexahydro-2H-azepin-2-one	Category 1	-	liver, respiratory
			tract

Aspiration hazard

MINCIKI Safety Data Sheets

Potential acute health effects	
Eye contact	: Causes serious eye damage.
Inhalation	: May cause respiratory irritation.
Skin contact	Causes skin irritation. May cause an allergic
	skin reaction.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the physical, chem	ical and toxicological characteristics
Eye contact	Adverse symptoms may include the following:
	Pain or irritation
	watering
	redness
Inhalation	Adverse symptoms may include the following:
	respiratory tract irritation
	coughing
Skin contact	Adverse symptoms may include the following:
	irritation
	redness
Ingestion	: No specific data
Delayed and immediate effects and also	chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate	: Not available.
effects	
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate	: Not available.
effects	
Potential delayed effects	: Not available.
Potential chronic health effects	
: Not available.	
General	Causes damage to organs through prolonged or
	repeated exposure. Once sensitized, a severe
	allergic reaction may occur when subsequently
	exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
	Page 11 of 17

Mimciki Safety Data Sheets

Fertility effects

[Numerical measures of toxicity]

: No known significant effects or critical hazards.

Acute toxicity estimates

Chemical Name	Oral	Dermal	Inhalation
	LD50(mg/kg)	LD50(mg/kg)	LC50
Product	2369.2	6617.9	N/A
(5-ethyl-1,3-dioxan-5-yl)methyl acrylate	2500	N/A	N/A
1-vinylhexahydro-2H-azepin-2-one	1114	1700	N/A
Isodecyl acrylate	N/A	3140	N/A
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	2500	2500	N/A
Propylidynetrimethanol, ethoxylated, esters with	2000.1	N/A	N/A
acrylic acid			
hexamethylene diacrylate	5000	3620	N/A

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity	: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Persistence and	: No data available.
degradability	
Bioaccumulation	: No data available.
Mobility	: No data available.
Other adverse effects	: No data available.

13. Disposal Considerations

[Waste treatment methods]

Disposal Methods	: The generation of waste should be avoided or minimized wherever
	possible. Disposal of this product, solutions and any by-products
	should at all times comply with the requirements of environmental
	protection and waste disposal legislation and any regional local
	authority requirements. Dispose of surplus and non-recyclable
	products via a licensed waste disposal contractor. Waste should not be
	disposed of untreated to the sewer unless fully compliant with the
	requirements of all authorities with jurisdiction.
	Waste packaging should be recycled. Incineration or landfill should

MIMCIKI Safety Data Sheets

only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

[DOT]

UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Cyclic
	Trimethylolpropane Formal Acrylate)
Hazard Class	: 9
Packing Group	: III
Special Provisions	: 8, 146, 173, 335, IB3, T4, TP1, TP29
Emergency Response Guide	: 171
Number	
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(Cyclic Trimethylolpropane Formal Acrylate), 9, III
[TDG]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Cyclic
	Trimethylolpropane Formal Acrylate)
Hazard Class	: 9
Packing Group	: III
Marine pollutant	: This material meets the definition of a marine pollutant
Description	: UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(Cyclic Trimethylolpropane Formal Acrylate), 9, III
[MEX]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Cyclic
	Trimethylolpropane Formal Acrylate)
Hazard Class	: 9

Mimciki Safety Data Sheets

Packing Group	: III
Special Provisions	: 274, 331, 335
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.
Description	(Cyclic Trimethylolpropane Formal Acrylate), 9, III
	(Cyche Trimethyloipropane Formal Aerylate), 9, 111
[IATA]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Cyclic
	Trimethylolpropane Formal Acrylate)
Hazard Class	: 9
Packing Group	: III
Special Provisions	: A197 *1
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(Cyclic Trimethylolpropane Formal Acrylate), 9, III
[IMDG]	
UN/ID no	: UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Cyclic
	Trimethylolpropane Formal Acrylate)
Hazard Class	: 9
Packing Group	: III
EmS-No	: F-A, S-F
Special Provisions	÷ 2.10.2.7 *1
Marine pollutant	: This material meets the definition of a marine pollutant
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s.
	(Cyclic Trimethylolpropane Formal Acrylate), 9, III
Environmental hazard	: Yes
*1. Single on inner neekering l	ass then 5 I (liquid) or 5 kg not (solids) is executed from Dengerous

*1: Single or inner packaging less than 5 L (liquid) or 5 kg net (solids) is excepted from Dangerous Goods regulations - see UN Special Provision.

15. Regulatory Information	m
----------------------------	---

U.S. Federal regulations	: TSCA 5(a)2 final significant new use rules:
	2,4-diethyl-9H-thioxanthen-9-one
	TSCA 8(a) PAIR: 4-Methoxy phenol
	Clean Water Act (CWA) 307:
	29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper;
	Sulfophthalocyanine copper(2+) (structure unspecified)



Clean Air Act Section 112	: Not listed
(b) Hazardous Air	
Pollutants (HAPs)	
Clean Air Act Section 602	: Not listed
Class I Substances	
Clean Air Act Section 602	: Not listed
Class II Substances	
DEA List I Chemicals	: Not listed
(Precursor Chemicals)	
DEA List II Chemicals	: Not listed
(Essential Chemicals)	
<u>SARA 302/304</u>	
Composition/information on	: No products were found.
<u>ingredients</u>	
SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	
Classification	SKIN IRRITATION - Category 2
	EYE IRRITATION - Category 2A
	SKIN SENSITIZATION - Category 1
	SPECIFIC TARGET ORGAN TOXICITY (SINGLE
	EXPOSURE) (Respiratory tract irritation) - Category 3
	SPECIFIC TARGET ORGAN TOXICITY (REPEATED
	EXPOSURE) - Category 1

Composition/information on ingredients

Chemical Name	Wt%	Classification
(5-ethyl-1,3-dioxan-5-yl)methyl acrylate	50-60	SKIN IRRITATION - Category 2
(5-ethyr-1,5-dioxan-5-yi)methyr acrylate		SKIN SENSITIZATION - Category 1B
		ACUTE TOXICITY (oral) - Category 4
		ACUTE TOXICITY (dermal) - Category 4
1. vinulhoughudug-24 ogonin-2.	10-20	EYE IRRITATION - Category 2A
1-vinylhexahydro-2H-azepin-2-one	10-20	SKIN SENSITIZATION - Category 1B
		SPECIFIC TARGET ORGAN TOXICITY
		(REPEATEDEXPOSURE) - Category 1
		SKIN IRRITATION - Category 2
isodecyl acrylate	10-20	EYE IRRITATION - Category 2A
		SKIN SENSITIZATION - Category 1B



		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
		(Respiratory tract irritation) - Category 3
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	1-3	SKIN SENSITIZATION - Category 1A
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	1-3	EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1
hexamethylene diacrylate	0.1-0.3	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1

SARA 313

Form R - Reporting requirements : 2-(2-ethoxyethoxy)ethyl acrylate(CAS No.7328-17-8) 10-20%

Supplier notification

: 2-(2-ethoxyethoxy)ethyl acrylate(CAS No.7328-17-8) 10-20%

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall includecopying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: GLYCOL ETHERS; COPPER compounds
Pennsylvania	: The following components are listed: COPPER COMPOUNDS
California Proposition 65 🛛 🖍	: WARNING
	This product can expose you to chemicals including
	Trimethylolpropane triacrylate and Toluene which are known to the
	State of California to cause cancer/ birth defects or other
	reproductive harm. For more information go to
	www.P65Warnings.ca.gov.
<u>Inventory list</u>	
United States	Not determined.

16. Other Information

Key to abbreviations	: ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor

Mimaki[™]

Safety Data Sheets

GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.