

Safety Data Sheets

1. Identification

Product Name	: Discharge liquid 2
Order No.	: SPC-0540
General Use	: Ink jet printing ink
Product Description	: Discharge liquid
SDS Number	: 037-W110596
Manufacture	
Company Name	: Mimaki Engineering Co., Ltd.
Address	: 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN
Telephone No.	: +81-268-64-2413
Importer / Distributor Established in USA	
Company Name	: MIMAKI USA, INC.
Address	: 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.
Telephone No.	: +1-678-730-0170
Emergency Telephone No.	: +81-268-64-2281

2. Hazards Identification

[GHS Classification]

Physical Hazards

Flammable Liquids : Not classified

Health Hazards

Acute Toxicity – Inhalation : Category 4 (~40% unknown)
Skin Corrosion / Irritation : Category 2
Eye Damage / Irritation : Category 2A
Sensitization – Respiratory : Category 1
Sensitization – Skin : Category 1
Germ Cell Mutagenicity : Category 1B
Carcinogenicity : Category 1A
Toxic to Reproduction : Category 1B
Specific Target Organ Toxicity : Category 1(adrenal gland, bone marrow, kidneys,
(Repeated Exposure) liver, respiratory system, spleen)

The above list does not include category being non-classifiable or not-applicable.

Safety Data Sheets

[GHS Label Elements]

Symbol



Signal Word

Danger

Hazard Statements

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H332 Harmful if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 May cause genetic defects

H350 May cause cancer

H360 May damage fertility or the unborn child

H372 Causes damage to adrenal gland, bone marrow, kidneys, liver, respiratory system, and spleen through prolonged or repeated exposure.

Precautionary Statements

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's operation manual before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe gas/mist.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

[Response]

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/Physician.

P362+P364 Take off contaminated clothing and wash before reuse.

[Storage]

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).

Safety Data Sheets


NFPA Rating (scale 0 – 4)

Health = 2

Flammability = 1

Instability = 0

Special =



CANADIAN WHMIS SYMBOLS

D2A, D2B



3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Reducing agent	4-8	Trade Secret
2	(Formaldehyde)*	1.2	50-00-0
3	Glycols	10-20	Trade Secret
4	Ethanol, 2,2',2''-nitrilotris-	3-7	102-71-6
5	2-Pyrrolidinone, 1-methyl-	3-7	872-50-4
6	Ethanol, 2-(2-methoxyethoxy)-	3-7	111-77-3
7	Surface-active agent	4-8	Trade Secret
8	Others	1-3	Trade Secret
9	Water	55-65	7732-18-5

*Formaldehyde : Reducing agent is decomposed and generated with heat. This ink contains less than 1%.

Contaminants : The chemical identity and/or percentage of composition is being withheld as a trade secret.

4. First Aid Measures

Inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

Eye Contact : Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

Safety Data Sheets

Skin Contact	: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before re-use.
Ingestion	: If swallowed, get medical attention.
Note To Physician	: Formaldehyde occurs by heat press at the time of this product use. Formaldehyde stimulates eyes by the atmosphere density of 20ppm
Most Important Symptoms/Effects	
Acute	: eye irritation, skin irritation, asthma, allergic skin reaction
Delayed	: asthma, allergic skin reaction, mutagenic effects, cancer, reproductive effects, adrenal gland effects, bone disorders, kidney damage, liver damage, respiratory system damage, spleen damage
Indication of Immediate Medical Attention and Special Treatment Needed, If Needed	: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flammable Properties	: Flash Point: Not flammable Explosion Limit: Not applicable The harmful gas such as the carbon monoxide is included in the flue gas of the cartridge and this product.
Extinguishing Media	: carbon dioxide, regular dry powder, regular dry chemical, water spray, alcohol resistant foam
Unsuitable Extinguishing Media	: Do not scatter spilled material with high-pressure water streams.
Special Hazards Arising from the Chemical	: Irritating fumes and gases may be released upon thermal processing or during combustion.
Hazardous Combustion Products	: Combustion: oxides of carbon, oxides of sulfur, oxides of sodium, oxides of nitrogen
Fire Fighting Measures	: Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Avoid inhalation of material or combustion by-products.

Safety Data Sheets

Special Protective Equipment and Precautions for Firefighters : Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures : Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up : Eliminate all ignition sources if safe to do so. Stop leak if possible without personal risk. Reduce vapors with water spray.
Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.
Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

7. Handling and Storage

Precautions for Safe Handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor or mist. In case of inadequate ventilation wear respiratory protection. Avoid contact with eyes, skin and clothing. Do not eat, drink, or smoke when using this product. Wear protective gloves and eye/face protection. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Conditions for Safe Storage, including any Incompatibilities : Store and handle in accordance with all current regulations and standards. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Keep separated from incompatible substances.

Safety Data Sheets

8. Exposure Controls / Personal Protection

Exposure Limit Values : **Triethanolamine (102-71-6)**
 OSHA: 15 mg/m³ TWA (mist, total particulate);
 5 mg/m³ TWA (mist, respirable fraction)
 Mexico 10 mg/m³ TWA LMPE-PPT (mist)

Formaldehyde (50-00-0)
 ACGIH: 0.3 ppm Ceiling
 OSHA: 2 ppm STEL (See 29 CFR 1910.1048, 15 min);
 0.5 ppm Action Level (See 29 CFR 1910.1048);
 0.75 ppm TWA (See 29 CFR 1910.1048)
 0.75 ppm TWA
 2 ppm STEL (see 29 CFR 1910.1048)
 NIOSH: 0.016 ppm TWA
 0.1 ppm Ceiling (15 min)
 Mexico: 2 ppm Ceiling; 3 mg/m³ Ceiling

Component Biological : There are no biological limit values for the component(s) of this
 Limit Values product.

Exposure Controls

Occupational Exposure Controls

Appropriate : Provide local exhaust or process enclosure ventilation system. Ensure
 Engineering Controls compliance with applicable exposure limits.

Personal Protection

Respiratory : Consult with a health and safety professional for specific respirators
 Protection appropriate for your use.



Hand Protection : Wear appropriate chemical resistant gloves.



Safety Data Sheets

Eye Protection : Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.



Skin Protection : Wear appropriate chemical resistant clothing.



9. Physical and Chemical Properties

Appearance	- Physical State	: Liquid
	- Color	: Clear, colorless
Odor		: sulfur odor
pH		: 8.0-9.9
Boiling Point / Boiling Range		: 100 °C
Melting Point / Melting Range		: Not available
Decomposition Temperature		: Not available
Flash Point		: Not flammable
Explosive Properties		: Not available
Oxidizing Properties		: Not available
Upper / Lower Flammability or Explosive Limits		: Not available
Vapor Pressure		: 2.3kPa (water)
Specific Gravity		: 1.0-1.2 (25 ° C)
Solubility		: Not available
Water Solubility		: Soluble
Partition Coefficient (n-octanol / Water)		: Not available
Viscosity		: 4.0-4.9 mPa·s
Vapor Density		: <1 (water)
Evaporation Rate		: Not available
VOC Content(%)		: 30-50

Safety Data Sheets

10. Stability and Reactivity

Reactivity	: No reactivity hazard is expected.
Chemical Stability	: Stable under normal conditions of use.
Possibility of Hazardous Reactions	: Will not polymerize.
Conditions to Avoid	: Avoid flames, sparks, and other sources of ignition. Avoid contact with incompatible materials.
Incompatible Materials	: acids, oxidizing materials, bases
Hazardous Decomposition	: Combustion: oxides of carbon, oxides of sulfur, oxides of sodium, oxides of nitrogen

11. Toxicological Information

Acute Toxicity	: The component(s) of this material have been reviewed in various sources and the following selected endpoints are published:
Component Analysis - LD50/LC50	<p>Glycols (Trade Secret) Dermal LD50 Rabbit 11890 mg/kg; Oral LD50 Rat 12565 mg/kg</p> <p>Reducing Agent (Trade Secret) Oral LD50 Rat >2 g/kg</p> <p>Diethylene glycol monomethyl ether (111-77-3) Oral LD50 Rat 4 mL/kg; Dermal LD50 Rabbit 650 mg/kg</p> <p>1-Methyl-2-pyrrolidone (872-50-4) Oral LD50 Rat 3914 mg/kg; Dermal LD50 Rabbit 8 g/kg; Inhalation LC50 Rat 3.1 mg/L 4 h</p> <p>Triethanolamine (102-71-6) Dermal LD50 Rabbit >20 mL/kg; Oral LD50 Rat 4190 mg/kg</p> <p>Formaldehyde (50-00-0) Oral LD50 Rat 100 mg/kg; Dermal LD50 Rabbit 270 mg/kg; Inhalation LC50 Rat 0.578 mg/L 4 h</p>

Information on Likely Routes of Exposure

Inhalation	: irritation, headache, drowsiness, dizziness, mutagenic effects, cancer, reproductive effects, kidney damage, nausea, disorientation, allergic reactions
------------	---

Safety Data Sheets

Ingestion	: vomiting, nausea, headache, diarrhea, changes in body temperature, changes in blood pressure, stomach pain, chest pain, difficulty breathing, irregular heartbeat, loss of coordination, lung congestion, blood disorders, kidney damage, convulsions, unconsciousness, coma										
Skin Contact	: irritation, skin disorders, allergic reactions										
Eye Contact	: irritation										
Immediate Effects	: skin irritation, eye irritation, asthma, allergic skin reaction										
Delayed Effects	: asthma, allergic skin reaction, mutagenic effects, cancer, reproductive effects, adrenal gland effects, bone disorders, kidney damage, liver damage, respiratory system damage, spleen damage										
Medical Conditions	: No information available for the product.										
Aggravated by Exposure											
Irritation/Corrosivity	: eye irritation, skin irritation										
Data											
Respiratory	: May cause allergy or asthma symptoms or breathing difficulties if inhaled										
Sensitization											
Dermal Sensitization	: May cause an allergic skin reaction										
Germ Cell Mutagenicity	: Available data characterizes component(s) of this product as a germ cell mutagenic hazard.										
Carcinogenicity	: Component Carcinogenicity Triethanolamine (102-71-6)										
	<table border="1"> <tr> <td>IARC</td> <td>Monograph 77 [2000] (Group 3 (not classifiable))</td> </tr> </table>	IARC	Monograph 77 [2000] (Group 3 (not classifiable))								
IARC	Monograph 77 [2000] (Group 3 (not classifiable))										
	Formaldehyde (50-00-0)										
	<table border="1"> <tr> <td>ACGIH</td> <td>A2 - Suspected Human Carcinogen</td> </tr> <tr> <td>IARC</td> <td>Monograph 100F [2012]; Monograph 88 [2006]; Monograph 62 [1995]; Supplement 7 [1987] (Group 1 (carcinogenic to humans))</td> </tr> <tr> <td>NTP</td> <td>Known Human Carcinogen</td> </tr> <tr> <td>DFG</td> <td>Category 4 (no significant contribution to human cancer)</td> </tr> <tr> <td>OSHA</td> <td>Present see 29 CFR 1910.1048</td> </tr> </table>	ACGIH	A2 - Suspected Human Carcinogen	IARC	Monograph 100F [2012]; Monograph 88 [2006]; Monograph 62 [1995]; Supplement 7 [1987] (Group 1 (carcinogenic to humans))	NTP	Known Human Carcinogen	DFG	Category 4 (no significant contribution to human cancer)	OSHA	Present see 29 CFR 1910.1048
ACGIH	A2 - Suspected Human Carcinogen										
IARC	Monograph 100F [2012]; Monograph 88 [2006]; Monograph 62 [1995]; Supplement 7 [1987] (Group 1 (carcinogenic to humans))										
NTP	Known Human Carcinogen										
DFG	Category 4 (no significant contribution to human cancer)										
OSHA	Present see 29 CFR 1910.1048										
Reproductive Toxicity	: Available data characterizes components of this product as reproductive hazards.										

Safety Data Sheets

Specific Target Organ : No target organs identified.
 Toxicity - Single Exposure
 Specific Target Organ : adrenal gland, bone marrow, kidneys, liver, reproductive system,
 Toxicity - Repeated spleen
 Exposure
 Aspiration Hazard : Not expected to be an aspiration hazard.

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it.

Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Component Analysis - : **Glycols (Trade Secret)**
 Aquatic Toxicity
 Fish: 96 Hr LC50 Pimephales promelas: 75200 mg/L [flow-through]
 Invertebrate: 48 Hr EC50 Daphnia magna: 84000 mg/L
Diethylene glycol monomethyl ether (111-77-3)
 Fish: 96 Hr LC50 Lepomis macrochirus: 7500 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 7500 mg/L; 96 Hr LC50 Pimephales promelas: 5741 mg/L
 Algae: 72 Hr EC50 Desmodesmus subspicatus: >500 mg/L
 Invertebrate: 48 Hr EC50 Daphnia magna: >500 mg/L
1-Methyl-2-pyrrolidone (872-50-4)
 Fish: 96 Hr LC50 Lepomis macrochirus: 832 mg/L [static]; 96 Hr LC50 Pimephales promelas: 1072 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 1400 mg/L [static]
 Algae: 72 Hr EC50 Desmodesmus subspicatus: >500 mg/L
 Invertebrate: 48 Hr EC50 Daphnia magna: 4897 mg/L
Triethanolamine (102-71-6)
 Fish: 96 Hr LC50 Pimephales promelas: 10600 - 13000 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: >1000 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 450 - 1000 mg/L [static]

Safety Data Sheets

Algae: 72 Hr EC50 *Desmodesmus subspicatus*: 216 mg/L; 96 Hr EC50

Desmodesmus subspicatus: 169 mg/L

Formaldehyde (50-00-0)

Fish: 96 Hr LC50 *Pimephales promelas*: 22.6 - 25.7 mg/L

[flow-through]; 96 Hr LC50 *Lepomis macrochirus*: 1510 µg/L

[static]; 96 Hr LC50 *Brachydanio rerio*: 41 mg/L [static]; 96

Hr LC50 *Oncorhynchus mykiss*: 0.032 - 0.226 mL/L

[flow-through]; 96 Hr LC50 *Oncorhynchus mykiss*: 100 - 136

mg/L [static]; 96 Hr LC50 *Pimephales promelas*: 23.2 - 29.7

mg/L [static]

Invertebrate: 48 Hr LC50 *Daphnia magna*: 2 mg/L; 48 Hr EC50

Daphnia magna: 11.3 - 18 mg/L [Static]

Persistence and : No information available for the product.

Degradability

Bioaccumulation : No information available for the product.

Mobility : No information available for the product.

Other Toxicity : No additional information is available.

13. Disposal Considerations

: Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body of water.

Disposal Methods : Dispose in accordance with all applicable regulations.

Component Waste : **Formaldehyde (50-00-0)**

Numbers

RCRA	waste number U122
------	-------------------

Disposal of : Empty containers may contain product residue. Dispose in
 Contaminated accordance with all applicable regulations.

Packaging

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

US DOT Information : Not regulated as a hazardous material for transport.

IATA Information : Not regulated as dangerous goods for transport.

Safety Data Sheets

ICAO Information : Not regulated as dangerous goods for transport.
 IMDG Information : Not regulated as dangerous goods for transport.
 TDG Information : Not regulated as dangerous goods for transport.
 UN Number : Not regulated
 Marine Pollutant : **1-Methyl-2-pyrrolidone (872-50-4)**
 IBC Code: Category Y
Triethanolamine (102-71-6)
 IBC Code: Category Z
Formaldehyde (50-00-0)
 IBC Code: Category Y (solutions, <=45%)

15. Regulatory Information

U.S. Federal Regulations : This material contains one or more of the following chemicals required to be identified under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Reducing Agent (Trade Secret)

TSCA 12b:	Section 4, 1 % de minimus concentration
-----------	---

1-Methyl-2-pyrrolidone (872-50-4)

SARA 313:	1.0 % de minimis concentration
-----------	--------------------------------

Formaldehyde (50-00-0)

SARA 302:	500 lb TPQ 100 lb EPCRA RQ
SARA 313:	0.1 % de minimis concentration
CERCLA	100 lb final RQ; 45.4 kg final RQ
OSHA(safety)	1000 lb TQ

SARA TitleIII : Acute Health: Yes
 Section 311/312 : Chronic Health: Yes
 Fire: No
 Pressure: No
 Reactive: No

Safety Data Sheets

U.S. State Regulations : The following components appear on one or more of the following state hazardous substances lists

Component	CAS No.	CA	MA	MN	NJ	PA
Glycols	Trade Secret	No	No	Yes	No	Yes
Diethylene glycol monomethyl ether	111-77-3	No	Yes	No	No	Yes
1-Methyl-2-pyrrolidone	872-50-4	No	Yes	Yes	Yes	Yes
Triethanolamine	102-71-6	No	Yes	Yes	Yes	Yes
Formaldehyde	50-00-0	Yes	Yes	Yes	Yes	Yes

California Proposition : **WARNING:**

65



This product can expose you to chemicals including N-Methylpyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Canada WHMIS : D2A, D2B.

CLASSIFICATION

Canadian WHMIS : Components of this material have been checked against the Ingredient Disclosure List (IDL) Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which fall under WHMIS criteria specified in the Controlled Products Regulations and present above the threshold limits listed on the IDL.

Diethylene glycol monomethyl ether (111-77-3)

1 %

Triethanolamine (102-71-6)

1 %

Formaldehyde (50-00-0)

0.1 %

16. Other Information

Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS - Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EINECS (EIN) - European Inventory of Existing



Product Name: Discharge liquid 2
SDS No. 037-W110596
First issue: 2008/02/19
Revised: 2018/08/30

Safety Data Sheets

Commercial Chemical Substances; ELN (ELINCS) - European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code - International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LEL - Lower Explosive Limit; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.