

1. Identification

Product Name	: Dye Sublimation Ink Sb54 Fluorescent Pink T
Order No.	: SB54-FPT-44
General Use	· Ink jet printing ink
Product Description	Dye Sublimation Ink
SDS Number	: 037-W361547
Manufacture	
Company Name	: Mimaki Engineering Co., Ltd.
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN
Telephone No.	: +81-268-64-2413
Importer / Distributor Esta	ablished in USA
Company Name	: MIMAKI USA, INC.
Address	: 150 Satellite Boulevard NE , suite A, Suwanee, Georgia 30024,
	U.S.A.
Telephone No.	: +1-678-730-0170
Emergency Telephone No.	: +1 866 928 0789 (within United States only, Toll free)
	$+1\ 215\ 207\ 0061$

2. Hazards Identification

[GHS Classification]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	
Skin Corrosion / Irritation	: Category 2
Eye Damage / Irritation	: Category 2A
Sensitization – Skin	: Category 1

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements] Symbol



Signal Word Warning Hazard Statements H315 Cause skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation **Precautionary Statements** [Prevention] P261 Avoid breathing gas/mist/vapors. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. [Response] P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash before reuse. [Disposal] P501 Dispose of contents/container in accordance with local/regional/national/ international regulation (to be specified).

NFPA Rating (scale 0 - 4)

 ${\rm Health}=2$

Instability = 0

Flammability = 1

Special =

CANADIAN WHMIS SYMBOLS

D2B



3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Propylene glycol	20-40	57-55-6
2	Glycerin	1-15	56-81-5
3	Dye	1-10	Trade Secret
4	Water	50-65	7732-18-5



5	Otl	ner	<10	Trade Secret
4. First	Aid Measures			
Inhalatio	on	-	to fresh air and keep c TER or doctor/physicia	omfortable for breathing. Cal an.
Eye Con	tact	: Flush eyes with contact lenses, if		least 15 minutes. Remove
Skin Cor	ntact	: Wash with plent	y of soap and water. T re-use. If skin irritati	'ake off contaminated clothing on or rash occurs: Get medica
Ingestion	n	: If swallowed, ge	t medical attention.	
Most Im	portant Symptom	s/Effects		
Acute		allergic skin rea	ction, skin irritation, e	eye irritation
Delayed		allergic skin rea	ction	
Indicatio	on of Immediate	: Treat symptoma	tically and supportive	ely.
Medical	Attention and			
Special 7	Freatment			
Needed,	If Needed			

5. Fire Fighting Measures

Flammable Properties	: Flash point Not flammable		
Extinguishing Media	carbon dioxide, regular dry chemical, water spray, alcohol resistant		
	foam		
Unsuitable Extinguishing	: Do not use high-pressure water streams.		
Media			
Special Hazards Arising	: Negligible fire hazard.		
from the Chemical			
Hazardous Combustion	: oxides of carbon, acrolein, oxides of sulfur		
Products			
Fire Fighting	: Move container from fire area if it can be done without risk. Do not		
Measures	scatter spilled material with high-pressure water streams. Cool		
	containers with water spray until well after the fire is out. Stay		



	combustion by-products.
Special Protective	: Wear full protective fire fighting gear including self contained
Equipment and	breathing apparatus (SCBA) for protection against possible
Precautions for	exposure.
Firefighters	

away from the ends of tanks. Avoid inhalation of material or

6. Accidental Release Measures

Personal Precautions,	: Wear personal protective clothing and equipment, see Section 8.
Protective Equipment	Avoid release to the environment.
and Emergency	
Procedures	
Methods and Materials	: Eliminate all ignition sources if safe to do so. Stop leak if possible
for Containment and	without personal risk. Reduce vapors with water spray.
Cleaning Up	Small spills: Absorb with sand or other non-combustible material.
	Collect spilled material in appropriate container for disposal.
	Large spills: Dike for later disposal. Keep unnecessary people away,
	isolate hazard area and deny entry. Stay upwind and keep out of low
	areas.

7. Handling and Storage

Precautions for Safe	Avoid breathing gas, mist or vapors. Avoid contact with eyes, skin and	
Handling	clothing. Do not eat, drink, or smoke when using this product. Wear	
	protective gloves/protective clothing/eye protection/face protection.	
	Wash hands thoroughly after handling. Contaminated work clothing	
	should not be allowed out of the workplace.	
Conditions for Safe	: Store and handle in accordance with all current regulations and	
Storage, including any	standards. Store in a well-ventilated place. Keep container tightly	
Incompatibilities	closed. Keep cool. Keep separated from incompatible substances.	

8. Exposure Controls / Personal Protection

Exposure Limit Values : Glycerin (56-81-5)



	OSHA: 15 mg/m ³ TWA (mist, total particulate);
	5 mg/m ³ TWA (mist, respirable fraction)
	Mexico 10 mg/m ³ TWA LMPE-PPT (mist)
Component Biological	: There are no biological limit values for the component(s) of this
Limit Values	product.

compliance with applicable exposure limits.

: Wear appropriate chemical resistant gloves.

appropriate for your use.

Exposure Controls

Occupational Exposure Controls

Appropriate

Engineering Controls

Personal Protection

Respiratory

Protection



Hand Protection



Eye Protection

Skin Protection

rotective Apron



: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

: Provide local exhaust or process enclosure ventilation system. Ensure

: Consult with a health and safety professional for specific respirators

: Wear appropriate chemical resistant clothing.

9. Physical and Chemical Properties

Appearance	- Physical State	: Liquid
	- Color	: Pink
Odor		: unique odor
pН		: 7-9
Boiling Point / Boiling Range		: Not available

Mimciki Safety Data Sheets

Product Name: Dye Sublimation Ink Sb54 Fluorescent Pink T SDS No. 037-W361547 First issue: 2016/11/02 Revised: 2019/12/16

Melting Point / Melting Range	: Not available
Decomposition Temperature	: Not available
Flash Point	: Not flammable
Auto ignition temperature	: Not available
Flammability (Solid, Gas)	: Not available
Explosive Properties	: Not available
Oxidizing Properties	: Not available
Upper / Lower Flammability or	: Not available
Explosive Limits	
Vapor Pressure	
Specific Gravity	\div 1.0-1.2 (25 $^\circ~$ C)
Solubility	: Not available
Water Solubility	: Soluble
Partition Coefficient (n-octanol / Water)	: Not available
Viscosity	: 4-6 mPa·s (25 °C)
Vapor Density	: Not available
Evaporation Rate	: Not available

10. Stability and Reactivity

Reactivity	: No reactivity hazard is expected.
Chemical Stability	: Stable under normal conditions of use.
Possibility of Hazardous	: Will not polymerize.
Reactions	
Conditions to Avoid	Avoid flames, sparks, and other sources of ignition. Avoid contact
	with incompatible materials.
Incompatible Materials	[:] acids, bases, oxidizing materials, metal oxides, peroxides, reducing
	agents, combustible materials, halocarbons, metals, metal salts
Hazardous	: Combustion: oxides of carbon, acrolein, oxides of sulfur
Decomposition	

11. Toxicological Information

Acute Toxicity	: The component(s) of this material have been reviewed in various
Component Analysis -	sources and the following selected endpoints are published:
LD50/LC50	Propylene glycol (57-55-6)



Oral LD50 Rat 20 g/kg; Dermal LD50 Rabbit 20800 mg/kg Glycerin (56-81-5) Oral LD50 Rat 12600 mg/kg; Dermal LD50 Rabbit >10 g/kg; Inhalation LC50 Rat >570 mg/m³ 1 h

Information on Likely Ro	utes of Exposure								
Inhalation	: irritation, difficulty breathing, headache, nausea								
Ingestion	: fever, nausea, vomiting, diarrhea, headache, dizziness, sleep								
	disturbances, blood disorders, kidney damage, paralysis, reproductive								
	effects, convulsions, skin disorders, stomach pain, drowsiness, loss of								
	coordination								
Skin Contact	: allergic reactions, irritation, nausea, headache, drowsiness, dizziness,								
	loss of coordination								
Eye Contact	: irritation								
Immediate Effects	allergic skin reaction, skin irritation, eye irritation								
Delayed Effects	allergic skin reaction								
Medical Conditions	: No information available for the product.								
Aggravated by Exposure									
Irritation/Corrosivity	: skin irritation, eye irritation								
Data									
Respiratory	: No information available for the product.								
Sensitization									
Dermal Sensitization	: May cause an allergic skin reaction.								
Germ Cell Mutagenicity	: No information available for the product.								
Carcinogenicity	: Component Carcinogenicity								
	No data listed by ACGIH, IARC, NTP, DFG or OSHA is available for								
	the component(s) of this product.								
Reproductive Toxicity	: No information available for the product.								
Specific Target Organ	: No target organs identified.								
Toxicity - Single									
Exposure									
Specific Target Organ	: No target organs identified.								
Toxicity - Repeated									
Exposure									
Aspiration Hazard	: Not expected to be an aspiration hazard.								



Handling is noted because it might influence the environment when leaking and abandoning it.Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.Component Analysis -: Propylene glycol (57-55-6)Aquatic ToxicityFish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50 Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 710 mg/LAlgae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static] Glycerin (56-81-5) Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]Persistence and Degradability: No information available for the product.Mobility: No information available for the product.Other Toxicity: No additional information is available.	12. Ecological Information						
leaking and abandoning it.Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.Component Analysis -: Propylene glycol (57·55·6)Aquatic Toxicity: Fish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 41 · 47 mL/L [static]; 96 Hr LC50 Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 710 mg/LAlgae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L Istatic] Glycerin (56·81·5)Persistence and Degradability: No information available for the product.Mobility: No information available for the product.							
Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.Component Analysis -: Propylene glycol (57-55-6)Aquatic Toxicity: Fish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 710 mg/LAlgae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static] Glycerin (56-81-5)Persistence and Degradability: No information available for the product.Mobility: No information available for the product.		Handling is noted because it might influence the environment when					
river, and the drain ditch. Component Analysis - Aquatic Toxicity : Propylene glycol (57-55-6) Fish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50 Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 710 mg/L Algae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static] Glycerin (56-81-5) Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static] Persistence and Degradability Bioaccumulation : No information available for the product. Mobility : No information available for the product.		leaking and abandoning it.					
Component Analysis -: Propylene glycol (57-55-6)Aquatic ToxicityFish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 HrLC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephalespromelas: 710 mg/LAlgae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L [Static]Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static]Glycerin (56-81-5)Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]Persistence andDegradabilityBioaccumulationNo information available for the product.No information available for the product.		Especially, note that the product doesn't flow directly to ground, the					
Aquatic ToxicityFish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 41 · 47 mL/L [static]; 96 Hr LC50 Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 710 mg/L Algae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static] Glycerin (56-81-5) Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 · 57 mL/L [static]Persistence and Degradability: No information available for the product.Mobility: No information available for the product.		river, and the drain ditch.					
LC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephalespromelas: 710 mg/LAlgae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/LInvertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static]Glycerin (56-81-5)Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]Persistence and: No information available for the product.DegradabilityBioaccumulation: No information available for the product.Mobility: No information available for the product.	Component Analysis -	: Propylene glycol (57-55-6)					
Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales promelas: 710 mg/LAlgae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static] Glycerin (56-81-5) Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]Persistence and Degradability: No information available for the product.Bioaccumulation: No information available for the product.Mobility: No information available for the product.	Aquatic Toxicity	Fish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr					
promelas: 710 mg/LAlgae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/LInvertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static]Glycerin (56-81-5)Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]Persistence and: No information available for the product.DegradabilityBioaccumulation: No information available for the product.Mobility: No information available for the product.		LC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50					
Algae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/LInvertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static]Glycerin (56-81-5)Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]Persistence andDegradabilityBioaccumulation: No information available for the product.Mobility: No information available for the product.		Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales					
Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static] Glycerin (56-81-5) Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]Persistence and Degradability: No information available for the product.Bioaccumulation 		promelas: 710 mg/L					
Glycerin (56-81-5)Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]Persistence and: No information available for the product.DegradabilityBioaccumulation: No information available for the product.Mobility: No information available for the product.		Algae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L					
Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]Persistence and: No information available for the product.Degradability: No information available for the product.Bioaccumulation: No information available for the product.Mobility: No information available for the product.		Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static]					
Persistence and: No information available for the product.DegradabilityBioaccumulation: No information available for the product.Mobility: No information available for the product.		Glycerin (56-81-5)					
DegradabilityBioaccumulation: No information available for the product.Mobility: No information available for the product.		Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]					
Bioaccumulation: No information available for the product.Mobility: No information available for the product.	Persistence and	: No information available for the product.					
Mobility : No information available for the product.	Degradability						
	Bioaccumulation	: No information available for the product.					
Other Toxicity : No additional information is available.	Mobility	: No information available for the product.					
	Other Toxicity	: No additional information is available.					

13. Disposal Considerations

	Comply with all USA, national and local regulations. <u>Do not dump this product into sewers, on the ground or into any body</u> of water
	<u>of water.</u>
Disposal Methods	: Dispose in accordance with all applicable regulations.
Component Waste	: The U.S. EPA has not published waste numbers for this product's
Numbers	components.
Disposal of	: Empty containers may contain product residue. Dispose in
Contaminated	accordance with all applicable regulations.
Packaging	



14. Transport Information

	Check a thing without a leak in a container.
	Perform prevention of collapse of cargo surely.
US DOT Information	: Not regulated as a hazardous material for transport.
TDG Information	: Not regulated as dangerous goods for transport.
IATA Information	: Not regulated as dangerous goods for transport.
ICAO Information	: Not regulated as dangerous goods for transport.
IMDG Information	: Not regulated as dangerous goods for transport.
Marine Pollutants	: Not regulated as dangerous goods for transport.
(IMDG)	
International Bulk	: This material does not contain any chemicals required by the IBC
Chemical Code	Code to be identified as dangerous chemicals in bulk.

15. Regulatory Information

U.S. Federal Regulations	 None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 								
	302.4), TSCA 12(b), or	302.4), TSCA 12(b), or require an OSHA process safety plan.							
SARA TitleIII	: Acute Health: Yes								
Section 311/312	Chronic Health: No								
	Fire: No								
	Pressure: No								
	Reactive: No								
U.S. State Regulations	[:] The following components appear on one or more of the following								
	state hazardous substances lists								
	Component	CA	MA	MN	NJ	PA			
	Propylene glycol	NT	NT	N	37	37			
	(CAS No. 57-55-6) No N	No Yes	Yes	Yes					

(CAS No. 56-81-5) No Yes Yes Yes

Glycerin

: Not regulated under California Proposition 65

Yes



Canada WHMIS	: D2B
CLASSIFICATION	
Canadian WHMIS	: Components of this material have been checked against the
Ingredient Disclosure	Canadian WHMIS Ingredients Disclosure List. The List is composed of
List (IDL)	chemicals which must be identified on MSDSs if they are included in
	products which fall under WHMIS criteria specified in the Controlled
	Products Regulations and present above the threshold limits listed on
	the IDL.
	Propylene glycol (57-55-6) 1 %
Chemical Inventory	: Component Analysis - Inventory

Listings

Component	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
Propylene glycol (CAS No. 57-55-6)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Glycerin (CAS No. 56-81-5)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

16. Other Information

Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS - Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances; ELN (ELINCS) - European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code -International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LC50 - Lethal Concentration, 50%; LD50 - Lethal Dose, 50%; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP - National Toxicology Program; REACH -Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.



It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.