

SDS No. 037-W441825 First issue: 2017/01/12

Revised: 2019/12/05

Safety Data Sheets

Identification

Product Name : Textile Pigment ink TP400 Light Black

Order No. : TP400-LK-2L

Ink Ver. : 1

General Use : Inkjet printing ink

Product Description : Pigment ink SDS Number : 037-W441825

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard NE, suite A, Suwanee, Georgia 30024,

U.S.A.

Telephone No. : +1-678-730-0170

Emergency Telephone No. : +1 866 928 0789 (within United States only, Toll free)

+1 215 207 0061

2. Hazards Identification

[HCS Classification]

Physical Hazards

Flammable Liquids : Not classified

Health Hazards

Not classified.

Environmental Hazards

Not classified.

[HCS Label Elements]

Symbol

None

Signal Word

None

Hazard Statements

None

Precautionary Statements

[Prevention]

None

[Response]



SDS No. 037-W441825 First issue: 2017/01/12

Revised: 2019/12/05

Safety Data Sheets

None [Storage] None [Disposal] None

3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Wetting agent	<50	Trade secret
2	Carbon black	<5	1333-86-4
3	Non-hazardous and other ingredients below reportable levels	Balance	N/A

First Aid Measures

Inhalation : If inhale a large quantity, remove to for fresh air and lie quiet.

Seek medical attention as needed.

Eye Contact : Immediately flush eyes with water for at least 15 minutes.

Seek medical attention as needed.

Skin Contact : Wash with mild soap and water.

Ingestion : Rinse mouth thoroughly with water. Induce vomiting if possible.

Seek medical attention as needed.

Protection to first-aiders : Wear personal protective clothing and equipment.

Note to physician : Treat symptomatically.

Fire Fighting Measures

Flammable Properties : This product is not combustible under normal conditions due to its

aqueous property.

Extinguishing Media : Use water, dry chemical, foam, or CO2 gas.

Unsuitable Extinguishing : Not available.

Media

Special Hazards Arising : Not available.

from the Chemical

Special Protective : In case of fire, wear respirator.

Equipment and



SDS No. 037-W441825 First issue: 2017/01/12

Revised: 2019/12/05

Safety Data Sheets

Precautions for Firefighters

6. Accidental Release Measures

Personal Precautions,

Protective Equipment

: Wear suitable personal protective equipment as needed.

and Emergency

Procedures

Methods and Materials

for Containment and

Cleaning Up

: For small spill, absorb with dry sand, saw dust or rag, and collect $% \left\{ 1,2,\ldots ,2,3,\ldots \right\}$

into container for disposal. Wipe the remaining up with rag.

For large spill, dike with soil, blankets or sandbags to prevent from $\$

contaminating soil and collect into container with shovel or vacuum.

Avoid releasing spilled material into rivers and/or lakes.

IF material is released to public water, advice local authority.

7. Handling and Storage

Precautions for Safe

: Protective Measures.

Handling

Wear suitable protective equipment and clothing as needed to

prevent the material from contacting skin and eye.

Use only in a well-ventilated area.

: Advice on General Occupational Hygiene.

Wash thoroughly after handling. Do not eat, drink, or smoke during

work.

Conditions for Safe

: Technical Measure Storage Conditions.

Storage, including any

Store locked up in a well-ventilated, cool, and dark place away from

Incompatibilities

direct sunlight. Avoid freezing. Keep container tightly closed.

8. Exposure Controls / Personal Protection

Exposure Limit Values

Chemical name	ACGIH-TLV(TWA)	OSHA-PEL
Wattingagant	10	15mg/m3(Total dust)
Wetting agent	10mg/m3	5mg/m3(Respirable fraction)
Carbon black	3.5mg/m3	3.5mg/m3



SDS No. 037-W441825 First issue: 2017/01/12

Revised: 2019/12/05

Safety Data Sheets

Exposure Controls

Occupational Exposure Controls

Appropriate : Local exhaust ventilation or general ventilation is recommended

Engineering Controls during indoor operation.

Individual Protection Measures, such as Personal Protective Equipment

Respiratory Protection: Not necceaary under normal handling condition.



Glove : Wear rubber or plastic gloves.

Recommendations



Eye /Face : Wear safety glasses or goggles.

Protection



Skin Protection

: Wear long pants, long sleeves, and boots when applicable.



9. Physical and Chemical Properties

- Physical State : liquid Appearance

- Color : black

Odor: Slight odor pН $: 8.0 \pm 1.0$

Boiling Point : Approx. 100 degree C Melting Point : Approx. 0 degree C

Decomposition Temperature : Not available Flash Point : Not available Auto ignition temperature : Not available



SDS No. 037-W441825 First issue: 2017/01/12 Revised: 2019/12/05

Safety Data Sheets

Flammability : If this product is dry, it may be flammable.

Explosive Properties: Not availableOxidizing Properties: Not availableVapor Pressure: Not availableRelative Density: 1.10 ± 0.05 Solubility(water): Miscible

Partition Coefficient (n-octanol / Water) : Not available
Viscosity : Not available

10. Stability and Reactivity

Reactivity : No specific reactivity under normal condition.

Chemical Stability : Stable under normal handling and using condition.

Possibility of Hazardous : None.

Reactions

Conditions to Avoid : None.

Incompatible Materials : None.

Hazardous : None.

Decomposition

11. Toxicological Information

: Not available Acute Toxicity : Not available **Eye Irritation** Skin Irritation : Not available Sensitization : Not available Repeated Dose Toxicity : Not available : Not available Chronic Toxicity Mutagenicity : Not available : Not applicable Carcinogenicity

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity : Not available



SDS No. 037-W441825 First issue: 2017/01/12

Revised: 2019/12/05

Safety Data Sheets

: Not available Persistence and

Biodegradability

Bioaccumulation : Not available

Potential

Other adverse effects : Not available

13. Disposal Considerations

Disposal Methods : Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body

of water.

14. Transport Information

Check a thing without a leak in a container.

Perform prevention of collapse of cargo surely.

US DOT Information

Hazardous Materials : Not regulated Hazardous Materials Description and : Not regulated

Proper Shipping Name

Hazard Class or Division : Not regulated **Identification Number** : Not regulated Packing Group : Not regulated Label(s) Required : Not regulated

Sea Transport IMDG

Class : Not regulated Packing Group(PG) : Not regulated **UN Number** : Not regulated Proper Shipping Name : Not regulated Marine Pollutant : Not regulated

Air Transport ICAO/IATA

Class : Not regulated Packing Group(PG) : Not regulated **UN Number** : Not regulated



SDS No. 037-W441825 First issue: 2017/01/12

Revised: 2019/12/05

Safety Data Sheets

Proper Shipping Name : Not regulated

15. Regulatory Information

OSHA Status : This product is not considered to be hazardous under 29 CFR

1910.1200.

TSCA Status : All components on TSCA INVENTRY.

CERCLA : Not applicable.

Reportable Quantity (40 CFR 117,302)

SARA TitleIII

Section 302 : Not applicable.

(40 CFR 355)

Section 311/312 : Immediate(acute) health hazard ; N (40 CFR 370) Delayed(chronic) health hazard ; N Fire hazard ; N

Sudden release of pressure ; N Reactive ; N

Section 313 : Not applicable.

(40 CFR 372)

California Proposition

65

: WARNING:

This product can expose you to chemicals including

Benz[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[j]fluoranthene, Benzo[k]fluoranthene, Carbon black, Chrysene, Dibenz[a,h]anthracene, Naphthalene, which is known to the State of California to cause cancer. For more

; N

information go to www.P65Warnings.ca.gov.

Cadmium(Cd) **CONEG-Typical Metals**

Hexavalent Chromium(Cr(VI)) present in ppm

> Lead(Pb) ; N

Mercury(Hg) ; N

ENCS(Japan) : Components listed

Please refer to any other federal, state and local regulations.

16. Other Information

Abbreviations



SDS No. 037-W441825 First issue: 2017/01/12 Revised: 2019/12/05

Safety Data Sheets

OSHA: The Occupational Safety and Health Administration

NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

ACHIH: American Conference of Governmental Industrial Hygienists, Inc

IMDG: International Maritime Dangerous Goods ICAO: International Civil Aviation Organization IATA: International Air Transport Association

TSCA: Toxic Substance Control Act

CERCLA: Comprehensive Environmental Response, Compensation and Liability Act 1980

SARA: Superfund Amendments and Reauthorization Act of 1986

CONEG: the Coalition of Northeastern Governors

ENCS: Existing and new chemical Substances

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.