

Safety Data Sheets

1. Identification

Product Name	: Acid Dye Ink Ac400 Yellow	
Order No.	: AC400-Y-2L	
General Use	: Ink jet printing ink	
Product Description	: Acid Dye Ink	
SDS Number	: 037-W451843	
Manufacture		
Company Name	: Mimaki Engineering Co., Ltd.	
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN	
Telephone No.	: +81-268-64-2413	
Importer / Distributor Established in USA		
Company Name	: MIMAKI USA, INC.	
Address	: 150 Satellite Boulevard NE , suite A, Suwanee, Georgia 30024,	
	U.S.A.	
Telephone No.	: +1-678-730-0170	
Emergency Telephone No.	: +1 866 928 0789 (within United States only, Toll free)	
	$+1\ 215\ 207\ 0061$	

2. Hazards Identification		
[HCS Classification]		
Physical Hazards		
Flammable Liquids	Category Not classified	
Health Hazards		
Skin Corrosion / Irritation	: Category 2	
Eye Damage / Irritation	: Category 2A	
Sensitization – Skin	: Category 1A	
Toxic to Reproduction	: Category 1B	
Specific Target Organ Toxicity	: Category 1 (Central Nervous System, hear , kidney ,	
(Single Exposure)	respiratory syste , Hematopoietic System)	
Specific Target Organ Toxicity	: Category 3	
(Single Exposure)		
Specific Target Organ Toxicity	: Category 1 (Central Nervous System, heart,	
(Repeated Exposure)	respiratory system, kidneys)	

The above list does not include category being non-classifiable or not-applicable.



[HCS Label Elements] Symbol



Signal Word Danger

Hazard Statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Cause serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness and dizziness.
- H360 May damage fertility or the unborn child.
- H370 Causes damage to organs(Central Nervous System, hear, kidney, respiratory syste, Hematopoietic System)..
- H372 Cause damage to organs through prolonged or repeated exposure (Central Nervous System, heart, respiratory system, kidneys).

Precautionary Statements

[Prevention]

- P201 Obtain SDS (Safety Data Sheet) and printer's Operation Manual before use.
- P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe gas/mist/vapors.

- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash before reuse.

[Storage]


P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with local/regional/national/international regulation (to be specified).





3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Water	balance	7732-18-5
2	Ethylene glycol	20-30	107-21-1
3	Glycols	10-20	Trade Secret
4	Pigment	5-10	Trade Secret
5	Other additives	<3	Trade Secret
6	Preservative	<0.5	Mixture

Component Related Regulatory Information.

The chemical identity and/or percentage of composition is being withheld as a trade secret.

4.	First Aid Measures

Inhalation	Remove to fresh air and keep at rest in a position comfortable for	
	breathing. Call a POISON CENTER or doctor/physician if you feel	
	unwell.	
Eye Contact	\therefore Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing. If eye irritation	
	persists, get medical advice/attention.	
Skin Contact	[:] Wash with plenty of soap and water. Take off contaminated clothing	
	and wash before reuse. If skin irritation or rash occurs: Get medical	
	advice/attention.	
Ingestion	Call a POISON CENTER or doctor/physician if you feel unwell.	
	Rinse mouth.	
Most Important Symptoms/Effects		
Acute	\vdots skin irritation, eye irritation, respiratory tract irritation, central	
	nervous system depression, allergic skin reaction, central nervous	
	system damage, heart damage, kidney damage, respiratory system	

	damage, hematopoietic system damage.
Delayed	allergic skin reaction, reproductive effects, central nervous system
	damage, heart damage, respiratory system damage, kidney damage.
Indication of Immediate	: Treat symptomatically and supportively.
Medical Attention and	
Special Treatment	
Needed, If Needed	

5. Fire Fighting Measures

Flammable Properties	: Not flammable.
Extinguishing Media	Regular dry chemical, carbon dioxide, water spray, foam.
Unsuitable Extinguishing	: Do not scatter spilled material with high-pressure water streams.
Media	
Special Hazards Arising	: Negligible fire hazard during intended use. Irritating and/or toxic
from the Chemical	fumes and gases may be emitted upon the product's decomposition.
Hazardous Combustion	: Oxides of carbon.
Products	
Fire Fighting Measures	: Move material from fire area if it can be done without risk. Use
	extinguishing agents appropriate for surrounding fire. Do not scatter
	spilled material with high-pressure water streams. Cool containers
	with water spray until well after the fire is out. Avoid inhalation of
	material or combustion by-products. Stay upwind and keep out of low
	areas.
Special Protective	: Wear full protective fire fighting gear including self contained
Equipment and	breathing apparatus (SCBA) for protection against possible exposure.
Precautions for	
Firefighters	

6. Accidental Release Measures

Personal Precautions,	[:] Wear personal protective clothing and equipment, see Section 8.
Protective Equipment	
and Emergency	
Procedures	
Methods and Materials	Avoid heat, flames, sparks and other sources of ignition. Stop leak if

for Containment and	possible without personal risk. Reduce vapors with water spray.
Cleaning Up	Small spills: Absorb with sand or other non-combustible material.
	Collect spilled material in appropriate container for disposal.
	Large spills: Dike for later disposal. Keep unnecessary people away,
	isolate hazard area and deny entry. Stay upwind and keep out of low
	areas.
Environmental	Avoid release to the environment.
Precautions	

7. Handling and Storage

Precautions for Safe	: Obtain special instructions before use. Do not handle until all safety
Handling	precautions have been read and understood. Do not breathe vapor or
	mist. Avoid contact with eyes, skin and clothing. Do not eat, drink or
	smoke when using this product. Wear protective gloves/clothing and
	eye/face protection. Wash thoroughly after handling. Contaminated
	work clothing must not be allowed out of the workplace.
Conditions for Safe	Store in a well-ventilated place. Keep container tightly closed.
Storage, including any	Store locked up.
Incompatibilities	Further information on storage conditions: Store and handle in
	accordance with all current regulations and standards. Store in a
	well-ventilated area. Keep container tightly closed. Keep cool. Keep
	separated from incompatible substances.
Incompatible Materials	: oxidizing materials, acids, combustible materials, bases, reducing
	agents, metals, metal salts, halocarbons.

8. Exposure Controls / Personal Protection

Exposure Limit Values	Ethylene glycol 107-21-1
	ACGIH: 25 ppm TWA vapor fraction
	50 ppm STEL vapor fraction ; 10 mg/m3 STEL inhalable
	particulate matter, aerosol only
	100 mg/m3 Ceiling aerosol only
	Europe: 20 ppm TWA ; 52 mg/m3 TWA
	Possibility of significant uptake through the skin
	40 ppm STEL ; 104 mg/m3 STEL



Safety Data Sheets

	Mexico: 100 mg/m3 Ceiling aerosol
ACGIH - Threshold	: There are no biological limit values for any of this product's
Limit Values - Biological	components.
Exposure Indices (BEI)	

Exposure Controls

-	
Occupational Exposure Co	ontrols
Appropriate	: Provide local exhaust or process enclosure ventilation system.
Engineering Controls	Ensure compliance with applicable exposure limits.
Individual Protection Meas	sures, such as Personal Protective Equipment
Respiratory Protection	: Consult with a health and safety professional for specific respirators



appropriate for your use.

: Wear appropriate chemical resistant gloves.

Recommendations



Eye /Face

Protection



Protective Apron

: Wear splash resistant safety goggles. Provide an emergency eye

wash fountain and quick drench shower in the immediate work area.

Skin Protection

: Wear appropriate chemical resistant clothing.

9. Physical and Chemical Properties

Appearance	- Physical State	: liquid
	- Color	: yellow
Odor		: faint odor
pН		: 7 - 10 (20 °C)
Boiling Point / Boiling Range		: Not available

MIMCIKI[®] Safety Data Sheets

Product Name: Acid Dye Ink Ac400 Yellow SDS No. 037- W451843 First issue: 2017/01/19 Revised: 2019/09/26

Melting Point / Melting Range	: Not available
Decomposition Temperature	: Not available
Flash Point	: not flammable
Auto ignition temperature	: Not available
Flammability (Solid, Gas)	: Not available
Explosive Properties	: Not available
Oxidizing Properties	: Not available
Upper / Lower Flammability or	: Not available
Explosive Limits	
Vapor Pressure	: Not available
Specific Gravity	:1-1.1
Solubility	: Not available
Water Solubility	: soluble
Partition Coefficient (n-octanol / Water)	: Not available
Viscosity	: 3 - 10 mPa • s (20 °C)
Vapor Density	: Not available
Evaporation Rate	: Not available

10. Stability and Reactivity

Reactivity	: No reactivity hazard is expected.
Chemical Stability	: Stable at normal temperatures and pressure.
Possibility of Hazardous	: Will not polymerize.
Reactions	
Conditions to Avoid	: Avoid flames, sparks, and other sources of ignition. Containers may
	rupture or explode if exposed to heat. Avoid contact with incompatible
	materials.
Incompatible Materials	: oxidizing materials, acids, combustible materials, bases, reducing
	agents, metals, metal salts, halocarbons.
Hazardous	: Oxides of carbon.
Decomposition	

11. Toxicological Information

Information on Likely Routes of Exposure

Inhalation : irritation, drowsiness, dizziness, organ damage.

MIMCIKI[®] Safety Data Sheets Product Name: Acid Dye Ink Ac400 Yellow SDS No. 037- W451843 First issue: 2017/01/19 Revised: 2019/09/26

Ingestion	\vdots irritation, drowsiness, dizziness.
Skin Contact	: irritation, allergic skin reaction.
Eye Contact	: irritation

Acute and Chronic Toxicity

Component Analysis -	: The components of this material have been reviewed in various			
LD50/LC50	sources and the following selected endpoints are published.			
	Ethylene glycol (107-21-1)			
	Oral LD50 Rat 4700 mg/kg			
	Dermal LD50 Rat 10600 mg/kg			
	Glycols (Trade Secret)			
	Oral LD50 Rat 22 g/kg			
	Dermal LD50 Rabbit >20 mL/kg			
	Product Toxicity Data (Acute Toxicity Estimate)			
	Dermal > 2000 mg/kg			
	Inhalation – Vapor > 20 mg/L			
	Oral > 2000 mg/kg			
Immediate Effects	\vdots skin irritation, eye irritation, respiratory tract irritation, central			
	nervous system depression, allergic skin reaction central nervous			
	system damage, heart damage, kidney damage, respiratory system			
	damage, hematopoietic system damage.			
Delayed Effects	allergic skin reaction, reproductive effects, central nervous system			
	damage, heart damage, respiratory system damage, kidney damage.			
Irritation/Corrosivity	skin irritation, eye irritation.			
Data				
Respiratory	: No information available for the product.			
Sensitization				
Dermal Sensitization	Available data characterizes components of this product as dermal			
	sensitization hazards.			
Germ Cell	: No information available for the product.			
Mutagenicity				
Carcinogenicity	: No information available for the product.			
Component	Ethylene glycol 107-21-1			
Carcinogenicity	ACGIH: A4 - Not Classifiable as a Human Carcinogen			
Tumorigenic Data	: No information available for the product.			
Reproductive Toxicity	Available data characterizes components of this product as			
	reproductive hazards.			

Specific Target Organ	: central nervous system, heart, kidneys, respiratory system,
Toxicity - Single	hematopoietic system.
Exposure	
Specific Target Organ	\vdots central nervous system, heart, respiratory system, kidneys.
Toxicity - Repeated	
Exposure	
Aspiration Hazard	: Not expected to be an aspiration hazard.
Medical Conditions	skin disorders and allergies.
Aggravated by Exposure	

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity	[:] Harmful to aquatic life with long lasting effects.
Component Analysis -	Ethylene glycol 107-21-1
Aquatic Toxicity	Fish: LC50 96 h Oncorhynchus mykiss 41000 mg/L; LC50 96 h
	Oncorhynchus mykiss 14 - 18 mL/L [static]; LC50 96 h Lepomis
	macrochirus 27540 mg/L [static]; LC50 96 h Oncorhynchus mykiss
	40761 mg/L [static]; LC50 96 h Pimephales promelas 40000 - 60000
	mg/L [static]; LC50 96 h Poecilia reticulata 16000 mg/L [static]
	Algae: EC50 96 h Pseudokirchneriella subcapitata 6500 - 13000 mg/L
	IUCLID
	Invertebrate: EC50 48 h Daphnia magna 46300 mg/L IUCLID
Persistence and	: No information available for the product.
Degradability	
Bioaccumulation	: No information available for the product.
Mobility	[:] No information available for the product.

13. Disposal Considerations

Disposal Methods	Comply with all USA, national and local regulations.
	Do not dump this product into sewers, on the ground or into any body
	<u>of water.</u>
Component Waste	: The U.S. EPA has not published waste numbers for this product's
Numbers	components.

Disposal of	: Empty containers may contain product residue. Dispose in
Contaminated	accordance with all applicable regulations.
Packaging	

14. Transport Information

 Check a thing without a leak in a container.

 Perform prevention of coll->se of cargo surely.

 US DOT Information
 : No Classification assigned.

 International Bulk
 : This material contains one or more of the following chemicals

 Chemical Code
 required by the IBC Code to be identified as dangerous chemicals in bulk.

 Ethylene glycol 107-21-1
 IBC Code: Category Y

 Glycols (Trade Secret)
 IBC Code: Category Z

15. Regulatory Information

U.S. Federal	: This material c	ontains one or 1	more	of the	follow	ing ch	iemica	als
Regulations	required to be identified under SARA Section 302 (40 CFR 355						55	
	Appendix A), SA	RA Section 313	(40 C	FR 37	(2.65),	CER	CLA ($40 \ \mathrm{CFR}$
	302.4), TSCA 120	(b), and/or requ	ire an	OSH	A proc	ess sa	ufety p	olan.
	Ethylene glycol	107-21-1						
	SARA 313: 1 %	de minimis con	centr	ation				
	CERCLA: 5000	lb final RQ ; 22	270 kg	g final	$\mathbf{R}\mathbf{Q}$			
SARA Section 311/312	: Reproductive To	Reproductive Toxicity; Skin Corrosion/Irritation; Respiratory/Skin						
(40 CFR 370 Subparts B	Sensitization; Serious Eye Damage/Eye Irritation; Specific Target							
and C) reporting	Organ Toxicity.							
categories								
U.S. State Regulations	: The following co	omponents app	ear or	n one o	or mor	e of tł	ne foll	owing
	state hazardous substances lists:							
	Component	CAS	CA	MA	MN	NJ	PA	
	Ethylene glycol	107-21-1	Yes	Yes	Yes	Yes	Yes	

Trade Secret

No

No

Yes

No

No

Glycols



California Proposition			
65	This product can expose you to chemicals including Ethylene		
	glycol, which is known to the State of California to cause birth		
	defects or other reproductive harm. For more information go to		
	www.P65Warnings.ca.gov.		
Canada Regulations	Canadian WHMIS Ingredient Disclosure List (IDL)		
	Components of this material have been checked against the		
	Canadian WHMIS Ingredients Disclosure List. The List is composed of		
	chemicals which must be identified on MSDSs if they are included in		
	products which meet WHMIS criteria specified in the Controlled		
	Products Regulations and are present above the threshold limits listed		
	on the IDL.		
	Ethylene glycol 107-21-1: 1 %		

$Component\,Analysis-Inventory$

Eth	Ethylene glycol (107-21-1)													
US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW	
					ENCS	ISHL	Annex 1	Annex 2	CCA					
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	

Glycols (Trade Secret)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	МХ	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes

Pigment (Trade Secret)

US	CA	EU	AU	PH	JP -	JP	-	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL		Annex 1	Annex 2	CCA				
No	No	No	Yes	No	Yes	Yes		Yes	No	No	Yes	No	No	Yes

Other additives (Trade Secret)

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes

Preservative (Mixture)



Safety Data Sheets

US	CA	EU	AU	PH	JP -	JP -	KR KECI -	KR KECI -	KR - REACH	CN	NZ	MX	TW
					ENCS	ISHL	Annex 1	Annex 2	CCA				
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

16. Other Information

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS -Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU -European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; ICAO - International Civil Aviation Organization; IDL -Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow -Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX – Mexico; NDSL – Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID -European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL -Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of

Mimaki

Safety Data Sheets

Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

Disclaimer:

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.