

Safety Data Sheets

1. Identification

Product Name	: Dye Sublimation Ink Sb610 Light Blue T	
Order No.	: SB610-LBT-2L/SB610-LBT-BJ	
General Use	: Ink jet printing ink	
Product Description	: Dye Sublimation Ink	
SDS Number	: 037-W534083	
Manufacture		
Company Name	: Mimaki Engineering Co., Ltd.	
Address	2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN	
Telephone No.	: +81-268-64-2413	
Importer / Distributor Established in USA		
Company Name	: MIMAKI USA, INC.	
Address	: 150 Satellite Boulevard NE , suite A, Suwanee, Georgia 30024,	
	U.S.A.	
Telephone No.	: +1-678-730-0170	
Emergency Telephone No.	: +1 866 928 0789 (within United States only, Toll free)	
	$+1\ 215\ 207\ 0061$	

2. Hazards Identification

[GHS Classification]	
Physical Hazards	
Flammable Liquids	: Not classified
Health Hazards	
Health Hazarus	
Sensitization - Skin	: Category 1

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements] Symbol



Signal Word Warning



Safety Data Sheets

Hazard Statements H317 May cause an allergic skin reaction

Precautionary Statements
[Prevention]
P261 Avoid breathing gas/mist/vapors.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
[Response]
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash before reuse.
[Disposal]
P501 Dispose of contents/container in accordance with local/regional/national/ international regulation (to be specified).

NFPA Rating (scale 0-4)

Health = 2 Flammability = 1

Instability = 0

Special =

CANADIAN WHMIS SYMBOLS

D2B



3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Propylene glycol	30-40	57-55-6
2	Glycerin	1-5	56-81-5
3	Dye	1-10	Trade Secret
4	Water	50-60	7732-18-5
5	Other	<10	Trade Secret

4. First Aid Measures

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

MINCIKI[°] Safety Data Sheets

Eye Contact	Flush eyes with plenty of water for at least 15 minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
	Get immediate medical attention.	
Skin Contact	: Wash with plenty of soap and water. Take off contaminated clothing	
	and wash before re-use. If skin irritation or rash occurs: Get medical	
	advice/attention.	
Ingestion	: If swallowed, get medical attention.	
Most Important Symptoms/Effects		
Acute	allergic skin reaction, mild skin irritation	
Delayed	: allergic skin reaction	
Indication of Immediate	: Treat symptomatically and supportively.	
Medical Attention and		
Special Treatment		
Needed, If Needed		

5. Fire Fighting Measures

Flammable Properties	: Flash point Not flammable
Extinguishing Media	\div carbon dioxide, regular dry chemical, water spray, alcohol resistant
	foam
Unsuitable Extinguishing	: Do not scatter spilled material with high-pressure water streams.
Media	
Special Hazards Arising	: Negligible fire hazard.
from the Chemical	
Hazardous Combustion	: oxides of carbon, acrolein, oxides of sulfur
Products	
Fire Fighting	: Move container from fire area if it can be done without risk. Do not
Measures	scatter spilled material with high-pressure water streams. Cool
	containers with water spray until well after the fire is out. Stay
	away from the ends of tanks. Avoid inhalation of material or
	combustion by-products.
Special Protective	: Wear full protective fire fighting gear including self contained
Equipment and	breathing apparatus (SCBA) for protection against possible
Precautions for	exposure.
Firefighters	
Equipment and Precautions for	 away from the ends of tanks. Avoid inhalation of material or combustion by-products. Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible



6. Accidental Release Measures

Personal Precautions,	: Wear personal protective clothing and equipment, see Section 8.
Protective Equipment	Avoid release to the environment.
and Emergency	
Procedures	
Methods and Materials	: Eliminate all ignition sources if safe to do so. Stop leak if possible
for Containment and	without personal risk. Reduce vapors with water spray.
Cleaning Up	Small spills: Absorb with sand or other non-combustible material.
	Collect spilled material in appropriate container for disposal.
	Large spills: Dike for later disposal. Keep unnecessary people away,
	isolate hazard area and deny entry. Stay upwind and keep out of low
	areas.

7. Handling and Storage

Avoid breathing gas, mist or vapors. Avoid contact with eyes, skin and
clothing. Do not eat, drink, or smoke when using this product. Wear
protective gloves and eye/face protection. Wash thoroughly after
handling. Contaminated work clothing should not be allowed out of
the workplace.
Store and handle in accordance with all current regulations and
standards. Store in a well-ventilated place. Keep container tightly
closed. Keep cool. Keep separated from incompatible substances.

8. Exposure Controls / Personal Protection

Exposure Limit Values	: Glycerin (56-81-5)
	OSHA: 15 mg/m ³ TWA (mist, total particulate);
	5 mg/m ³ TWA (mist, respirable fraction)
	Mexico 10 mg/m ³ TWA LMPE-PPT (mist)
Component Biological	: There are no biological limit values for the component(s) of this
Limit Values	product.



Exposure Controls Occupational Exposure Controls Appropriate : Provide local exhaust or process enclosure ventilation system. Ensure **Engineering Controls** compliance with applicable exposure limits. **Personal Protection** Respiratory : Consult with a health and safety professional for specific respirators Protection appropriate for your use. Vapor Respirator Hand Protection : Wear appropriate chemical resistant gloves. Gloves Eye Protection : Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area. Safety Glasses **Skin Protection** : Wear appropriate chemical resistant clothing. Protective Apron

9. Physical and Chemical Properties

Appearance	- Physical State	: Liquid
	- Color	: Blue
Odor		: unique odor
pH		: 7-9
Boiling Point / Boiling Range		: Not available
Melting Point / Melting Range		: Not available
Decomposition Temperature		: Not available
Flash Point		: Not flammable
Auto ignition temperature		: Not available
Flammability (Solid, Gas)		: Not available

Mimciki Safety Data Sheets

Product Name: Dye Sublimation Ink Sb411 Light Blue T SDS No. 037-W534083 First issue: 2018/07/17 Revised: 2019/12/18

Explosive Properties	: Not available
Oxidizing Properties	: Not available
Upper / Lower Flammability or	: Not available
Explosive Limits	
Vapor Pressure	
Specific Gravity	: 1.0-1.2 (25 $^\circ~$ C)
Solubility	: Not available
Water Solubility	: Soluble
Partition Coefficient (n-octanol / Water)	: Not available
Viscosity	: 4-6 mPa·s (25 °C)
Vapor Density	: Not available
Evaporation Rate	: Not available

10. Stability and Reactivity

Reactivity	: No reactivity hazard is expected.
Chemical Stability	: Stable under normal conditions of use.
Possibility of Hazardous	: Will not polymerize.
Reactions	
Conditions to Avoid	Avoid flames, sparks, and other sources of ignition. Avoid contact
	with incompatible materials.
Incompatible Materials	: acids, bases, oxidizing materials, metal oxides, peroxides, reducing
	agents, combustible materials, halocarbons, metals, metal salts
Hazardous	: Combustion: oxides of carbon, acrolein, oxides of sulfur
Decomposition	

11. Toxicological Information

Acute Toxicity	: The component(s) of this material have been reviewed in various
Component Analysis -	sources and the following selected endpoints are published:
LD50/LC50	Propylene glycol (57-55-6)
	Oral LD50 Rat 20 g/kg; Dermal LD50 Rabbit 20800 mg/kg
	Glycerin (56-81-5)
	Oral LD50 Rat 12600 mg/kg; Dermal LD50 Rabbit >10 g/kg;
	Inhalation LC50 Rat >570 mg/m ³ 1 h



Information on Likely Routes of Exposure

Information on Likely 100						
Inhalation	: irritation, difficulty breathing, headache, nausea					
Ingestion	: fever, nausea, vomiting, diarrhea, headache, dizziness, sleep					
	disturbances, blood disorders, kidney damage, paralysis, reproductive					
	effects, convulsions, skin disorders, stomach pain, drowsiness, loss of					
	coordination, unconsciousness					
Skin Contact	: allergic reactions, irritation, nausea, headache, drowsiness, dizziness,					
	loss of coordination					
Eye Contact	: irritation					
Immediate Effects	allergic skin reaction, mild skin irritation					
Delayed Effects	allergic skin reaction					
Medical Conditions	: No information available for the product.					
Aggravated by Exposure						
Irritation/Corrosivity	: mild skin irritation					
Data						
Respiratory	: No information available for the product.					
Sensitization						
Dermal Sensitization	: May cause an allergic skin reaction.					
Germ Cell Mutagenicity	: No information available for the product.					
Carcinogenicity	: Component Carcinogenicity					
	No data listed by ACGIH, IARC, NTP, DFG or OSHA is available for					
	the component(s) of this product.					
Reproductive Toxicity	: No information available for the product.					
Specific Target Organ	: No target organs identified.					
Toxicity - Single						
Exposure						
Specific Target Organ	: No target organs identified.					
Toxicity - Repeated						
Exposure						
Aspiration Hazard	: Not expected to be an aspiration hazard.					

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it.

Especially, note that the product doesn't flow directly to ground, the

Mimciki Safety Data Sheets

	river, and the drain ditch.
Component Analysis -	: Propylene glycol (57-55-6)
Aquatic Toxicity	Fish: 96 Hr LC50 Oncorhynchus mykiss: 51600 mg/L [static]; 96 Hr
	LC50 Oncorhynchus mykiss: 41 - 47 mL/L [static]; 96 Hr LC50
	Pimephales promelas: 51400 mg/L [static]; 96 Hr LC50 Pimephales
	promelas: 710 mg/L
	Algae: 96 Hr EC50 Pseudokirchneriella subcapitata: 19000 mg/L
	Invertebrate: 48 Hr EC50 Daphnia magna: >1000 mg/L [Static]
	Glycerin (56-81-5)
	Fish: 96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]
Persistence and	: No information available for the product.
Degradability	
Bioaccumulation	: No information available for the product.
Mobility	: No information available for the product.
Other Toxicity	: No additional information is available.

13. Disposal Considerations

	: Comply with all USA, national and local regulations. <u>Do not dump this product into sewers, on the ground or into any body</u> <u>of water.</u>
Disposal Methods	: Dispose in accordance with all applicable regulations.
Component Waste	: The U.S. EPA has not published waste numbers for this product's
Numbers	components.
Disposal of	: Empty containers may contain product residue. Dispose in
Contaminated	accordance with all applicable regulations.
Packaging	

14. Transport Information

	Check a thing without a leak in a container.						
	Perform prevention of collapse of cargo surely.						
US DOT Information	: Not regulated as a hazardous material for transport.						
TDG Information	: Not regulated as dangerous goods for transport.						
IATA Information	: Not regulated as dangerous goods for transport.						
ICAO Information	: Not regulated as dangerous goods for transport.						



IMDG Information	: Not regulated as dangerous goods for transport.
Marine Pollutants	: Not regulated as dangerous goods for transport.
(IMDG)	
International Bulk	: This material does not contain any chemicals required by the IBC
Chemical Code	Code to be identified as dangerous chemicals in bulk.

15. Regulatory Information

U.S. Federal	: None of this products c	ompo	nents :	are list	ed und	er SAI	RA Sections		
Regulations	: None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR								
	370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR								
	302.4), TSCA 12(b), or require an OSHA process safety plan.								
SARA TitleIII	: Acute Health: Yes								
Section 311/312	Chronic Health: No								
Section 311/312	Fire: No								
	Pressure: No								
	Reactive: No								
U.S. State Regulations	: The following components appear on one or more of the following								
	state hazardous substar	nces li	sts	1					
	Component	CA	MA	MN	NJ	PA			
	Propylene glycol	No	No	Yes	Yes	Yes			
	(CAS No. 57-55-6)	INO	INO	ies	res	res			
	Glycerin	N	N 7	37	57	57			
	(CAS No. 56-81-5)	No	Yes	Yes	Yes	Yes			
	Not regulated under California Proposition 65								
Canada WHMIS	: D2B.								
CLASSIFICATION									
Canadian WHMIS	: Components of this material have been checked against the								
Ingredient Disclosure	Canadian WHMIS Ingredients Disclosure List. The List is composed of								
List (IDL)	chemicals which must be identified on MSDSs if they are included in								
	chemicals which must be identified on MSDSs if they are included in products which fall under WHMIS criteria specified in the Controlled								
	Products Regulations an								
	the IDL.	1.							
	Propylene glycol (57-55-	6) 1 %	, D						
	ropjicile gijeel (or oo	5/1/(,						



Chemical Inventory : Component Analysis - Inventory

Listings

Component	US	CA	EU	AU	PHIL	JP	KR	CN	NZ
Propylene glycol (CAS No. 57-55-6)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes
Glycerin (CAS No. 56-81-5)	Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	Yes

16. Other Information

Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; CAS - Chemical Abstracts Service; CLP - Classification, Labelling and Packaging; EEC - European Economic Community; EIN (EINECS) - European Inventory of Existing Commercial Chemical Substances; ELN (ELINCS) - European List of Notified Chemical Substances; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; IBC Code -International Bulk Chemical Code; Kow - Octanol/water partition coefficient; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NTP = National Toxicology Program; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - European Rail Transport; STEL - Short-term Exposure Limit; TWA - Time Weighted Average; UEL - Upper Explosive Limit

Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.