

1. IDENTIFICATION	
Product Identifier	TP410 Green
Product code	TP410-G-2L
Recommended use of the chemical and restrictions on use	Inkjet printing ink
Manufacturer	MIMAKI ENGINEERING CO., LTD.
	2182–3 Shigeno-otsu, Tomi-shi, Nagano 389–0512 JAPAN +81–268–64–2413
Importer / Distributor	MIMAKI USA, INC. 4851 Thurmon Tanner Parkway, STE 100 Flowery Branch, GA 30542, U.S.A. +1–678–730–0170
Emergency Telephone No.	+1 866 928 0789 (within United States only, Toll free) +1 215 207 0061


Not classified.

2. HAZARDS IDENTIFICATION

Specific hazard

Classification of the chemical in			
accordance with paragraph (d) of 29			
CFR § 1910.1200			

GHS Label Elements		
Symbols	None	
Signal Word	None	
Hazard Statements	None	
Precautionary Statements		
Prevention	None	
Response	None	
Storage	None	
Disposal	None	
NFPA Hazard Rating		
Health	3	
Flammability	1	
Reactivity	0	



3. COMPOSITION / INFORMATION ON INGREDIENTS

Substances or mixtures		Mixture	
	Chemical name	Contents	CAS number
	Propylene glycol	1-5%	57-55-6
	Glycerol	10-20%	56-81-5
	2,2'-(ethylenedioxy)diethanol	3-5%	112-27-6



Pigment	1-5%	Trade Secret		
Others	65-85%	Trade Secret		
. FIRST-AID MEASURES				
In case of inhalation	Remove victim to fresh	Remove victim to fresh air and keep at rest in a position comfortable		
	for breathing.			
	Get medical attention i	f symptoms occur.		
	In case of inhalation of	decomposition products in a fire, symptoms		
	may be delayed.			
In case of skin contact	Flush contaminated ski	n with plenty of water.		
	Remove contaminated	clothing and shoes.		
	Get medical attention i	f symptoms occur.		
In case of eye contact	Immediately flush eyes	with plenty of water, occasionally lifting the		
	upper and lower eyelid	s. Check for and remove any contact lenses.		
	Get medical attention i	f irritation occurs.		
In case of ingestion	Wash out mouth with v	vater.		
2	If material has been sw	allowed and the exposed person is conscious,		

give small quantities of water to drink.

Get medical attention if symptoms occur.

Do not induce vomiting unless directed to do so by medical personnel.

Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	nitrogen oxides halogenated compounds metal oxide/oxides
Special protective equipment and precautions for fire-fighters	Wear full fire-fighting turn-out gear (full bunker gear) and respiratory protection (self-contained breathing apparatus).
	Promptly isolate the scene by removing all persons from the vicinity on the incident if there is a fire.
	No action shall be taken involving any personal risk or without suitable training.

6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective	If specialized clothing is required to deal with the spillage, take note of
equipment and emergency procedures	any information in Section 8.



	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental
	pollution (sewers, waterways, soil or air).
Methods and materials for containment	Small spill : Stop leak if without risk. Move containers from spill area.
and cleaning up	Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container.
	Dispose of via a licensed waste disposal contractor.
	Large spills : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

7. HANDLING AND STORAGE

Precautions for safe handling	
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
	Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment
	before entering eating areas.
Conditions for safe storage, including any incompatibilities	
Suitable storage conditions	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

*M*imaki[®]

Safety Data Sheet

Control parameters	
Occupational exposure limits	None.
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmer protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessar to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the en of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothin before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposur to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates higher degree of protection: safety glasses with sideshields.
Skin protection	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical product if a risk assessment indicates this is necessary.
Body protection	Personal protective equipment for the body should be selected base on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators mu be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

9. PHYSICAL AND CHEMICAL	PROPERTIES	
Appearance Physical State	Liquid	

Mimaki™

Safety Data Sheet

Product Identifier: TP410 Green SDS No. 037-W577811 First issue: 2023/12/11 Revised: 2025/04/10

Color Odor Odor threshold	Green Characteristic Not available.
pH	7–9
Melting point	Not available.
Boiling point	Not available.
Flash point	Not flammable
Evaporation rate	Not available.
Flammability(Solid,Gas)	Not available.
Flammability or explosive limits	
Lower Limit	Not available.
Upper Limit	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific Gravity	1.0-1.1
Solubility	Not available.
Partition coefficient: n-octanol/water	Not applicable.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	5−7mPa⋅s(25°C)

10. STABILITY AND REACTIVITY

Reactivity	No information available.	
Chemical stability	The product is stable.	
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will	
	not occur.	
Conditions to avoid	No information available.	
Incompatible materials	No information available.	
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition	
	products should not be produced.	

11. TOXICOLOGICAL INFORMATION

Acute toxicity (Oral)	Not available.
Acute toxicity (Dermal)	Not available.
Acute toxicity (Inhalation : Gases)	Not available.
Acute toxicity (Inhalation : Vapours)	Not available.
Acute toxicity (Inhalation : dust/mist)	Not available.
Skin corrosion/ Irritation	Not available.
Serious eye damage/ irritation	Not available.
Respiratory Sensitization	Not available.
Skin Sensitization	Not available.
Germ cell mutagenicity	Not available.



Carcinogenicity Reproductive toxicity Reproductive toxicity, effects on or via	Not available. Not available. Not available.
lactation Specific target organ toxicity – Single	Not available.
exposure	NUL avallable.
Specific target organ toxicity – Repeated exposure	Not available.
Aspiration hazard	Not available.

12. ECOLOGICAL INFORMATION	
Hazardous to the Aquatic Environment -	Not available.
Acute Toxicity	
Hazardous to the Aquatic Environment -	Not available.
Chronic Toxicity	
Hazardous to the Ozone layer	Not available.

13. DISPOSAL CONSIDERATIONS

Disposal methods	Comply with all USA, national and local regulations.
	<u>Do not dump this product into sewers, on the ground or into any body</u> of water.
	or water.

14. TRANSPORT INFORMA	TION	
IMDG	Not dangerous goods	
ΙΑΤΑ	Not dangerous goods	
DOT	Not dangerous goods	

15. REGULATORY INFORMATION	
U.S. Federal regulations	TSCA 8(a) PAIR: 1,1'-oxydipropan-2-ol; Siloxanes and Silicones, di-Me, reaction products with silica Clean Water Act (CWA) 307: [1,3,8,16,18,24-hexabromo- 2,4,9,10,11,15,17,22,23,25-decachloro-29H,31H-phthalocyaninato(2-)- N29,N30,N31, N32]copper; ethylbenzene; hexachlorobenzene Clean Water Act (CWA) 311: Triethylamine; xylene; ethylbenzene;
	sodium hydroxide
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	Listed
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals	Not listed



(Precursor Chemicals) DEA List II Chemicals

(Essential Chemicals) SARA 302/304

Safety Data Sheet

Not listed

ingredients						
			SARA 30	SARA 302 TPQ SARA 304 RQ		04 RQ
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
ethylene oxide	<0.1	Yes.	1,000	_	10	_

SARA 304 RQ SARA 311/312

Classification Composition/information on ingredients

Composition/information on

California Proposition 65

432103566582.8 lbs / 196175019228.6 kg

Not applicable. No products were found.

WARNING



This product can expose you to chemicals including Hexachlorobenzene, Ethylene oxide, Ethylbenzene, Ethylene Glycol and Methanol which are known to the State of California to cause cancer / birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NFPA Hazard Rating	
Health	3
Flammability	1
Reactivity	0
Specific hazard	Not applicable

16. OTHER INFORMATION

Literature References Other data

SDS of raw material

The information suggested in this Safety Data Sheet does not comprehend everything and should be adopted only as a guide. The accuracy of the information and recommendations suggested herein are credible. However the company makes no warranty regarding such information and recommendations and disclaims all liability for reliance thereon.